
This is a reproduction of a library book that was digitized by Google as part of an ongoing effort to preserve the information in books and make it universally accessible.

Google™ books

<https://books.google.com>



Princeton University Library



32101 049490160



9074
.228

9076
228 Elizabeth Foundation.



LIBRARY

OF THE


College of New Jersey.

~~XXVI~~ 1607.27



1.88

BERT'S SOLAR COMPASS.



B. F. WILKINSON & Co. Sculptors
11, F. and W. Lane, Strand, London, W.

A KEY

TO THE

SOLAR COMPASS,

AND

SURVEYOR'S COMPANION;

COMPRISING

All the Rules necessary for Use in the Field.

ALSO,

DESCRIPTION OF THE LINEAR SURVEYS, AND PUBLIC LAND SYSTEM
OF THE UNITED STATES; NOTES ON THE BAROMETER,
SUGGESTIONS FOR AN OUTFIT FOR A SURVEY
OF FOUR MONTHS, ETC., ETC.

BY WILLIAM A. BURT,

U. S. DEPUTY SURVEYOR.

THIRD EDITION.

NEW YORK:

D. VAN NOSTRAND, PUBLISHER,

23 MURRAY AND 27 WARREN STREET.

1873.

)

ENTERED, according to act of Congress, in the year 1788, by

WILLIAM A. BURT,

**In the Clerk's Office of the District Court of the United States, in and for the
Eastern District of Pennsylvania.**

P R E F A C E .

MUCH perplexity and difficulty has been felt by surveyors in the use of the Magnetic Compass, in consequence of its variations from the true meridian, at various localities or stations, and also its almost constant diurnal changes as well as aberrations, caused by local attraction. A more perfect guide for the surveyor than the Magnetic Needle was, therefore, very desirable. The long continued efforts made by the author to accomplish this object, resulted in the invention of the Solar or Astronomical Compass. A model of this instrument was made in the year 1835, by the inventor, in order to test its principles, and in the latter part of the same year, the first Solar Compass was made, under his direction and supervision, by William J. Young, of Philadelphia, Pa. The instrument was then submitted to a committee of the Franklin Institute, of the State of Pennsylvania, who after a full examination of its principles and merits, awarded the inventor a premium of twenty dollars and a "Scott's Legacy" medal. The Solar Compass as then made, like most newly invented instruments, was soon found susceptible of improvement and of greater usefulness than at first anticipated. Accordingly the inventor made several alterations and improvements suggested by experience, and in December, 1840, again submitted the instrument, as improved, to a committee of the same Institute, who reported a decided improvement, in point of accuracy, and the simplicity of its adjustments and use. The inventor

(RECAP)

907426

33484

has since continued to improve this instrument as more experience in the use of it seemed to suggest. And in 1851 exhibited it, as improved, at the World's Fair, in the city of London, where a premium medal was awarded the exhibitor by the jurors on Astronomical Instruments.

Since its invention in 1835, and during its progressive improvements, the inventor has been called upon, personally or by letter, from a large portion of the surveyors of the public lands, for information how to adjust and use it. Such inquiries could be but imperfectly answered by letter, or a few hours' conversation, and the author could not, without being discourteous, avoid replying in some manner to such necessary inquiries, though a serious tax sometimes on his business. To prevent this the inventor published a few pages of instructions, showing how to adjust and use this instrument, and distributed them among the surveyors; but soon after this, new discoveries were made in the construction and adjustments of the Solar Compass, consequently what had been done only supplied their wants in part, and the inventor was solicited by many of the surveyors of the public lands for full instructions on this subject, and a treatise on surveying adapted to their wants in the field of survey. The foregoing remarks constitute the apology of the author for assuming a task so foreign to his habits of life, and to which duty seemed to impel him in the absence of any prospects of this much needed work being soon accomplished by any other person. This treatise contains much original matter, mostly derived from experience in practical surveying. The elements of surveying as published and taught in the schools, are purposely omitted to lessen the size of this work, the object of which is to furnish the practical surveyor with a convenient pocket companion suited to his business while engaged in his field work. The inexperienced surveyor in this branch of the public service has

need of all necessary information to enable him to accomplish his arduous duties in a proper manner. The frequent failures in part, or in whole, by many Deputy Surveyors, have done much injury to the public surveys, and ruined their hopes and reputation.

This is a sufficient reason for introducing into this work the necessary outfit and preparations for a large survey in the wilderness, the want of which has been one of the principal causes of these failures.

The author does not presume that this treatise is without defects; he indulges the hope, however, that it will answer the purpose for which it is designed, until further experience shall furnish a better. The author has availed himself of the experience of several practical surveyors, in preparing this work, and has also consulted the best authorities that appeared to throw light upon the subjects treated of.

The tables of Natural Sines and Tangents, at the end of the work, have been carefully compared with different standard works, and are offered to the surveyor with a confidence that he will find them accurate. The table of chords has been added to supply a want, frequently experienced, in draughting, where a reliable protractor is not at hand. The majority of protractors accompanying draughting instruments are either so small or so inaccurate as to be productive of sensible errors in large draughts.

CONTENTS.

	Page
Solar Compass described,.....	9
Principles of the Solar Compass explained,.....	11
Adjustments of the Solar Compass, “	12
How the Solar Compass should be made,.....	17
Astronomy, for the use of the Solar Compass,.....	18
Nautical Almanac, how to use it, &c.,.....	22
Fixed stars, and table of,.....	22
Latitude, how to determine with the Solar Compass,.....	23
“ by the Pole star, “ “	24
Table of elongations of the Pole star,.....	25
To find the true meridian, &c., by the Solar Compass,.....	25
To find the Zenith distance and altitude, “	26
Time of day by the Sun,	26
Diurnal variation of the magnetic needle,.....	26
To find the time of the meridian passage of fixed stars,.....	28
The effects of refraction and parallax on the Solar Compass,.....	29
Table of the proportional parts of refraction and parallax to be allowed on the Solar Compass,.....	31
Table of refraction,.....	32
Table of corrections for the Moon’s parallax and refraction,.....	34
Measuring lines with the chain,.....	34
Telescopic measurement in measuring rivers, &c.,.....	36
Table—chains into feet. Feet into chains,.....	38
Measuring distances over rivers, lakes, &c.,.....	38
Use of the parallel rule, in ascertaining the contents of multangular fields, &c.,.....	43
Rafts for crossing rivers, lakes, &c.,.....	44
Running lines with the Solar Compass,.....	45
Table for correcting the Sun’s declination by the hourly differ- ences,.....	47

	Page
Influence of metallic veins on the magnetic needle.....	49
Rules for correcting the course of random lines.....	49
Table for correcting the course of random lines.....	51
Latitude and longitude of places in North America,.....	52
Table of lengths of degrees of latitude and longitude,.....	54
How to run parallels of latitude.....	54
Convergency of meridians,.....	56
Rule for computing the amplitude,	57
“ to find the time of the Sun’s rising or setting,	58
“ for the angles of the equatorial lines,.....	63
Rule for computing the elongation of the Pole star,.....	59
“ “ the Moon’s parallax in altitude, &c.,.....	59
To find the meridional refraction,	60
Barometer,	61
Barometrical table for computing heights, &c.,.....	61-64
Aneroid Barometer, and measurement of heights,.....	63
System of Survey of the United States lands,.....	67
Of Subdividing Townships,.....	68
Restoring extinct corners, &c.,	69
Act concerning mode of Surveying Public Lands,	74
Linear, Geological and Topographical Surveys,	76
Table of corrections of levels for curvature and refraction,	78
Suggestions for an outfit for a Surveying Company,.....	79
Depots in advance of a survey,	83

PART II.

Traverse Table,.....	1
Table of Natural Sines,	92
“ “ Tangents,.....	104
Table for comparison of French and English Barometers,.....	116
Table of Chords to a Radius of Unity,.....	117

A KEY

TO THE

SOLAR COMPASS, AND SURVEYOR'S COMPANION.

THE SOLAR COMPASS DESCRIBED.

SEE PLATE I.

The Solar Compass works astronomically in determining latitude, and in measuring horizontal angles from the true meridian, and in determining the declination, and hour arcs, of celestial objects within the Zodiac; and is further used as a magnetic compass. This instrument is used on a tripod, with a ball and socket, in order to adjust it readily to an approximate level by the hand, after which it is adjusted to a true level by means of four thumb-screws at the lower end of the socket, by which it is attached to the tripod. No part of these are seen in the plate, except the ball, clamp and screw, at *u*. This clamp fastens the instrument on the tripod in any required position. The Solar Compass has two main plates, seen at *a*. and *b*.—*a*. is the upper and *b*. the under plate, the latter is that on which the compass sights *cc*. are attached by screws and steady pins. This plate revolves underneath the upper plate on a conical centre piece, and may be clamped to it at any required angle by two clamps, one of which is seen at *p*. There is, also, an inlaid silver ring on the under plate, divided into half degrees, which is covered by the upper plate, except at two openings at opposite points, with a vernier attached to each, *d. d*. Upon the upper plate is attached a needle-box, *e*, by a conical centre piece below the cap of the needle *g*. This needle has an arc of about 86° , divided into halves, for its north end only. A lever, *r*, is to raise the needle from its pivot when not in use.

The needle-box has a limb extending at right angles from its centre, which is not seen in the plate. At the end of this limb is a vernier and arc to set off the needle's variation; the tangent screw to this limb and vernier is seen between *k* and *d*. In consequence of the imperfection of magnetic needles, the arc is attached to the upper plate by two screws, and made adjustable, so that all instruments of this kind can be made to read the same magnetic variation. On the upper plate two adjustable spirit levels are placed at right angles to each other, for the purpose of adjusting the instrument to a true level, when an observation is made on any celestial object. The edge of the upper plate is divided to every five degrees of a circle; and in its centre is placed a brass pin, rising a little above the needle-box; by this arrangement, the surveyor can readily see the approximate course of any object in view, without turning the sights in its direction.

Together with the foregoing described parts, on the upper plate is placed the solar apparatus, which is attached to it by two small blocks, fastened by screws and steady pins, one of which is seen at *y*. Into each of these blocks one axis of the latitude arc *g* enters. These axes are connected by the hour arc *i* and two radial arms *z z* from its centre at *s*. From this centre of the hour arc, a curvilinear arm extends to the latitude arc *g*. The latitude arc moves in a grooved arc to which its vernier *t* is attached. The grooved arc is fastened to the compass plate by a flange at its base, and two screws. The latitude arc *g* has a radius of about five inches, and is divided into quarter degrees, and its vernier *t* reads these divisions to minutes. The latitude arc is clamped at any required latitude, by a clamp screw on the back side, not seen on the plate. The hour arc *i*, as above stated, lies between, and connects the axes of the latitude arc: it is only a portion of the hour circle, and is divided to half degrees. This arc gives the hour angle of celestial objects within the Zodiac of about 55° or 60° east and west of the meridian.

The revolving limb *v*, with its declination arc *h*, is mounted on the centre of the hour arc, and has a free motion on its conical spindle or axis, within the conical socket *s*, at the lower end of which is a collar and screw, for the purpose of giving a suitable tenseness to its movement. This is called the polar axis.

In connexion with the revolving limb is another moveable limb *x*, attached to it by a short conical centre at *l*; the other end with its vernier *m*, moves over the declination arc *h*, and is clamped to it at

any required declination, by a clamp screw on the back side of the arc. This arc has about the same radius, and the same divisions and vernier as the latitude arc.

A small brass plate is attached by screws to each end of the limb x , standing out at right angles from the limb; and into the upper half of one plate, and the lower half of the other, is set a small convex lens, as seen at oo , called the solar lenses; and on the opposite brass plate to each lens, is attached a small adjustable silver plate by means of three screws. On each of these silver plates two sets of parallel lines are drawn, crossing each other at right angles, at a suitable distance apart to embrace the sun's image, which falls between them from the lens.

The set of lines which are parallel to the hour arc are called the equatorial lines, and the set which are vertical to the hour arc are called the hour lines. On the upper edge of each brass plate above named, is placed an equatorial sight ww , which can be attached or detached at pleasure, by means of small thumb screws.

There is also another limb (not seen in the plate) called an adjuster, which can be substituted in the place occupied by the limb x , for the purpose of adjusting to a parallelism with the lenses, the equatorial lines on the silver plates. It is a brass bar about six inches long, and one-fourth of an inch thick, with a plane surface, and three small pins at each end. The pins are for the purpose of keeping the limb x , when on the adjuster, in its place.

The adjuster when used must be attached to the same place occupied by the limb x , with the same centre and screws that held the latter. (See second adjustment.)

PRINCIPLES OF THE SOLAR COMPASS BRIEFLY EXPLAINED.

Where a solar compass is correctly adjusted in all its parts, and also to the latitude and meridian of the place of observation, with its vernier m , of the declination arc clamped at 0, or zero, then the polar axis s , of the instrument, will be parallel to the axis of the earth, and the moveable limb x , with its lenses and equatorial sights, will consequently be at right angles to the polar axis, and will revolve on this axis parallel to the plane of the equator; therefore, it

is clear that this motion coincides with the diurnal motion of any heavenly body that has no declination, and it is equally clear, that this coincidence holds good when a celestial object has north or south declination, if its declination be set off on the declination arc of the instrument; for, the diurnal motion of the heavenly object will be like the motion of the moveable limb x , parallel to the equator and equidistant from it. Now if the instrument be turned horizontally out of the meridian, the polar axis will not be parallel to the axis of the earth, nor will the moveable limb x revolve parallel to the equator; consequently it will not follow the diurnal motion of any heavenly body; therefore, if the sun's declination be set off on the declination arc, the sun's image from the lens will not fall between the equatorial lines on the silver plate, but will fall above or below them, and will not fall between them until the compass is turned again into the true meridian.

It is from these principles of the solar compass that the true meridian is obtained, and the variation of the needle determined, etc.

ADJUSTMENTS OF THE SOLAR COMPASS.

Before using the solar compass it must be correctly adjusted. This consists in bringing its different parts to their proper place, and in determining the index errors of the instrument in its graduated arcs, which is chiefly done by reversals and adjusting screws.

FIRST ADJUSTMENT.

To adjust the two spirit levels kk , to a horizontal movement of the instrument on its lower axis.

Place the compass on the tripod, and level it, or nearly so, with the hand, then by means of the levelling screws at the lower end of the ball and socket, bring the bubble in each level to the middle of its opening. If the bubbles do not move while the compass is turned horizontally around on its lower axis, this adjustment is right; but if they move, the levels must be adjusted by the screws at the end of each for that purpose, until the bubbles will remain stationary while the instrument is turned horizontally around.

SECOND ADJUSTMENT.

To make the solar lenses and the equatorial lines on their opposite plates parallel to each other.

Detach the limb *x*, by taking out its fastening screws, and attach the adjuster in its place, with the same screws that held the limb; then clamp it at the moveable end, to the sun's declination as near as practicable. Now let the compass be placed on the tripod where the sun shines, and level it, with the sights north and south, or nearly so; then place the limb *x* on the adjuster, between the pins, the same side up that was upon the compass, and then bring it to bear on the sun as in other observations, and turn the compass horizontally, if necessary to bring the sun's image precisely between the equatorial lines on the silver plate; now, without moving the compass in the least out of level, or otherwise, take the limb *x* from the adjuster and turn the upper side down, without changing ends, and place it on the adjuster again; then see if the sun's image falls between the equatorial lines as before. If it does, this plate is in adjustment; but if it does not, loosen the three small screws which hold the silver plate, (having oblong holes under their heads,) and move this plate one-half of the observed difference, up or down as the case requires, and lightly tighten the screws again. Repeat these observations and adjustments, as above described, until the sun's image falls precisely between the equatorial lines, either side up. This plate then will be in correct adjustment.

Now reverse the ends of the limb *x*, and adjust the other silver plate in the same manner as the first. When this is done, the parallelism of the lenses and equatorial lines are as perfect as reversals will make them, and the equatorial sights are also parallel to these. The adjuster may now be taken off and the limb *x* returned to its place. It will not be necessary to repeat this adjustment unless the silver plates get moved by accident or otherwise. The best time to make these adjustments, is between the hours of 10 A. M. and 2 P. M.

In making this adjustment the limb *x* should fit accurately on the adjuster, and the brass plates in which the lenses are set must be precisely of the same breadth; if they are not, this adjustment cannot be correctly made. Therefore, these plates should be carefully tried with a gauge, and any difference in size corrected.

THIRD ADJUSTMENT.

To find the index error of the declination arc.

FIRST METHOD.

Set the vernier m of the declination arc h at 0, or zero, place the compass on the tripod, and incline it north or south, as the sun may have north or south declination, until the sun's image falls precisely between the equatorial lines on the silver plate; then reverse the lenses by turning the revolving limb half way around, and see if the sun's image falls precisely between the equatorial lines on the other silver plate; if it does, there is no index error in this arc; but if it does not, move the limb x up or down, as the case requires, on the declination arc one-half of the observed difference, and try the reversals again, and so repeat them, if necessary, until the sun's image falls precisely between the equatorial lines on both silver plates. The amount of index error in this arc can now be read by its vernier m . If the index error is *below* the graduated zero point on the declination arc, its amount must be *subtracted* from the declination of the celestial object, before it is set off on the declination arc; but if *above*, it must be *added*.

SECOND METHOD.

Set the vernier m of the declination arc h at zero, as before, and bring the equatorial sights to bear on some distant object; then, without moving the compass in the least, reverse the revolving limb v , and see if the line of sight is the same as before; if it is, there is no index error; but if not, proceed as described, by reversals on the sun, until the equatorial sights will bear on the same objects when reversed.

FOURTH ADJUSTMENT.

To bring the polar axis to a right angle with the axis of the latitude arc.

This adjustment generally is, and always should be made by the instrument maker, but the surveyor should test his instrument in all of its parts. First detach the solar apparatus from the upper plate, by taking out the clamp screw of the latitude arc, and the screws that fasten its axis and blocks to the upper plate; then take a piece of board about four inches wide and a foot long, with smooth edges, and nail one edge to another board about one foot square, so that

it will be at right angles to its surface. Place this on a stand or table, in a convenient place to view some distant object, then take the blocks that hold the axes of the latitude arc, and place them on their axes, and fasten them by their screws to the upper edge of the narrow board; by this arrangement the polar axis s can be brought to a perpendicular, and then reversed, by giving motion to the axes of the latitude arc of 180° .

The moveable limb x must now be clamped to its true zero point, as found by the third adjustment, and the polar axis s brought to a perpendicular; the revolving limb v must now be turned parallel to the axis of the latitude arc; then observe some distant object through the equatorial sights; now reverse the polar axis as above directed, and see if the equatorial sights bear on the same object as before reversing the polar axis; if they do, the polar axis is at right angles to the axis of the latitude arc; but if not, the face of the flange, or the seat of the conical socket s , must be ground on one side enough to correct this error, so that the equatorial sights will bear on the same object when reversed as above stated. If the error be small, it may be corrected by placing a thin piece of tin foil, or some other firm substance, under one side of the flange of the conical socket s .

FIFTH ADJUSTMENT.

To make the compass sights coincide with the true meridian, when an observation is made with the solar compass.

Place the compass on the tripod, and clamp the sights to an east, west course; then take out the clamp screw to the latitude arc, and raise this arc until the polar axis s is horizontal, or nearly so, and fasten it in this position, which can be easily done by placing a small wedging piece of wood between the edge of the hour arc and the upper plate of the compass, and a small brace of wood between the brass centre pin and the conical centre s of the hour arc. Then clamp the vernier m of the declination arc at its true zero point, as found by the third adjustment. Now bring the equatorial sights to bear on some distant object in or near the horizon; then unclamp the main plates a and b , and bring the compass sights to bear on the same distant object; (it is well to reverse the equatorial sights and make the same observation again;) if both sights still coincide, read at the verniers $d d$, the amount of the index error, if any, between these plates.

This adjustment should always be made by the instrument maker, and cleared of index error, by a proper adjustment of the compass sights on the lower plate. But if any index error is found in the instrument, while in the hands of the surveyor, it should be allowed for in all courses run by him, or he may correct it by removing one of the compass sights the required amount so as to make the line of sight to coincide with the meridian. This can be done by enlarging, with a small round file, the holes on one side of the steady pins and screw that hold the compass sight to the lower plate, enough to correct the index error. The vacancy on the side of the steady pins may be filled with tin foil, or some other substance that is not magnetic.

SIXTH ADJUSTMENT.

To find the index error of the latitude arc.

This is most correctly done by determining the latitude of any station by north and south stars, or, determine the latitude by the sun, and again by the pole star; (see article, "Latitude by the Solar Compass;") one-half of the difference of latitude thus found, if any, is the index error of this arc. If the latitude determined by an observation on the sun, or star within the zodiac, be less than the latitude by the north star, the half difference must be added to the zodiacal observation, to obtain the true latitude of the station; but if greater, it must be subtracted. But this index error is not used for any other purpose than to find the true latitude, for the latitude given by an observation on a celestial object within the zodiac, is the latitude to be used for all other purposes.

SEVENTH ADJUSTMENT.

To find the index error of the hour arc.

Adjust and clamp the compass sights to the true meridian, as directed in the remarks to find the meridian, variation of the needle, &c.; also, set a stake in the meridian, four or five chains south of the instrument, and keep the compass sights directed to it. Then at the distance of ten or twelve feet south of the instrument, suspend a plumb line from the top of a suitably inclined pole set in the ground, and firmly supported with crotches, and of a sufficient height to observe, near the top of the line, the meridian passage of the sun. Then with the aid of a suitable dark glass, observe through the north sight vane, the meridian contact of the sun's west limb with

the line, while an assistant has kept the sun's image accurately between the hour lines on the silver plate. At this point, read on the graduated side of the declination arc, at either end of the revolving limb, its distance from the graduated zero point, and the same again with the last contact of the sun's east limb: half the difference on the hour arc, between these two observations, will be its true zero point; from which read the index error.

It should be remarked here, that the principles of the solar compass have been applied in various ways to surveying instruments, to suit the views of mathematical instrument makers, or surveyors for whom they were made; but the solar compass described in the foregoing pages, and for which the adjustments are given, has been found, after much experience in its use, to be the best adapted to surveying the public lands, and for this purpose it is generally used; for the reason that it is more safely and conveniently carried and used through all the exposures which are unavoidable in the wilderness. Some change, however, may be made in its mechanical construction, for the purpose of city surveying, and for running the lines and curves of railroads, etc. But in whatever form they may be made, it is important to a good solar apparatus, that the latitude and declination arcs have a radius not less than five inches, so that their divisions may be sufficiently large to be easily read, and the arcs readily and accurately adjusted for use. The importance of this will be understood by considering the frequency of these adjustments, and the circumstances under which they are made while running lines in the field. So far as known to the author, but few surveyors have qualified themselves to use the solar compass on any other celestial object than the sun; and, perhaps, as few have fully understood its principles and adjustments. The reason of this is found in the fact, that no work has been published before this, sufficiently elucidating its principles, adjustments and use. The sun is the principal celestial object used in surveying lines with this instrument, which only requires a knowledge of the true declination of the sun for each hour of the day, in the longitude where the survey is to be made. Therefore, with the instructions here given, no accomplished surveyor with the magnetic compass, need hesitate to use the solar compass on the sun; and he will soon acquire the further knowledge of using it on other heavenly bodies at night, to determine the variation of the needle, and for other purposes treated of in this work. If the solar compass has been truly adjusted in all of its parts, pre-

vious to its being used in the field, the surveyor may feel the fullest confidence in the true course of his lines run with it.

ASTRONOMY.

Though merely a knowledge of the apparent diurnal motion of the sun in the heavens, will serve for the single purpose of using the solar compass on that luminary; yet, for all the purposes for which this instrument can be employed by night on the planets and fixed stars, a more extended knowledge of astronomy is required.

Therefore, the following brief notice of astronomical facts and phenomena is deemed necessary to be understood by all surveyors, to enable them to use the solar compass to the best advantage.

SOLAR SYSTEM.

The sun is the centre of the solar system, around which all the planets revolve in elliptical orbits, from west to east,* with diminished velocities as their distances increase from the sun: the planes of their orbits are nearly coincident with the plane of the ecliptic; therefore, their greatest declinations will be sometimes more or less than the sun's greatest declination, by the amount of the angle of inclination of each of their orbits to the plane of the ecliptic. See the following table.

Planet's names.	Mean diameter in English miles.	Mean distance in English miles from the Sun.	Mean sidereal period in mean Solar days.	Inclination of orbit to the ecliptic.	Hourly motion in orbit in miles.
The Sun, . . .	883,246				
Mercury, . . .	3,224	37,000,000	87.909,225	7° 0' 9".1	109.400
Venus, . . .	7,687	68,000,000	224,700,787	3°23'28".5	80,000
The Earth, . . .	7,912	95,000,000	365,256,361		68,080
The Moon, . . .	2,160	95,000,000	27,321,661	5° 8'47".9	2,290
Mars, . . .	4,189	142,000,000	686,979,646	1°51' 6".2	55,000
Jupiter, . . .	89,170	495,000,000	4,332,584,821	1°18'51".3	28,000
Saturn, . . .	79,042	906,000,000	10,759,219,817	2°29'35".7	20,000
Uranus, . . .	35,112	1,820,000,000	30,686,820,830	0°46'28".4	15,000
Neptune, . . .	35,000	3,600,000,000	60,128,060,000		

* East and west are relative, or local terms. It is meant here, that they move in their orbits around the sun, in the same direction as the opposite side of the earth from the sun moves around its axis.

THE EARTH.

The earth is an oblate spheroid, whose equatorial diameter exceeds its polar diameter about 26 miles; the cause of this difference is supposed to be the centrifugal force of the earth's rotary motion around its axis.

The north and south poles of the earth are two points on its surface, opposite to each other; and a straight line between these two points is called the axis of the earth, around which the earth revolves, from west to east, once in a sidereal day.

The axis of the earth is always inclined from a perpendicular to the plane of its orbit; in other words, the axis of the earth has an angle to the axis of the ecliptic, of about $23^{\circ} 28'$. Therefore, the axis of the earth is always in the same direction in regard to the heavens, in every part of its orbit.

This angle of inclination causes the declination of the sun north and south of the celestial equator, during each revolution of the earth around the sun. It is, also, the principal cause of the declinations of the planets; the different seasons of the year; and the different length of days and nights.

EQUATOR.

The Equator encircles the earth at right angles to the axis, and is equidistant, or 90° from its poles; its plane divides the earth into two equal parts, called northern and southern hemispheres.

The plane of the equator, if extended to the heavens, is called the celestial equator, which has an angle to the plane of the ecliptic, (like the angle between their axes) of about $23^{\circ} 28'$.

The motion of the earth around its axis is uniform; but the velocity of the earth in its orbit around the sun is unequal, the mean of which is $59' 8''$ each day. The sun will therefore return to any given meridian each day in unequal times; hence the difference between apparent and mean time, called the equation of time.

A tropical year is 365 d., 5 h., 48 m., 49 s. A sidereal year, reckoned in mean solar time, is 365 d., 6 h., 9 m., 9. 6s., and reckoned in sidereal time, is 366 d., 6 h., 9 m., 9. 6s.

The reason of this difference is, the earth has moved once around the sun in its orbit the same way the equator moves around its own axis. The earth must therefore complete one revolution and $59' 8''$ on its axis each day, to bring the sun to the same meridian. This is called solar time.

The earth has precisely one revolution on its axis from the transit of a fixed star to the next transit of the same star, which is a sidereal day of 24 hours; but, if reckoned in mean solar time, it is 23 h., 56 m., 4 s., 9'''.

An astronomical day commences at noon, and is reckoned from one to 24 hours successively; the civil day commences at the preceding midnight, and is reckoned from 1 to 12 hours, twice in a civil day: therefore the last 12 hours of the civil day correspond to the first 12 hours of the astronomical day. All astronomical calculations are computed in astronomical time.

LATITUDE.

Latitude on the earth is reckoned north and south of the equator in degrees, etc., of the meridian, to the poles (or 90°.) Difference of latitude is an arc of the meridian, between any two parallels of latitude.

LONGITUDE.

Longitude on the earth is reckoned east and west from any prime meridian, in arc or time to 180° or 12 hours. Difference of longitude is the difference in arc or time, between any two meridians, reckoned on any parallel of latitude.

ECLIPTIC.

The Ecliptic is a great circle of the heavens, and its plane is the extension of the plane of the earth's orbit, indefinitely, into space, or the starry heavens.

The sun is always in the ecliptic, and the orbits of all the planets cut or intersect the ecliptic at opposite points, called their nodes, in which only eclipses occur.

ZODIAC.

The Zodiac is an imaginary belt or circle of the heavens, and occupies a space of 8° on each side of the ecliptic; within which all the planets appear to perform their revolutions around the sun.

DECLINATION.

Declination of a heavenly body is reckoned north and south of the equatorial plane. The complement of the declination of a celestial object is its nearest polar distance.

RIGHT ASCENSION.

The right ascension of heavenly bodies is reckoned in time from the first point of Aries, or the vernal equinox, around in the order of the signs, on the equator, to the same point again. The longitude of heavenly bodies is reckoned from the same point, and in the same order on the ecliptic, in degrees, etc., as right ascension is reckoned in time on the equator.

ALTITUDE AND ZENITH DISTANCE.

The altitude of a celestial object is the angle in which it is observed above the horizon. The zenith distance of a heavenly body is its angular distance from the zenith, or point directly over head of the observer.

HORIZON.

An observer has two horizons, the sensible and rational. The sensible horizon is a circle at the extent of view in all directions, on a horizontal plain, or on the ocean. The plane of the rational horizon divides the earth into two equal parts through its centre, parallel to the sensible horizon; it is, therefore, the semi-diameter of the earth below the sensible horizon.

REFRACTION AND PARALLAX.

The atmospheric refraction causes a heavenly body to appear above its true place in the heavens, except it be in the zenith. The parallax of a celestial object is the difference in altitude that would appear between an observation made from any point on the earth's surface and from its centre. Therefore, parallax causes heavenly bodies to appear below their true place in the heavens, except they are in the zenith; hence the corrections for parallax and refraction of instrumental observations on celestial objects.

AZIMUTH.

The azimuth of a heavenly body is reckoned on the horizon of the observer, between a vertical plane of the meridian, and another vertical plane passing through the centre of the celestial object, to the zenith of the observer. In other words, it is the true bearing of a heavenly body referred to the horizon from the meridian.

Azimuths are generally reckoned from the north in north latitude, and from the south in south latitude.

The amplitude of a heavenly body is its true course or bearing at rising or setting, from the east or west points of the horizon.

NAUTICAL ALMANAC.

Blunt's Nautical Almanac and Astronomical Ephemeris, (on account of its size) is the most convenient that has yet been published for the surveyor to take data from, for the use of the solar compass. The heading of each page and column is a sufficient explanation of its contents and use.

This almanac is adapted to mean noon at Greenwich, England, except the sun's declination, which is more properly given for apparent noon.

It will be seen that the quantities in the columns are continually varying from day to day; therefore some reduction is necessary to adapt them to any other time or longitude, than that for which they were registered. This is accomplished by applying the hourly differences, where they are given, according to their sign or precept; and where the hourly differences are not given, take the required proportional part of the difference between the preceding and succeeding noon at Greenwich, and add to or subtract from the registered quantities, according as they are increasing or decreasing, as the case requires.

FIXED STARS.

The following table of the mean places of 35 fixed stars has been selected from the Nautical Almanac, for January 1st, 1854, for the purpose of night observation with the solar compass. The sign + prefixed to an annual variation is to be *added to*, and the sign — is to be *subtracted from* the right ascension: also, for stars having north declination, + signifies *add*, and — *subtract*; but for stars of south declination + denotes that the variation is to be *subtracted from*, and — that it is to be *added to* the declination.

FIXED STARS.

MEAN PLACES OF THIRTY-FIVE PRINCIPAL FIXED STARS
FOR JANUARY 1st, 1854.

STAR'S NAME.	MAG.	RIGHT ASCENSION.		ANNUAL VAR.	DECLINATION.	ANNUAL VAR.
		H. M.	S.	S.	0. 1' "	"
<i>β</i> Ceti,	2	0 36	15-414	+ 3-0127	S. 18 47 20-28	+ 19-832
<i>α</i> Urs. Min. (Polaris),	2	1 6	11-891	18-0600	N. 88 31 52-32	19-241
<i>θ</i> Ceti,	3	1 16	47-553	2-9937	S. 8 56 17-08	18-740
<i>α</i> Arletis,	2	1 58	57-027	+ 3-3634	N. 22 46 11-30	+ 17-274
<i>α</i> Ceti,	2-3	2 54	39-087	3-1269	N. 3 30 50-23	14-390
<i>η</i> Tauri,	3	3 38	48-759	+ 3-5527	N. 23 38 59-65	+ 11-536
<i>α</i> Tauri (Aldebaran),	1	4 27	32-809	3-4336	N. 16 12 42-11	7-702
<i>β</i> Orionis (Rigel), . . .	1	5 7	31-330	+ 2-8803	S. 8 22 27-30	+ 4-540
<i>δ</i> Orionis,	2	5 24	32-904	3-0663	S. 0 24 40-87	3-048
<i>ε</i> Orionis,	2	5 28	48-357	+ 3-0436	S. 1 17 57-31	+ 2-709
<i>α</i> Orionis,	var.	5 47	16-094	3-2499	N. 7 22 31-37	+ 1-112
<i>μ</i> Geminorum,	3	6 14	7-640	3-6357	N. 22 35 1-21	- 1-367
<i>α</i> Canis Maj. (Sirius),	1	6 38	42-914	2-0447	S. 16 31 11-02	4-602
<i>α</i> Can. Min. (Procyon),	1	7 31	39-317	3-1459	N. 5 35 43-82	8-859
<i>α</i> Hydr. <i>Æ.</i> ,	2	9 20	24-674	+ 2-9480	S. 8 1 41-32	- 15-343
<i>α</i> Leonis (Regulus), . . .	1-2	10 0	35-517	+ 3-2026	N. 12 40 43-82	- 17-380
<i>δ</i> Leonis,	2-3	11 6	20-253	3-2064	N. 21 19 22-23	19-645
<i>β</i> Leonis,	2	11 41	36-517	+ 3-0656	N. 15 23 16-95	- 20-084
<i>α</i> Virginis (Spicæ), . . .	1	13 17	30-330	3-1495	S. 10 23 52-41	18-946
<i>α</i> Bootis (Arcturus), . . .	1	14 9	0-134	2-7332	N. 19 56 40-39	18-919
<i>α</i> ² Libræ,	2-3	14 42	48-491	+ 3-3070	S. 15 25 55-72	15-234
<i>β</i> Ursæ Minoris,	2	14 51	10-977	- 0-2687	N. 74 45 7-18	14-760
<i>β</i> Libræ,	2	15 9	9-271	+ 3-2202	S. 8 50 27-49	13-001
<i>α</i> Serpentis,	2-3	15 37	4-683	+ 2-9514	N. 6 53 17-13	11-643
<i>β</i> Scorpii,	2	15 56	57-182	+ 3-4784	S. 19 24 6-72	10-275
<i>α</i> Herculis,	var.	17 7	59-418	+ 2-7322	N. 14 33 37-00	4-449
<i>α</i> Ophiuchi,	2	17 28	9-421	+ 2-7796	N. 12 40 11-94	2-967
<i>ζ</i> Aquilæ,	3	18 68	41-894	2-7546	N. 13 39 0-00	+ 5-022
<i>γ</i> Aquilæ,	3	19 39	19-055	+ 2-8553	N. 10 15 38-89	+ 8-434
<i>α</i> Aquilæ (Altair),	1-2	19 43	39-502	2-9286	N. 8 29 10-27	9-154
<i>β</i> Aquarii,	3	21 23	52-159	3-1673	S. 6 12 39-37	15-609
<i>β</i> Cephei,	3	21 26	45-508	0-8045	N. 69 55 12-83	+ 15-686
<i>ε</i> Pegasi,	2-3	21 37	0-915	+ 2-9510	N. 9 12 28-01	+ 16-297
<i>α</i> Aquarii,	3	21 58	16-921	3-0826	S. 1 1 38-53	17-500
<i>α</i> Pegasi (Markab),	2	22 57	29-492	2-9831	N. 14 25 14-62	19-310

LATITUDE BY THE SOLAR COMPASS.

After the solar compass has been correctly adjusted in all of its parts, its future usefulness depends upon finding the latitude as given by the instrument, at the place where it is used.

That it may not be repeated again, hereafter, it should be remarked, that in all observations with the solar compass, it must be placed on the tripod, and accurately levelled, with the latitude arc turned toward the equator; except, that when making an observation on

the pole-star, it must be turned in that direction. This can be done approximately by the magnetic needle.

Thus prepared, set off the sun's declination for noon on the declination arc, allowing for its index error, if any, and the sun's meridional refraction, also, adjust the latitude arc approximately to the latitude of the place, and the revolving limb v . at its true zero point on the hour arc i .: in other words, for noon.

Commence the observation for latitude about fifteen minutes before the sun culminates, by turning the instrument horizontally on its lower axis, so that the sun's image will fall between the hour lines on the silver plate, and raise or lower the latitude arc, if necessary, to bring the sun's image between the equatorial lines. Then follow the motion of the sun, by turning the compass horizontally, at short intervals of time, and adjust the latitude arc, to keep the sun's image between the equatorial lines, until he culminates. The latitude of the station can then be read at the vernier of the latitude arc.

The same method may be pursued by night to determine the latitude by an observation on any celestial object within the zodiac, viewed through the equatorial sights. In making these observations, it will sometimes be necessary for an assistant to hold a lighted candle a little behind and above the head of the observer, in such a manner that the equatorial sights can be seen; but not so bright as to obscure the star.

LATITUDE BY THE POLE-STAR.

It should be remarked, that the latitude given by an observation on any heavenly body within the zodiac, is read direct on the latitude arc; but when the latitude arc is turned to the north for an observation on the pole-star, or some other star near the pole, the latitude arc will read the co-latitude of the station; it must, therefore, be subtracted from 90° to obtain the true latitude. In these latter observations, the polar distance of the star must be set off on the declination arc instead of its declination, and if the upper meridian passage of the star be observed, the declination arc must be turned toward it; but, if the lower meridian passage of the star be observed, the declination arc must be turned from the star.

See sixth adjustment to find the index error of the latitude arc.

EASTERN ELONGATIONS OF POLARIS.

DAY.	APRIL.	MAY.	JUNE.	JULY.	AUGUST.	SEPT.
	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.
1	18-18	16-26	14-24	12-23	10-16	8-20
7	17-56	16-03	14-00	11-55	9-53	7-58
13	17-34	15-40	13-35	11-31	9-30	7-36
19	17-12	15-17	13-10	11-07	9-08	7-15
25	16-49	14-53	12-45	10-43	8-45	6-53

WESTERN ELONGATIONS OF POLARIS.

DAYS.	OCT.	NOV.	DEC.	JAN.	FEB.	MARCH.
	H. M.	H. M.	H. M.	H. M.	H. M.	H. M.
1	18-18	16-22	14-19	12-02	9-50	8-01
7	17-56	15-59	13-53	11-36	9-26	7-38
13	17-34	15-35	13-27	11-10	9-02	7-16
19	17-12	15-10	13-00	10-44	8-39	6-54
25	16-49	14-45	12-34	10-18	8-16	6-33

To find the time of the *meridian passages* of the pole star, add 5 hr. 59 min. to the time of its elongation.

TO FIND THE TRUE MERIDIAN, AND HORIZONTAL ANGLES FROM IT; ALSO, THE VARIATION OF THE NEEDLE.

Clamp the sight of the compass at 0 or zero, and adjust the latitude arc to the latitude of the place; also, set off the sun's declination for the time of day, allowing for index error, if any, and the sun's meridional refraction; then bring the sights of the compass approximately into the meridian by the needle, and the solar lenses into the direction of the sun; if the sun's image does not fall between the equatorial lines, turn the instrument horizontally, and the revolving limb *v.* on its axis, in a manner to bring the sun's image between the equatorial lines, allowing for refraction, if required; then the compass sights will be in the true meridian. Now if the needle *q.* be lowered on to its pivot by the lever *r.*, its variation from the true meridian can be read, and set off on the arc for that purpose; the tangent screw of the vernier limb is seen at *k.* and *d.* (See Plate 1.)

To set the sights of the compass to any other course or angle from the meridian it is only necessary to unclamp the under plate from the upper, and turn the sights to the course required, the angle of which can be read at the verniers *d. d.*

Observations for the same purpose can be made in the night, on any celestial object within the zodiac, by the use of the equatorial sights, instead of the lenses; and by observing two stars, one east,

and the other west of the meridian, the variation of the needle, or the course of a line, may be more accurately defined.

ZENITH DISTANCE AND ALTITUDE.

Clamp the compass sights to 90° , or for an E. and W. course, also, set off on the declination arc 23 degrees, and bring the revolving limb *v* to zero or noon on the hour arc. Then by turning the instrument horizontally on its lower axis, bring the solar lenses and equatorial sights into the direction of the sun or star to be observed, and raise or lower the latitude arc as the case requires, until the sun's image falls between the equatorial lines, or the star is seen through the equatorial sights. If the observation be made with the declination arc turned from the object, 23 degrees must be added to the reading of the latitude arc, to obtain the zenith distance of the object observed; but if the declination arc is turned toward the object, 23 degrees must be subtracted from the reading of the latitude arc, to obtain the zenith distance.

If the zenith distance be subtracted from 90 degrees, the altitude of the object will be had.

TIME OF DAY BY THE SUN.

After an observation is made to determine the variation of the needle, or the course of a line by the sun, bring the revolving limb to one division on the hour arc in advance of the sun, then observe the movement of the sun's image to the instant it arrives between the hour lines, and correct for index error of the hour arc, and the effects of refraction; and the hour angle from the meridian at that time, expressed in degrees will be had, which may be converted into time by allowing 15 degrees for an hour, and for each degree four minutes of time. If mean time is required, add or subtract the equation of time according to its precept, and mean time will be had.

DIURNAL VARIATION OF THE NEEDLE.

It has been found by numerous observations, that the diurnal variation of the needle is more in summer than in winter months, and the amount of these aberrations is more or less on different days of the same season of the year, and is probably caused by heat and cold.

But the order in which these diurnal changes take place, can be a little more clearly defined. The north end of the needle will ar-

rive at its most easterly declination between one and two hours after sunrise. It will soon after gradually decline westerly until one or two o'clock, P. M., soon after which it will decline eastward, and at sunset it will have returned half way back to where it was in the morning. Its daily movement may be better understood by an examination of the following table:—

The following observations were made by the author in latitude 42 degrees 42 minutes North, near Detroit, in July, 1839.

1839.	THERMOMETER.			WEATHER.	WEATHER.	WIND.	MAGNETIC VARIATION.			
	5½ A. M.	1 P. M.	6½ P. M.				5½ A. M.	1 P. M.	6½ P. M.	
July.										
13	60	79	62	clear,			1° 42'	1° 29'	1° 43'	
14	59	72	67	clear,	light showers,	W. S. W.	1 42	1 26	1 33	
15	56	73	64	cloudy,	flying clouds,	N. W.	1 32	1 28	1 28	
16	55	71	66	cloudy,	light showers,	N. W.	1 38	1 28	1 30	
17	52	80	69	clear,	some clouds,	West.	1 30	1 28	1 30	
18	55	85½	83	clear,	clear,	W. N. W.	1 41	1 28	1 35	
19	56	89	82	clear,	flying clouds,	West.	1 40	1 28	1 35	
20	63	80	74	clear,	cloudy,	S. W.	1 40	1 26	1 35	
21	70	82	77	clear,	cloudy,	E. S. W.	1 42	1 28	1 30	
22	72	86	75	cloudy,	some cloudy,	South.	1 40	1 28	1 35	
23	65	88	77	clear,	clear,	West.	1 41	1 23	1 36	
24	72	86	77	rain,	clear,	East.	1 43	1 23	1 36	
25	69	83	80	clear,	clear,	W. S. W.	1 41	1 15	1 35	
26	66	88	79	clear,	cloudy,	N. W.	1 41	1 23	1 32	
27	64	89	76	clear,	shower,	West.	1 41	1 24	1 35	
28	64	86	78	clear,	clear,	West.	1 42	1 21	1 30	
29	66	87	78	cloudy,	clear,	West.	1 41	1 21	1 31	
30	69	99	79	clear,	showers,	West.	1 41	1 25	1 33	

It will be seen that the average variation for eighteen days
 at 5 h., 30 m., A. M., is $1^{\circ} 39' 50''$, E.
 at 1 h., 00 m., P. M., is $1^{\circ} 25' 37''$, E.
 at 6 h., 30 m., P. M., is $1^{\circ} 33' 23''$, E.

The difference of these numbers gives the diurnal variation as follows:—

Between morning and evening— $6' 27''$,
 Between morning and noon— $14' 13''$,
 Between noon and evening— $7' 46''$.

From these facts it may be seen, that the variation of the needle, as found at one time, cannot be safely relied upon in running lines at any length of time subsequently. Hence the importance of finding its variation at the time the line is being run.

To guard against errors occurring on account of the variation, the surveyor should at the end of each line, or at the point where the variation of the needle is found, for the purpose of running a line from it at some future time, take the bearing of some distant object, and make a note of the same. On resuming the work, if the sun should be obscured by clouds so as to prevent finding the variation of the needle, he can observe the course of the same object again, and the difference in its course, if any, is the change of variation, and must be allowed for to correct the variation previously determined.

Local attraction, also, so frequently changes the direction of the needle, that the surveyor cannot safely extend his line far without an observation to find its variation; and it will be frequently found that a little delay for this purpose, will more than compensate for all the supposed advantages of running the line without it.

TO FIND THE MERIDIAN PASSAGE OF A FIXED STAR, AND ITS HOUR ANGLE AT ANY HOUR OF THE DAY.

Subtract the sun's Right Ascension for the day and hour of observation, from the star's Right Ascension, borrowing 24 hours for the latter when necessary, and the difference will give the star's meridian passage in solar time; if mean time be required, add to or subtract from the solar time, the equation of time, according to its precept, and the meridian passage of the star will be given sufficiently near for that purpose. Then, if the hour of observation, (astronomical time) can be subtracted from the time of the star's meridian passage, the star's hour angle, east of the meridian will be

given; but if the meridian passage of the star be subtracted from the hour of observation, it will give its hour angle, west of the meridian. And thus it may be determined what stars are most favourably situated, for the purpose of finding the variation of the needle, at any time of night.

If any one of the fixed stars named in the preceding table are not truly known to the observer by the geography of the heavens, it is necessary to find the time of meridian passage in order to know the star's hour angle at the time of the proposed observation.

This being known, set the instrument to the star's declination and the equatorial sights to the hour angle of the star, on the hour arc, then bring the sights of the compass into the meridian as near as may be by the needle; the equatorial sights will then direct the eye, nearly, to the star sought for, and by a little movement of the instrument horizontally on its lower axis, bring the line of sight to bear directly on the star, and the observation is complete.

THE EFFECT OF REFRACTION AND PARALLAX IN THE USE OF THE SOLAR COMPASS EXPLAINED.

The equatorial and hour lines of the solar compass will vary their angles from the horizon, as the object observed by the instrument recedes from, or approaches to the meridian of the observer; and when at 90° , or six hours from the meridian, the equatorial lines will have an angle to the horizon, equal to the co-latitude, and the hour lines equal to the latitude of the place of observation. Now if the equatorial lines were at all times in a vertical plane, passing through the centre of the celestial object, refraction would not produce any effect in the course of lines run with the solar compass; but as they will have an angle, as above stated, at different hours of the day, a proportion of the whole amount of refraction, according to the angle, must be allowed for, when large enough to produce a sensible effect in the course of the lines. The equatorial lines are parallel to the horizon when observing a celestial object on the meridian; therefore, the whole amount of the meridional refraction must be allowed for, in setting off its declination. The hour lines are only affected by the whole amount of the refraction, or parallax, when on the equator, or latitude 0° .

The effect of parallax of the sun and large planets, is too small to be regarded, except in the most refined observations. But the pa-

parallax of the moon is too large to be neglected in any; for this reason, a table of refraction in altitude is given in this work.

Refraction does not decrease in regular proportion to the altitude of the object. When a celestial object is in the zenith, it has no refraction or parallax; but when it is in the horizon, its refraction is $88' 51''$, and at an altitude of 45° about one minute, (more exactly $58''$;) the natural co-tangent of the altitude of a heavenly body, express nearly its refraction.

For the purpose of determining with facility the whole amount of refraction in altitude of a celestial object, the compass sights have lines drawn across them at various distances from the top; at each of these lines are figures, which indicate, in minutes of a degree, the amount of refraction in altitude of a celestial object, as seen from each line in range with the top of the other sight.

From the amount of refraction thus found, subtract the meridional refraction, then the following table will give the proportion of the remainder, expressed in hundredths, to be added to its declination, when the latitude is of the same name; or subtracted from it, when of a contrary name, from one to six hours in time, east and west of the meridian; also, the proportion of the whole amount of the sun's refraction, to be subtracted in time from his hour arc, in the forenoon, and added to it in the afternoon, to obtain the true apparent time. This table will also be useful in observations on the Moon; for the same proportion of the moon's parallax in altitude, must be allowed for on the declination arc, in a reversed order from that of refraction; in other words, the same proportion of the moon's parallax in altitude, corrected for refraction, (see table for that purpose) must be subtracted from her declination, when the latitude is of the same name, and added to it, when of a contrary name.

For the purpose of making corrections for refraction expeditiously, while running lines by the sun, there are three lines drawn below the equatorial lines, $5'$ apart, by which to estimate the proportion of refraction to be allowed, by bringing the lower limb of the sun's image the number of minutes below the lower equatorial line on the silver plate, instead of setting it off with the sun's declination. When the surveyor becomes familiarly acquainted with making these allowances for refraction, in using the solar compass, he will seldom need to refer to the tables, or to mathematical calculations, to enable him to make a proper allowance for refraction at all hours of

the day, except when the sun is within 5° of the horizon. But for an observation by night on a star, its refraction should be set off with its declination, in the manner before stated.

**PROPORTION OF REFRACTION TO BE ALLOWED IN HUNDREDTHS
OF THE WHOLE.**

ON THE EQUATORIAL LINES.							ON THE HOUR ARC.					
	HOURS FROM THE MERIDIAN.						HOURS FROM THE MERIDIAN.					
Lat.	1 H.	2 H.	3 H.	4 H.	5 H.	6 H.	1 H.	2 H.	3 H.	4 H.	5 H.	6 H.
10°	97	87	72	52	31	17	26	49	70	85	95	98
12°	97	87	72	53	33	21	25	49	69	85	95	98
14°	97	87	73	53	35	24	25	48	69	85	94	97
16°	97	88	73	55	36	28	25	48	68	83	93	96
18°	97	88	74	57	39	31	25	48	67	82	92	95
20°	97	88	75	58	42	34	24	47	67	81	91	94
22°	97	89	75	59	45	37	24	46	66	80	89	93
24°	97	89	76	61	47	41	23	46	65	79	88	91
26°	97	89	77	63	50	44	23	45	64	78	87	90
28°	97	90	78	65	52	47	23	44	63	76	85	88
30°	97	90	79	66	55	50	22	43	61	75	84	87
32°	98	91	80	68	57	53	22	42	60	73	82	85
34°	98	91	81	71	60	56	22	42	59	71	80	83
36°	98	92	82	71	62	59	21	40	57	70	78	81
38°	98	92	83	73	65	62	20	39	56	68	76	79
40°	98	92	84	75	67	64	20	38	54	66	74	77
42°	98	93	85	77	69	67	19	37	53	64	72	74
44°	98	93	86	78	72	69	19	36	51	62	69	72
46°	98	93	87	80	74	72	18	36	49	60	67	69
48°	98	94	89	81	76	74	18	33	46	58	65	67
50°	99	95	89	83	78	77	17	32	45	56	62	64
52°	99	95	90	85	80	79	16	31	43	53	59	62
54°	99	96	91	86	82	81	15	29	42	51	57	59
56°	99	96	92	87	84	83	14	28	39	48	54	56
58°	99	96	93	89	86	85	14	26	37	47	51	53
60°	99	97	94	90	87	87	13	25	35	43	48	50

DR. YOUNG'S REFRACTIONS.

The Barometer being at 30 inches, and the *internal* Thermometer at 50, or the *external* at 47 degrees, with the correction for + 1 inch in the Barometer, and for - 1 degree in the Thermometer of Fahrenheit.

App. Alt.	Refr. B. 30. Th. 50°.	Diff. for + 1 B.	Diff. for - 1° Fa.	App. Alt.	Refr. B. 30. Th. 50°.	Diff. for + 1 B.	Diff. for - 1° Fa.	App. Alt.	Refr. B. 30. Th. 50°.	Diff. for + 1 B.	Diff. for - 1° Fa.
0	33-51	74	8-1	3	14-35	30	2-3	8	6-35	13-3	-85
5	32-53	71	7-6	5	14-19	29	2-2	10	6-28	13-1	-83
10	31-58	69	7-3	10	14-4	29	2-2	20	6-21	12-8	-82
15	31-5	67	7-0	15	13-50	28	2-1	30	6-14	12-6	-80
20	30-13	65	6-7	20	13-35	28	2-1	40	6-7	12-3	-79
25	29-24	63	6-4	25	13-21	27	2-0	50	6-0	12-1	-77
30	28-37	61	6-1	30	13-7	27	2-0	9	5-54	11-9	-76
35	27-51	59	5-9	35	12-53	26	2-0	10	5-47	11-7	-74
40	27-6	58	5-6	40	12-41	26	1-9	20	5-41	11-5	-73
45	26-24	56	5-4	45	12-28	25	1-9	30	5-38	11-3	-72
50	25-43	55	5-1	50	12-16	25	1-9	40	5-30	11-1	-71
55	25-3	53	4-9	55	12-3	25	1-8	50	5-25	11-0	-70
1. 0	24-25	52	4-7	4	11-52	24-1	1-70	10	5-20	10-8	-69
5	23-48	50	4-6	10	11-30	23-4	1-64	10	5-15	10-6	-67
10	23-13	49	4-6	20	11-10	22-7	1-58	20	5-10	10-4	-65
15	22-40	48	4-4	30	10-50	22-0	1-53	30	5-5	10-2	-64
20	22-8	46	4-2	40	10-32	21-3	1-48	40	5-0	10-1	-63
25	21-37	45	4-0	50	10-15	20-7	1-43	50	4-56	9-9	-62
30	21-7	44	3-9	5	9-58	20-1	1-38	11. 0	4-51	9-8	-60
35	20-38	43	3-8	10	9-42	19-6	1-34	10	4-47	9-6	-59
40	20-10	42	3-6	20	9-27	19-1	1-30	20	4-43	9-5	-58
45	19-43	40	3-5	30	9-11	18-6	1-26	30	4-39	9-4	-57
50	19-17	39	3-4	40	8-58	18-1	1-22	40	4-35	9-2	-56
55	18-52	39	3-3	50	8-45	17-6	1-19	50	4-31	9-1	-55
2. 0	18-29	38	3-2	6	8-32	17-2	1-15	12. 0	4-28-1	9-00	-556
5	18-5	37	3-1	10	8-20	16-8	1-11	10	4-24-4	8-86	-548
10	17-43	36	3-0	20	8-9	16-4	1-09	20	4-20-8	8-74	-541
15	17-21	36	2-9	30	7-58	16-0	1-06	30	4-17-3	8-63	-533
20	17-0	35	2-8	40	7-47	15-7	1-03	40	4-13-9	8-51	-524
25	16-40	34	2-8	50	7-37	15-3	1-00	50	4-10-7	8-41	-517
30	16-21	33	2-7	7	7-27	15-0	-98	13. 0	4-7-5	8-30	-509
35	16-2	33	2-7	10	7-17	14-6	-95	10	4-4-4	8-20	-503
40	15-43	32	2-6	20	7-8	14-3	-93	20	4-1-4	8-10	-496
45	15-25	32	2-5	30	6-59	14-1	-91	30	3-58-4	8-00	-490
50	15-8	31	2-4	40	6-51	13-8	-89	40	3-55-5	7-89	-482
55	14-51	30	3-3	50	6-43	13-5	-87	50	3-52-6	7-79	-476

TABLE OF REFRACTIONS—*continued*.

App. Alt.	Refr. B. 30. Th. 50°.	Diff. for + 1 B.	Diff. for - 1° Fa.	App. Alt.	Refr. B. 30. Th. 50°.	Diff. for + 1 B.	Diff. for - 1° Fa.	App. Alt.	Refr. B. 30. Th. 50°.	Diff. for + 1 B.	Diff. for - 1° Fa.
14.0	3.49.9	7.70	.469	36	1.20.0	2.68	.161	66	25.9	.87	.052
10	3.47.1	7.61	.464	37	1.17.1	2.58	.155	67	24.7	.83	.050
20	3.44.4	7.52	.458	38	1.14.4	2.49	.149	68	23.5	.79	.047
30	3.41.8	7.43	.453	39	1.11.8	2.40	.144	69	22.4	.75	.045
40	3.39.2	7.34	.448	40	1. 9.3	2.32	.139	70	21.2	.71	.043
50	3.36.7	7.26	.444	41	1. 6.9	2.24	.134	71	19.9	.67	.040
15.0	3.34.3	7.18	.439	42	1. 4.6	2.16	.130	72	18.8	.63	.038
30	3.27.3	6.95	.424	43	1. 2.4	2.09	.125	73	17.7	.59	.036
16.0	3.20.6	6.73	.411	44	1. 0.3	2.02	.120	74	16.6	.56	.033
30	3.14.4	6.51	.399	45	58.1	1.95	.116	75	15.5	.52	.031
17.0	3. 8.5	6.31	.386	46	56.1	1.88	.112	76	14.4	.48	.029
30	3. 2.9	6.12	.374	47	54.2	1.81	.108	77	13.4	.45	.027
18.0	2.57.6	5.94	.362	48	52.3	1.75	.104	78	12.3	.41	.025
19	2.47.7	5.61	.340	49	50.5	1.69	.101	79	11.2	.38	.023
20	2.38.7	5.31	.322	50	48.8	1.63	.097	80	10.2	.34	.021
21	2.30.5	5.04	.305	51	47.1	1.58	.094	81	9.2	.31	.018
22	2.23.2	4.79	.290	52	45.4	1.52	.090	82	8.2	.27	.016
23	2.16.5	4.57	.276	53	43.8	1.47	.088	83	7.1	.24	.014
24	2.10.1	4.35	.264	54	42.2	1.41	.085	84	6.1	.20	.012
25	2. 4.2	4.16	.252	55	40.8	1.36	.082	85	5.1	.17	.010
26	1.58.8	3.97	.241	56	39.3	1.31	.079	86	4.1	.14	.008
27	1.53.8	3.81	.230	57	37.8	1.26	.076	87	3.1	.10	.006
28	1.49.1	3.65	.219	58	36.4	1.22	.073	88	2.0	.07	.004
29	1.44.7	3.50	.209	59	35.0	1.17	.070	89	1.0	.03	.002
30	1.40.5	3.36	.201	60	33.6	1.12	.067	90	0.0	.00	.000
31	1.36.6	3.23	.193	61	32.3	1.08	.065				
32	1.33.0	3.11	.186	62	31.0	1.04	.062				
33	1.29.5	2.99	.179	63	29.7	.99	.060				
34	1.26.1	2.88	.173	64	28.4	.95	.057				
35	1.23.0	2.78	.167	65	27.2	.91	.055				

The correction for an increase of altitude of one inch in the Barometer, or for depression of one degree in the Thermometer, is to be *added* to the tabular refraction; but when the Barometer is lower than *thirty* inches, or the Thermometer higher than 47 degrees, the correction becomes *subtractive*.

When great accuracy is required, 0.003 inch should be deducted from the observed height of the Barometer, for each degree that the Thermometer near it is above *fifty* degrees, and the same quantity added for an equal depression.

CORRECTION OF MOON'S APPARENT ALTITUDE FOR PARALLAX AND
MEAN REFRACTION.

Moon's apparent altitude.	MOON'S HORIZONTAL PARALLAX. BAROM. 30 IN. THERM. 50°.								Moon's apparent altitude.
	54'	55'	56'	57'	58'	59'	60'	61'	
0	''	''	''	''	''	''	''	''	0
8	46 59	47 58	48 58	49 57	50 57	51 56	52 56	53 55	8
10	47 56	48 55	49 54	50 53	51 52	52 51	53 50	54 49	10
12	48 26	49 25	50 23	51 22	52 21	53 19	54 18	55 17	12
15	48 39	49 37	50 35	51 33	52 31	53 29	54 27	55 25	15
20	48 7	49 3	50 0	50 56	51 53	52 49	53 45	54 42	20
24	47 9	48 4	48 59	49 54	50 49	51 44	52 38	53 33	24
27	46 12	47 6	47 59	48 53	49 46	50 40	51 33	52 27	27
30	45 3	45 55	46 47	47 35	48 31	49 23	50 15	51 7	30
32	44 12	45 3	45 54	46 45	47 35	48 26	49 17	50 8	32
34	43 17	44 7	44 56	45 46	46 36	47 25	48 15	49 5	34
36	42 18	43 6	43 55	44 44	45 32	46 21	47 9	47 58	36
38	41 14	42 2	42 49	43 36	44 23	45 11	45 58	46 45	38
40	40 8	40 54	41 40	42 26	43 12	43 58	44 44	45 30	40
42	38 59	39 43	40 28	41 12	41 57	42 41	43 26	44 11	42
44	37 44	38 28	39 11	39 54	40 37	41 21	42 4	42 46	44
45	37 7	37 50	38 32	39 14	39 57	40 39	41 22	42 4	45
46	36 29	37 10	37 52	38 34	39 15	39 57	40 39	41 20	46
47	35 50	36 31	37 11	37 52	38 33	38 14	39 55	40 36	47
48	35 10	35 50	36 30	36 10	37 50	37 30	38 11	39 51	48
49	34 29	35 8	35 48	36 27	36 7	37 46	38 25	39 5	49
50	33 48	34 26	35 5	35 44	36 22	37 1	37 39	38 18	50
51	33 6	33 44	34 21	34 59	35 37	36 15	36 52	37 30	51
52	32 22	32 59	33 36	34 13	34 50	35 27	36 4	36 41	52
53	31 39	32 15	32 51	33 27	34 8	34 40	35 16	35 52	53
54	30 55	31 30	32 5	32 41	33 16	33 51	34 27	35 2	54
55	30 11	30 45	31 19	31 54	32 28	33 3	33 37	34 11	55
56	29 25	29 59	30 32	31 6	31 40	32 13	32 47	33 20	56
57	28 40	29 12	29 45	30 18	30 50	31 23	31 56	32 23	57
58	27 53	28 25	28 57	29 29	30 10	30 32	31 4	31 36	58
59	27 7	27 37	28 8	28 39	29 10	29 41	30 12	30 43	59
60	26 19	26 49	27 19	27 49	28 19	28 49	29 19	29 49	60

MEASURING LINES.

In the surveys of the United States lands it is required, that the measuring chain should be two poles, or thirty-three feet in length, and containing fifty links, which must be compared with, and adjusted to the length of the *standard chain* in the Surveyor General's Office, and afterwards to be frequently compared with a standard chain kept by the surveyor for that purpose. But all the measurements, and calculations, are kept, and entered in the field book, in four pole chains, of one hundred links.

The surveyor is required to use eleven tally pins; they should be made of steel, and not more than about one foot in length, and large enough near the points, to cause them to drop perpendicularly; at

the top end of each pin, a loop or eye should be made, in which a piece of red cloth may be fixed, that they may be more readily found, when stuck among weeds, grass, &c.

In all measurements the level or horizontal length is to be taken; for this purpose, in ascending hills, banks, &c., the chain-men must let down one end of the chain to the ground, and raise the other end to a level therewith, at the *elevated end* of which a tally pin should be plumbed and let fall, to ascertain the spot for setting it; and, when the surface of the ground is very steep, it may be necessary to take so much of the length of the chain as can be raised to a level, so as to obtain the true horizontal measurement.

In measuring lines, one of the eleven tally pins must be set at the starting-point, and when the remaining ten are set, it is called a tally or out, (five chains) and the forward chain-man cries "Tally," and each chain-man registers the distance by slipping a thimble or loop on a tally belt worn for that purpose. The back chain-man then comes up, and having counted, in the presence of his fellow, the tally pins which he had taken up, so that both may be assured that none have been lost, takes the forward end of the chain and proceeds to set them. Thus the chain-men alternately change places, each setting the pins that he had taken up, so that one is forward in all the odd, and the other in all the even tallies; which contributes to the accuracy of the measurement, facilitates the recollection of the distances to notable objects on the line, and renders a mistake almost impossible.

Measurements with the chain and tally-pins are often very imperfectly performed by the chain-men, and much more error is made than is generally supposed. It has been found by many trials, with as good men as can generally be obtained, that with two sets of chain-men, instructed alike in the proper manner of keeping their chain level and straight on the line, and of setting the tally-pins plumb, as well as holding the ends of the chain to them, a difference has sometimes been made of 36 links, and an average difference of 15 or 16 links to a mile, in common timbered land. But repeated measurements over the same mile, by the same chain-men, and near the same time, will generally agree within five links; yet after several months' employment in the field, a measurement of this line may not agree so nearly. Again, the same chain-men will make a different measurement to some extent, over swamps, marshes, wind-

falls and thickets, when there is snow on the ground and when there is none, in cold and in warm weather, effecting a change in the length of the chain, and by measuring fast or slow the amount of error to each would be difficult to estimate. Therefore the surveyor should keep a vigilant watch over his chain-men, and see that their duties are performed in the best manner, to counteract all these sources of error as far as practicable.

TELESCOPIC MEASUREMENT.

This method of measuring, when properly conducted, is more uniformly the same, and therefore correct, than measurements made by the chain by various chainmen. It is well adapted to measure along the shores of lakes and rivers where obstacles are frequently found of a character to prevent a good measurement with a chain, also for measuring short distances over streams, ponds, &c.

The following arrangement and method of measuring with a telescope and rod will be found very convenient for meandering rivers, lakes, &c. A good telescope must be provided, of about 16 or 18 inches in length when adjusted for use, with two parallel lines correctly set in its principal focus, forming between them, in the field view, not less than 45' of a degree. This telescope is attached to the sight of the compass with a suitable fixture for that purpose, when wanted for use. Provide a sliding-rod, such as are commonly used for taking levels for canals, railroads, &c., with two targets, one stationary at the top of the rod, the other moveable, with a vernier for the usual readings, on the lower part.

When measurements with the telescope and rod are to be made, the telescope must be attached to the compass sights and adjusted for an observation; then measure four chains from it very accurately, and place the rod at that point, with the targets facing the compass, then bring the upper line in the telescope to bear correctly on the upper target by means of the levelling screws, and adjust the moveable target to range with the lower line, then by observing accurately the distance the targets are apart on the rod, when they measure the angle formed by the parallel lines in the telescope at the given distance from the compass, the observer will have data from which a table may be readily constructed for all other distances, of which the telescope will enable the observer to view the distance between the targets accurately. It may conduce to the

correctness of this method of measuring to make observations at various distances, to test the accuracy of the table thus formed; after this, the surveyor may feel a confidence in the correctness of his measurements with the telescope and rod.

Lines run and measured by this arrangement along the shores of lakes and navigable streams are most conveniently and expeditiously done with two skiffs or canoes, or even with two light rafts, with the compass in one and the rod in the other, which can be landed at suitable points and distances apart on their shores; then, after the bearing and distance between them has been taken, the compass can be moved, with the skiff or canoe, to the position occupied by the rod, and the latter again stationed at the next suitable point, and its course and distance taken as before, and so on to the close of the survey.

In all observations, care should be taken to hold the rod at right angles to the line between it and the compass; but it is often necessary to lean the rod at right angles to this line, sometimes even to a level with the horizon; in all such cases, the telescope must be rolled in the y's to bring the parallel line at right angles to the rod.

By this method, the shores of lakes and rivers, however difficult to be measured with the chain, may be correctly meandered by course and distance, without encountering the obstacles on shore with the compass and chain.

To prevent confusion or mistake in the locality of the different stations and notable objects on the land or off the shore, a temporary map should be fully kept up with the survey, on which each object must be represented in order to furnish data for the construction of a good and correct map.

No surveyor, however, should presume to meander important surveys by this method, except he has previously made the necessary preparations, and has qualified himself by some practical experience beforehand.

D

TABLE

CHAINS TO FEET.—FEET TO CHAINS.

Links, 7·92 inches.—Chain, 66 feet, = 792 inches.

CHAINS INTO FEET.				FEET INTO CHAINS.			
Chains. Links.	Feet.	Chains. Links.	Feet.	Feet.	Links.	Feet.	Links.
0·1	0·66	8·0	198	0·10	0·15	10·0	15·1
0·2	1·32	4·0	264	0·20	0·30	15·0	22·7
0·3	1·98	5·0	330	0·25	0·38	20·	30·8
0·4	2·64	6·0	396	0·30	0·45	24·	36·8
0·5	3·30	7·0	462	0·40	0·60	27·	40·9
0·6	3·96	8·0	528	0·50	0·76	30·	45·4
0·7	4·62	9·0	594	0·60	0·91	38·	50·0
0·8	5·28	10·0	660	0·70	1·06	36·	54·5
0·9	5·94	20·	1320	0·75	1·13	39·	59·1
0·10	6·60	30·	1980	0·80	1·21	40·	60·6
0·20	13·20	35·	2310	0·90	1·36	42·	63·8
0·30	19·80	40·	2640	1·00	1·51	45·	68·2
0·40	26·40	45·	2970	2·0	3·0	48·	72·7
0·50	33·00	50·	3300	3·0	4·5	50·	75·7
0·60	39·60	55·	3630	4·0	6·0	51·	77·3
0·70	46·20	60·	3960	5·0	7·5	54·	81·8
0·80	52·80	65·	4290	6·0	9·1	57·	86·3
0·90	59·40	70·	4620	7·0	10·6	60·	90·9
1·00	66·00	75·	4950	8·0	12·1	63·	95·4
2·00	132·	80·	5280	9·0	13·6	66·	100·

CONVENIENT METHODS FOR MEASURING DISTANCES OVER RIVERS, LAKES, MIRY-MARSHES, ETC.; WHICH CANNOT BE MEASURED DIRECTLY WITH THE CHAIN.

It may be remarked here, that in surveying large districts of new country, many obstacles of this kind are to be expected, and are met with sometimes under many difficulties, such as the direction and swampy or thickety character of their shores, also the annoyance felt by the presence of increasing swarms of blood-thirsty flies and moschetoes, which largely infest such shores in summer; hence the importance of the best management, and correct and expeditious methods of passing such obstacles.

The following illustrations will assist the inexperienced surveyor in the accomplishment of this object. They are given on the principle of reducing the base, whatever may be its course or courses, to

a right-angled base to the course of the line to be measured. This can be readily done if care be taken to run and measure the base, at such angles that their latitude and departure can be taken from the traverse table.

FIGURE 1.

Distance required over lake from *A* to *C*, course East,—right-angled base,—from *A* to *B* 690 links. Angle at *C* $20^{\circ} 20'$

Natural co-tangent of the angle at *C*, = 2.698525

Multiplied by base *A. B.* 690

242867250
16191150
1861.982250

Over lake 1862 links




FIGURE 2.

Distance required over lake from *D* to *F*, course West.—From *D* to *E*, S. 20° E 752 links—gives 707 links scuthing, which is the right-angled base *K G*, and 257 links easting from *D* to *K*. Angle at *F* 15 $\frac{3}{4}$ °.

Natural co-tangent of the angle at <i>F</i>	=3.545732
Multiplied by the base <i>K E</i> ,	707
	<hr/>
(Nat. co-tan. <i>F</i> × <i>K E</i>)— <i>K D</i> = <i>D F</i> .	24820124
(3.545.702 × 707)=2507—257=2250.	24820124
	<hr/>
Subtract distance from <i>D</i> to <i>K</i> ,	2506.832524
	257
	<hr/>
Distance from <i>D</i> to <i>F</i> ,	2250 links nearly.

FIGURE 3

Distance required over lake from *G* to *I*, course South.

To obtain a base in this example, we run

	Southing.	Westing.
S. 55 $\frac{3}{4}$ degrees, W. 400	225	331
S. 19 $\frac{1}{4}$ do W. 440	415	145
S. 50 do W. 548	352	420
	<hr/>	<hr/>
Distance from <i>G</i> to <i>S</i>	992	<i>H</i> to <i>S</i> 896 links.
Co-tangent of the angle 16° 38' at <i>I</i> ,		3.347319
Multiply by the base <i>H S</i> ,		896
		<hr/>
		20083914
		80125871
		26778552
		<hr/>
Distance from <i>S</i> to <i>I</i>		2999.197824
Add distance from <i>G</i> to <i>S</i>		992
		<hr/>
Distance over lake from <i>G</i> to <i>I</i>		3991 links.

DISTANCE OVER A RIVER BY "OFF-SET."

EXAMPLE.




FIGURE 4.

In running a line north, intersect the right bank of a river at *A*, (course N. N. E.,) and erect an object, turn the compass sights to west, to an object at *B*, and pass over the river to it, then run and measure a line north to *C*, and "off-set" east into line at *D*, the distance between *A* and *D* will be equal to the distance between *B* and *C*. Or, if a line be run and measured from *A*, N. 60°, E. until an object in line at *D* bears N. 30° W., the distance *A. D.* will be twice that of *A. E.*, for the reason that the triangle thus formed is one-half of an equilateral triangle.

Frequently off-sets are made in passing small lakes, bends of rivers, etc.: sometimes the distances can be advantageously taken over such obstacles, with the telescope and rod, (see article, Telescopic Measurement.) Also, it often happens that a suitable angle can be taken, and the base to that angle measured afterwards; in such cases the distance can be taken from the traverse table; but if no traverse, or other proper tables are at hand, the following angles, on a right angle base, and the multiplier to it, will give the distance. These may be committed to memory.

Angle 11°, 18', multiply the base by 5,

" 14, 2 multiply the base by 4,

Angle 18, 26, multiply the base by 3,
 " 21, 41, multiply the base by 2.5,
 " 26, 84, multiply the base by 2.




FIGURE 5.

SHORT METHOD OF FINDING THE AREA OF A MULTANGULAR FIELD.

EXAMPLE, SHOWING HOW TO REDUCE THE PLOT OF A MULTANGULAR FIELD TO A FIELD OF EQUAL AREA HAVING ONLY THREE OR FOUR SIDES, BY WHICH ITS CONTENTS MAY BE READILY FOUND.

To reduce such a field the only instruments required, after the meanders are properly laid down, are a good parallel-rule,* and a fine protracting point.

In the preceding figure first extend the base EH to an indefinite length; then placing the rule on the angles 1 and 3, move it parallel from the angles 1 and 3 to the angle 2, and mark the exact point of intersection at A , on the base EH . Now place the rule on A and the angle 4, then move it parallel to the angle 3, finding the point B on the base EH ; place the rule on B and the angle 5, and move, parallel, to the angle 4, finding the point C on the base EH . Now place the rule on the point C , and the terminating point 6 on the line FG , and move the rule, parallel, to the angle 5, finding the point D on the base EH , from which point draw a line to 6, the process then being complete. The line $D6$ thus drawn leaves the same area of lake to the left, that there is of land to the right.




FIGURE 6.

Any figure may be calculated upon the same principle by drawing a base and erecting a perpendicular line from it, passing through

*The triangle and the rule are the best.

the figure. Place the rule at *a* and *c*, then move, parallel, back to *b*, marking the point *l* on the base; then from *l* to *d*, and move forward to *c* and so on to the angle at *i*, leaving a triangle to the right of the perpendicular. Proceed in like manner with that portion of the figure to the left of the perpendicular line, throwing it into two triangles.

CROSSING RIVERS AND LAKES.

In connexion with convenient methods of measuring distances over lakes and rivers, it is proper to take notice of the means employed, by the most experienced surveyors, for the transit of the surveying party over such waters, when fording them, or travelling around their shores, is impracticable, or causes too much delay.

For this purpose floats or rafts made of logs, of the most dry and buoyant timber at hand is used, and when formed into a raft, its length should be about four times its breadth; with this proportion the raft will steer better, and pass through the water with more ease and expedition, than broad and short rafts.

The following is a safe and expeditious method of constructing these floats:—At a convenient place lay two skids, at a suitable distance apart, parallel to the shore, and near to the water, place on these two logs, twenty feet long and one foot diameter, which are to be the outside logs of the raft, and at about two or three feet from the ends of these, make with an axe a *dovetail* notch three or four inches deep, and about as wide on their upper sides; then fit into these notches a cross piece, or tie of a suitable size, and wedge them there firmly, so that these logs will not be separated on the water; then before or after launching this into the water, as convenience may suggest, fill in underneath the cross pieces, between the outside logs, with smaller timber of the same length, and tie them to these pieces, or fasten them by means of a *dovetail* notch. For crossing deep water, where poles cannot be used, paddles, or oars will be needed; they can be split out of a log and hewn into the proper shape in a few minutes.

With the whole force of the surveying party, it will require from one to two hours to construct a raft of a sufficient size to pass them all over a lake or river at one time.

RUNNING LINES WITH THE SOLAR COMPASS.

In commencing a survey where the latitude, as given by the instrument with which the survey is to be made, is unknown, the surveyor should first determine the latitude of his commencing point. He should remember, that in running any other than an east and west line, he is continually changing his latitude, so that every ninety-two chains and thirty links, of northing, or southing, will change his latitude one minute of a degree, or 5' 12'' for six miles, and a corresponding change of latitude must be set off on the latitude arc. During the progress of a large survey, the surveyor should determine his latitude daily, if practicable, by the meridian passage of the sun, to test the correctness of the adjustments of the latitude and declination arcs.

It is equally important that the sun's declination be truly set off on the declination arc, for the time and longitude of the station, as it is that the latitude arc be truly adjusted to the latitude of the place of observation.

The following method of preparing the sun's declination, as taken from the Nautical Almanac, for daily use, in any longitude, will be found useful in practice:

EXAMPLE.

To calculate the sun's declination for all hours of the daytime for May 11th, 1854, in latitude 42° N., longitude 120° W., or eight hours before noon, local time, corresponding to Greenwich noon.

12 h. — 8 h. = 4 h. A. M., at the place of observation.

Sun's declination,	17° 52' 11''	at Greenwich noon, as per Nautical Almanac.	
Meridional refraction +	26		
	17 52 37	4 h. A. M.,	17° 57' 41'' at noon.
Hourly difference +	38		38
	17 53 15	5 h. A. M.,	17 58 19 1 h. P. M.
	38		38
	17 53 53	6 h. A. M.,	17 58 57 2 h. P. M.
	38		38
	17 54 31	7 h. A. M.,	17 59 35 3 h. P. M.
	38		38
	17 55 9	8 h. A. M.,	18 0 13 4 h. P. M.
	38		38
	17 55 47	9 h. A. M.,	18 0 51 5 h. P. M.
	39		38
	17 56 25	10 h. A. M.,	18 1 29 6 h. P. M.
	38		38
	17 57 3	11 h. A. M.,	18 2 7 7 h. P. M.
	38		38
	17 57 41	12 h. M.,	18 2 45 8 h. P. M.

To calculate the sun's declination for August 25th, 1854, for all hours of the daytime, in latitude 45° N., longitude 90° W., or six hours before noon, local time, corresponding to Greenwich noon.

12 h.—6—6 h A. M., at the place of observation.			
Sun's declination N.,	$10^{\circ} 48' 12''$		$10^{\circ} 44' 31''$ 11 h. A. M.
*Meridional refraction+	39		52
	$10 48 51$	6 h. A. M.,	$10 43 39$ 12 h. M.
*Hourly difference—	52		52
	$10 47 59$	7 h. A. M.,	$10 42 47$ 1 h. P. M.
	52		52
	$10 47 7$	8 h. A. M.,	$10 41 55$ 2 h. P. M.
	52		52
	$10 46 15$	9 h. A. M.,	$10 41 3$ 3 h. P. M.
	52		52
	$10 45 23$	10 h. A. M.,	$10 40 11$ 4 h. P. M.
	52		52
	$10 44 31$	11 h. A. M.,	$10 39 19$ 5 h. P. M.

The calculations for the sun's declination for each hour of the day can be made after the preceding forms, on blank leaves placed in the field book, where they would be required through the day.

In the following table the hourly difference of the sun's declination, as given for the day, in the Nautical Almanac, will be found to the nearest second in the left hand column, and the change of declination for any number of hours to twelve, will be found against it, under the hour at the head of the columns.

This table is useful when the sun's declination is required for any number of hours up to twelve, before or in advance of Greenwich noon.

EXAMPLE.

Suppose the sun's declination is required for September 6, 1854, at 2 h. P. M., in longitude 120° W., or 8 h. in time W. of Greenwich, then $8+2=10$ hours. The sun's declination at Greenwich noon is $6^{\circ} 28' 52''$ N.; hourly difference $56''$, against this, in the above table, and under 10 hours, we find $9' 20''$, which subtract from $6^{\circ} 28' 52''=6^{\circ} 19' 32''$ for the sun's declination at the time and place required.

* The hourly difference of the sun's declination must be added when his declination is increasing, and subtracted when it is decreasing; and the meridional refraction must be added to the declination when the latitude is of the same name, and subtracted when of a contrary name. See method of finding Meridional Refraction.

TABLE OF THE INCREASE OR DECREASE OF THE SUN'S DECLINATION FOR HOURLY DIFFERENCES FROM 5'' TO 60'', AND FROM THREE TO TWELVE HOURS OF TIME.

DIFF.	3 H.	4 H.	5 H.	6 H.	7 H.	8 H.	9 H.	10 H.	11 H.	12 H.
5	15	20	25	30	35	40	45	50	55	1 00
6	18	24	30	36	42	48	54	1 00	1 06	1 12
7	21	28	35	42	49	56	1 03	1 10	1 17	1 24
8	24	32	40	48	56	1 4	1 12	1 20	1 28	1 36
9	27	36	45	54	1 3	1 12	1 21	1 30	1 39	1 48
10	30	40	50	1 00	1 10	1 20	1 30	1 40	1 50	2 00
11	33	44	55	1 6	1 17	1 28	1 39	1 50	2 1	2 12
12	36	48	1 00	1 12	1 24	1 36	1 48	2 00	2 12	2 24
13	39	52	1 5	1 18	1 31	1 44	1 57	2 10	2 23	2 36
14	42	56	1 10	1 24	1 38	1 52	2 6	2 20	2 34	2 48
15	45	1 0	1 15	1 30	1 45	2 00	2 15	2 30	2 45	3 00
16	48	1 4	1 20	1 36	1 52	2 8	2 24	2 40	2 56	3 12
17	51	1 8	1 25	1 42	1 59	2 16	2 33	2 50	3 7	3 24
18	54	1 12	1 30	1 48	2 6	2 24	2 42	3 00	3 18	3 36
19	57	1 16	1 35	1 54	2 13	2 32	2 51	3 10	3 29	3 48
20	1 00	1 20	1 40	2 00	2 20	2 40	3 00	3 20	3 40	4 00
21	1 3	1 24	1 45	2 6	2 27	2 48	3 9	3 30	3 51	4 12
22	1 6	1 28	1 50	2 12	2 34	2 56	3 18	3 40	4 2	4 24
23	1 9	1 32	1 55	2 18	2 41	3 4	3 27	3 50	4 13	4 36
24	1 12	1 36	2 00	2 24	2 48	3 12	3 36	4 00	4 24	4 48
25	1 15	1 40	2 5	2 30	2 55	3 20	3 45	4 10	4 35	5 00
26	1 18	1 44	2 10	2 36	3 2	3 28	3 54	4 20	4 46	5 12
27	1 21	1 48	2 15	2 42	3 9	3 36	4 3	4 30	4 57	5 24
28	1 24	1 52	2 20	2 48	3 16	3 44	4 12	4 40	5 8	5 36
29	1 27	1 56	2 25	2 54	3 23	3 52	4 21	4 50	5 19	5 48
30	1 30	2 00	2 30	3 00	3 30	4 00	4 30	5 00	5 30	6 00
31	1 33	2 4	2 35	3 6	3 37	4 8	4 39	5 10	5 41	6 12
32	1 36	2 8	2 40	3 12	3 44	4 16	4 48	5 20	5 52	6 24
33	1 39	2 12	2 45	3 18	3 51	4 24	4 57	5 30	6 3	6 36
34	1 42	2 16	2 50	3 24	3 58	4 32	5 6	5 40	6 14	6 48
35	1 45	2 20	2 55	3 30	4 5	4 40	5 15	5 50	6 25	7 00
36	1 48	2 24	3 00	3 36	4 12	4 48	5 24	6 00	6 36	7 12
37	1 51	2 28	3 5	3 42	4 19	4 56	5 33	6 10	6 47	7 24
38	1 54	2 32	3 10	3 48	4 26	5 4	5 42	6 20	6 58	7 36
39	1 57	2 36	3 15	3 54	4 33	5 12	5 51	6 30	7 9	7 48
40	2 00	2 40	3 20	4 00	4 40	5 20	6 00	6 40	7 20	8 00
41	2 3	2 44	3 25	4 6	4 47	5 28	6 9	6 50	7 31	8 12
42	2 6	2 48	3 30	4 12	4 54	5 36	6 18	7 00	7 42	8 24
43	2 9	2 52	3 35	4 18	5 1	5 44	6 27	7 10	7 53	8 36
44	2 12	2 56	3 40	4 24	5 8	5 52	6 36	7 20	8 4	8 48
45	2 15	3 0	3 45	4 30	5 15	6 00	6 45	7 30	8 15	9 00
46	2 18	3 4	3 50	4 36	5 22	6 8	6 54	7 40	8 26	9 12
47	2 21	3 8	3 55	4 42	5 29	6 16	7 3	7 50	8 37	9 24
48	2 24	3 12	4 00	4 48	5 36	6 24	7 12	8 00	8 48	9 36
49	2 27	3 16	4 5	4 54	5 43	6 32	7 21	8 10	8 59	9 48
50	2 30	3 20	4 10	5 00	5 50	6 40	7 30	8 20	9 10	10 00
51	2 33	3 24	4 15	5 6	5 57	6 48	7 39	8 30	9 21	10 12
52	2 36	3 28	4 20	5 12	6 4	6 56	7 48	8 40	9 32	10 24
53	2 39	3 32	4 25	5 18	6 11	7 4	7 57	8 50	9 43	10 36
54	2 42	3 36	4 30	5 24	6 18	7 12	8 6	9 00	9 54	10 48
55	2 45	3 40	4 35	5 30	6 25	7 20	8 15	9 10	10 5	11 00
56	2 48	3 44	4 40	5 36	6 32	7 28	8 24	9 20	10 16	11 12
57	2 51	3 48	4 45	5 42	6 39	7 36	8 33	9 30	10 27	11 24
58	2 54	3 52	4 50	5 48	6 46	7 44	8 42	9 40	10 38	11 36
59	2 57	3 56	4 55	5 54	6 53	7 52	8 51	9 50	10 49	11 48
60	3 0	4 0	5 0	6 0	7 0	8 0	9 0	10 0	11 0	12 00

Observations with the solar compass for the purpose of running lines, or to determine the variation of the needle, should not be made when the sun or other celestial object is nearer than 8° , or thirty-two minutes of time from the meridian: nearer than this, the observations may not give the course required sufficiently correct for the ordinary purpose of running lines.

The best part of the year for running lines with the solar compass is the summer season, or when the latitude and the declination of the sun are both of the same name. During this portion of the year there is usually the most fair weather for work of this kind, and the sun's altitude being generally higher through most of the day, affords more frequent opportunities in the forest to adjust the instrument by the sun, to the course of the line. There are, also, more hours of the day in which the solar compass can be used; the advantages of this will be fully realized when running lines in thickly timbered land, or in hilly or mountainous districts, when their summits intervene between the instrument and the sun, until a late hour in the morning and early in the afternoon.

From the principles already given in regard to the use of the solar compass, it will be perceived, that it requires more skill to use it with facility, than it does to use the magnetic compass; therefore, the surveyor should acquire this skill, before entering upon any important survey.

More line can be run with the solar compass in a day, than with the magnetic compass in the same time, if both instruments are properly used; for the reason that it requires less time to adjust the solar compass to the course by the sun, than it does the magnetic compass by the needle.

Much experience has established the fact, that a continual line can be run independently of the needle, through heavy timbered land, without cutting away any timber, except lopping a bush occasionally, between the instrument and the sun. Therefore, lines can be correctly run through any mineral region or other country, however great the local attractions or variations may be on the magnetic needle, with an accuracy not attainable with the magnetic compass. In making the survey of new districts of country, especially where there is considerable local attraction, it is important to determine the variation of the needle frequently, and make a record of the same for future reference.

During the surveys of the mineral region of Lake Superior, it was discovered that all mineral veins in that country had an influence, more or less, on the direction of the magnetic needle, its North end being generally attracted towards the metallic vein. These indications led (and no doubt will to a greater extent in future) to the discovery of mineral veins of various kinds in that and other regions; but the influence of metallic deposits on the magnetic needle, according to their various qualities, courses, distances, depths, &c., from the instrument, are as yet imperfectly understood.

It is to be hoped that this subject *will receive, in future*, that attention which its importance requires.

These aberrations in proximity to metallic deposits, suggest to the mind that they may be caused by galvanic currents, which circulate around the earth, and become deflected out of their general course by the metallic veins being a better conductor than the surrounding medium.

Galvanic currents conducted by any metallic substance always influence the direction of the magnetic needle, and incline it toward a right angle to its course; metallic deposits may also, in connexion with the various rocks and other substances in which they are immediately enclosed, form in themselves, local galvanic batteries, of greater galvanic intensity than is generally circulating in their vicinity, and thus diffuse an influence around them at considerable distances.

If these suggestions are correct, they seem to point to metallic deposits, in connexion with other substances in which they are enclosed, as the producing cause of the galvanic currents which circulate continually around the earth, nearly at right angles to its axis.

CONVENIENT RULES FOR CORRECTING THE COURSE OF RANDOM LINES, WHEN THE CORRECTION DOES NOT EXCEED 200 LINKS TO EACH MILE.

Rule for half a mile, or forty chains.

From the number of links to be corrected in that distance, subtract one-seventh; the difference will be the number of minutes of a degree required for the correction of the course.

EXAMPLE.

Number of links to be corrected, $42 - 6 = 36'$ answer.

Rule for one mile, or eighty chains.

From half of the number of links to be corrected in that distance, subtract one seventh; the difference will be the number of minutes of a degree required for the correction of the course.

EXAMPLE.

Number of links to be corrected, $70 \div 2 = 35 - 5 = 30'$ answer.

Rule for three miles.

Divide the whole number of links to be corrected by seven; the quotient will be the number of minutes of a degree required for the correction of the course.

EXAMPLE.

Number of links to be corrected, $297 \div 7 = 42\frac{3}{7}'$ answer.

Rule for six miles.

Divide one half of the number of links to be corrected by seven; the quotient will be the number of minutes required for the correction of the course.

EXAMPLE.

Number of links to be corrected, $370 \div 2 = 185 \div 7 = 26\frac{3}{7}'$ ans.*

The distances given for corrections, in the above examples, are those for which corrections are generally made in the surveys of the public lands, and the calculation for the course of the corrected line, can generally be mentally made by the surveyor, while he is occupied in adjusting his instrument.

For other distances, when the correction does not exceed $1^\circ 45'$, divide the distance run, by the number of links to be corrected in the length of the line; the quotient will be the natural co-tangent of the correction to be applied to the random course.

In the following table, the angle of correction is given in the first column from $1'$ to $1^\circ 40'$; and against each angle the departure is given for distances *one, forty, eighty, and two hundred and forty chains, or three miles*. These distances may be reckoned as *tens, hundreds, thousands*, if the position of the decimal point in each departure be changed accordingly.

The departure under distance one chain is of course the *natural*

* The above rules are close approximations.

sine of the angle; therefore, if it be multiplied by the distance run on any angle, the product is the departure.

TABLE, SHOWING THE ANGLE OF CORRECTION FOR RANDOM LINES.

Angle.	Number of links in 1 ch.	Links in 40 ch.	Links in 80 chains.	Links in 3 miles.	Angle.	Number of links in 1 ch.	Links in 40 chains.	Links in 80 chains.	Links in 3 miles.
1'	000291	1-16	2-33	6-90	51'	014835	59-34	118-68	356-04
2	000582	2-33	4-66	13-97	52	015126	60-50	121-01	363-02
3	000873	3-49	6-98	20-95	53	015417	61-67	123-34	370-01
4	001164	4-66	9-31	27-94	54	015707	62-83	125-66	376-97
5	001454	5-82	11-63	34-90	55	015998	63-99	127-98	383-95
6	001745	6-98	13-96	41-88	56	016289	65-16	130-31	390-94
7	002036	8-14	16-29	48-86	57	016580	66-32	132-64	397-92
8	002327	9-31	18-62	55-85	58	016871	67-48	134-97	404-90
9	002618	10-47	20-94	62-83	59	017162	68-65	137-30	411-89
10	002909	11-64	23-27	69-82	1-0	017452	69-81	139-62	418-85
11	003200	12-80	25-60	76-80	1-1	017743	70-97	141-94	425-83
12	003491	13-96	27-93	83-78	1-2	018034	72-14	144-27	432-82
13	003782	15-13	30-26	90-77	1-3	018325	73-30	146-60	439-80
14	004072	16-29	32-58	97-73	1-4	018616	74-46	148-93	446-78
15	004363	17-45	34-90	104-71	1-5	018907	75-63	151-26	453-77
16	004654	18-62	37-23	111-70	1-6	019197	76-79	153-58	460-73
17	004945	19-78	39-56	118-68	1-7	019488	77-95	155-90	467-71
18	005236	20-94	41-89	125-66	1-8	019779	79-12	158-23	474-70
19	005527	22-11	44-22	132-65	1-9	020070	80-28	160-56	481-68
20	005818	23-27	46-54	139-63	1-10	020361	81-44	162-89	488-66
21	006109	24-44	48-87	146-62	1-11	020652	82-61	165-22	495-65
22	006400	25-60	51-20	153-60	1-12	020942	83-77	167-54	502-61
23	006690	26-76	53-52	160-56	1-13	021233	84-93	169-86	509-59
24	006981	27-92	55-85	167-54	1-14	021524	86-10	172-19	516-58
25	007272	29-09	58-18	174-53	1-15	021815	87-26	174-62	523-56
26	007563	30-25	60-50	181-51	1-16	022106	88-42	176-95	530-54
27	007854	31-42	62-83	188-50	1-17	022397	89-59	179-18	537-53
28	008145	32-58	65-16	195-48	1-18	022687	90-75	181-50	544-49
29	008436	33-74	67-49	202-46	1-19	022978	91-91	183-82	551-47
30	008726	34-90	69-81	209-42	1-20	023269	93-08	186-15	558-46
31	009017	36-07	72-14	216-41	1-21	023560	94-24	188-48	565-44
32	009308	37-23	74-46	223-39	1-22	023851	95-40	190-81	572-42
33	009599	38-40	76-79	230-38	1-23	024141	96-56	193-13	579-38
34	009890	39-56	79-12	237-36	1-24	024432	97-73	195-46	586-37
35	010181	40-72	81-45	244-34	1-25	024723	98-89	197-78	593-35
36	010472	41-89	83-78	251-33	1-26	025014	100-06	200-11	600-34
37	010763	43-05	86-10	258-31	1-27	025305	101-22	202-44	607-32
38	011054	44-22	88-43	265-30	1-28	025595	102-38	204-76	614-28
39	011344	45-38	90-75	272-26	1-29	025886	103-54	207-09	621-26
40	011635	46-54	93-08	279-24	1-30	026177	104-71	209-42	628-25
41	011926	47-70	95-41	286-22	1-31	026468	105-87	211-74	635-23
42	012217	48-87	97-74	293-21	1-32	026759	107-04	214-07	642-22
43	012508	50-03	100-06	300-19	1-33	027049	108-20	216-39	649-18
44	012799	51-20	102-39	307-18	1-34	027340	109-36	218-72	656-16
45	013090	52-36	104-72	313-16	1-35	027631	110-52	221-05	663-13
46	013381	53-52	107-05	321-14	1-36	027922	111-69	223-38	670-13
47	013671	54-68	109-37	328-10	1-37	028212	112-85	225-70	677-09
48	013962	55-85	111-70	335-09	1-38	028503	114-01	228-02	684-07
49	014253	57-01	114-02	342-07	1-39	028794	115-18	230-35	691-06
50	014544	58-18	116-35	349-06	1-40	029085	116-34	232-68	698-04

TABLE OF LATITUDES AND LONGITUDES.

In the use of the Solar Compass, it is necessary to know approximately at least, the Longitude of the place where the instrument is used, for the purpose of taking out of the Nautical Almanac, the Sun's declination, &c., and reducing them to a time, and Longitude of the place of observation.

For this purpose, the following tabular statement of the latitude, and longitude from the meridian of Greenwich, of some of the most important places, in North America, are given.

PLACES.	LATITUDE NORTH.	LONGITUDE WEST.			
		In Degrees.		In Time.	
	° ' "	° ' "	H. M. S.		
Acapulco, Mex., . . .	16 50 19	99 49 9	6 39 16		
Albany, (Capitol), N. Y., . . .	42 39 3	73 44 49	4 54 69		
Amherst, (College), Mass., . . .	42 22 15	72 31 28	4 50 6		
Apostle Islands, (Lake Superior,)	47 00	91 00	6 4		
Augusta, (State House,) Me., . . .	44 18 43	69 50	4 39 20		
Baltimore, (Monument,) Md., . . .	39 17 48	76 36 39	5 6 26		
Bellevue, (Am. Fur. Cos.' Trading Post, Missouri River,)	38 8 24	95 47 46	6 23 11		
Boston, (State House,) Mass., . . .	42 21 27	71 3 30	4 41 14		
Brazos Santiago, Texas, . . .	26 6 0	97 12	6 28 48		
Brent's Fort,	38 2 38	103 33 15	6 54 13		
Burlington, N. J., . . .	40 4 51	74 52 37	4 59 30		
Burlington, Vt., . . .	44 27	73 10	4 52 40		
Cape Hancock, (Mouth of Columbia River,) Oregon, . . .	46 16 35	124 1 45	8 16 7		
Charleston, (St. Mich.'s Ch.,) S. C., . . .	32 46 33	79 55 38	5 19 42		
Chicago, Ill., . . .	42 00 00	87 35	5 50 2		
Columbus, Ohio, . . .	39 57 00	83 3	5 32 12		
Concord, (State House,) N. H., . . .	43 12 29	71 29	4 45 56		
Dalles of the Columbia Missionary Station, O. T., . . .	45 35 55	120 55	8 3 40		
Detroit, (St. Paul's Church,) Mich., . . .	42 19 45	83 2 30	5 32 10		
Dover, Del., . . .	39 10	75 30	5 2 0		
Ewing Harbour, O. T., . . .	42 44 22	124 28 52	8 33 55		
Falls of St. Anthony, U. S. Cottage,	44 58 40	93 10 30	6 12 42		
False Dungeness Bay, Wash. Ter., . . .	48 7 52	123 27 21	8 13 49		
Fort Boisee, Oregon, . . .	43 49 22	116 47 3	7 47 8		
Fort Gibson, (Old Block House,)	35 47 35	95 15 10	6 21		
Fort Hall,	43 1 30	112 29 54	7 29 59		
Fort Laramie,	42 12 10	104 47 43	6 59 11		
Fort Leavenworth, (Landing,)	39 21 14	94 44	6 18 56		
Fort Nez Perce, O. T., . . .	46 3 46				
Frankfort, Ky., . . .	38 14	84 40	5 38 40		
Frederickton, N. B., . . .	46 3	66 45	4 27		
Galveston, (Court House,) Texas, . . .	29 18 14	94 46 34	6 19 6		
Granite Island, (Lake Superior,)	46 40	87 50	5 50		
Great Salt Lake, Island in,	41 10 42	112 21	7 39		

TABLE OF LATITUDES AND LONGITUDES. 53

PLACES.	LATITUDE NORTH.	LONGITUDE WEST.	
		In Degrees.	In Time.
	° / "	° / "	H. M. S.
Hallfax, N. S., . . .	44 39 20	63 36 40	4 14 28
Harrisburg, Pa., . . .	40 16	76 50	5 7 20
Indianapolis, Ind., . . .	39 55	86 5	5 44 20
Jackson, Miss., . . .	32 23	90 8	6 00 32
Jefferson, Mo., . . .	38 36	92 8	6 8 32
Kansas River, Mouth of,	39 6 3	94 33	6 18 11
Key West Light, Fla., . . .	24 33	81 48	5 27 12
Keweenaw Point, Lake Superior,)	47 30	88 30	5 54
Kingston, C. W., . . .	44 8	76 40	5 6 40
Little Rock, Ark., . . .	34 40	92 12	6 8 48
Mexico, (City of), Mex., . . .	19 25 45	99 5 6	6 36 20
Milledgeville, Ga., . . .	33 7 20	83 19 45	5 33 19
Milwaukee, Wisc., . . .	43 3 45	87 57	5 51 48
Mouth of Missouri River,	38 51 36	90 00 40	6 00 3
Mobile, Ala., . . .	30 41 26	88 1 29	5 56 2
Monterey, Mex., . . .	25 40 13	100 25 36	6 41 42
Montpellier, Vt., . . .	44 17	72 36	4 50 24
Montreal, C. E., . . .	45 31	73 35	4 54 20
Nebraska, or Platte River Junction of North and South Forks,	41 5 5	101 21 24	6 45 26
New Orleans, (City Hall), La., . . .	29 57 30	90	6
Pittsburg, Pa., . . .	40 32	80 2	5 20 8
Point Conception, Cal., . . .	34 26 56	120 25 39	8 1 42
Point Hudson, Wash. T., . . .	48 7 3	122 44 33	8 10 58
Prairie du Chien, Am. Fur Co.'s House,	43 3 6	91 9 19	6 4 37
Quebec, (Citadel), C. E., . . .	46 49 12	71 16	4 45 4
Richmond, (Capitol), Va., . . .	37 32 17	77 27 28	5 9 50
Sacramento City, Cal., . . .	38 34 42	120 nearly.	8
Sackett's Harbour, N. Y., . . .	43 55	75 57	5 3 48
St. Paul's, Min., . . .	44 52 46	93 4 54	6 12 19
St. Vrain's Fort, Indian Ter., . . .	40 16 52	105 12 23	7 48 1
San Francisco, (Presidio), Cal., . . .	37 47 35	122 26 15	8 9 45
Santa Fe, N. M., . . .	35 41 6	106 1 22	7 4 5
Scarboro Harbour, Wash T., . . .	48 21 49	124 37 12	8 18 29
Snake River, above Amer. Falls,	42 47 5	112 40 13	7 30 41
Springfield, Ill., . . .	39 48	89 33	5 58 12
Tallahassee, Fla., . . .	30 28	84 36	5 38 24
Toronto or York, (Observ.), C. W., . . .	43 39 35	79 21 30	5 17 26
Tuscaloosa, Ala., . . .	33 12	87 42	5 50 45
Washington, (Capitol), D. C., . . .	38 53 34	77 1 30	5 8 6
York, Me., . . .	43 10 0	70 40	4 42 40

The latest and best maps of North America show the longitude of all places within its boundary sufficiently near for the purpose of reducing the sun's declination to their meridians.

E *

LENGTHS IN NAUTICAL MILES AND STATUTE MILES OF DEGREES OF
LATITUDE AND LONGITUDE IN DIFFERENT LATITUDES.

DEGREE OF THE PARALLEL.			DEGREE OF THE MERIDIAN.		
Latitude of Parallel.	Nautical miles.	Statute miles.	Latitude of middle point.	Nautical miles.	Statute miles.
20°	56-404	65-018	20°	59-864	68-777
21	56-039	64-598			
22	55-657	64-158			
23	55-258	63-698			
24	54-843	63-219			
25	54-411	62-721	25	59-706	68-825
26	53-962	62-204			
27	53-497	61-668			
28	53-016	61-113			
29	52-518	60-540			
30	52-005	59-948	30	59-749	68-875
31	51-476	59-338			
32	50-931	58-709			
33	50-370	58-063			
34	49-794	57-399			
35	49-203	56-718	35	59-796	68-929
36	48-597	56-019			
37	47-976	55-304			
38	47-341	54-571			
39	46-690	53-822			
40	46-026	53-056	40	59-847	68-987
41	45-348	52-274			
42	44-654	51-476			
43	43-949	50-662			
44	43-230	49-833			
45	42-497	48-988	45	59-899	69-048
46	41-752	48-128			
47	40-993	47-254			
48	40-222	46-365			
49	39-439	45-462			
50	38-643	44-545	50	59-951	69-108

A degree of longitude at the equator = 69-163 statute miles.

A second of time at the equator = 1521-6 feet.

RUNNING PARALLELS OF LATITUDE.

Parallels of latitude are curved lines, and they increase in curvature from the equator to the poles, and cross all meridians at right angles. All lines run at any angle from the meridian, by courses taken at short intervals, partake more or less (according to the angle) of the curvature of parallels of latitude.

When the compass is set to a true east and west course, in any latitude, the line of sight is at right angles to the meridian, and in consequence of the spheroidal figure of the earth, which causes the curvature of the parallels of latitude, this line of sight will converge

or the equator. Some correction is therefore due to each course taken between stations, to keep the line on the same parallel of latitude. This correction, however, is too small to make any material error in tracing the parallel, if the stations are not more than 30'' of longitude apart; but if larger than this, the convergency on the equator should be computed for the distance, and allowed on the side towards the pole. But a more convenient and practical method of running parallels of latitude, or lines at any angle from the meridian, is to back sight on each forward sight, and take half the difference between their courses, when large enough to be perceptible. Thus, the forward and back sights, give double the amount of curvature between the two stations, the one half of which must be set off at the end of the forward sight toward the pole, to keep the line on the same parallel of latitude. Any unusual difference between two equal stations, must be re-examined, and errors corrected if any, as the line advances.

A line run west six miles, or more, with long stations between sights, cannot be retraced by running east in the same manner, for the east line will fall towards the equator; therefore attention should be given to this subject in running the east and west lines of the public lands, when long distances are taken between stations over water, prairies, or open lands.

When running a parallel of latitude, if an object be observed due east or west from any station, the correction of the course to touch the same parallel on the meridian of the object, is equal to one half of the angle of convergency between the two meridians, which pass through the station and the object.

The following table will show the convergency of *six miles apart* on the parallel of each degree of latitude, and *six miles* from them towards the poles of the earth.

TABLE.

Parallel of Latitude.	Links of Convergency.	Angle of Convergency.	Parallel of Latitude.	Links of Convergency.	Angle of Convergency.	Parallel of Latitude.	Links of Convergency.	Angle of Convergency.
0		/' "	0		/' "	0		/' "
10	15.0	1. 4	27	36.9	2.38	44	70.1	5.01
11	15.7	1. 7	28	38.6	2.46	45	72.6	5.12
12	16.5	1.11	29	40.2	2.53	46	75.2	5.23
13	17.3	1.14	30	41.9	3. 0	47	77.8	5.34
14	18.2	1.18	31	43.6	3. 7	48	80.6	5.46
15	19.4	1.23	32	45.4	3.15	49	83.5	5.59
16	20.7	1.29	33	47.2	3.23	50	86.5	6.12
17	22.0	1.34	34	49.1	3.31	51	89.7	6.25
18	23.4	1.40	35	50.9	3.39	52	93.0	6.40
19	24.9	1.47	36	52.7	3.46	53	96.4	6.55
20	26.5	1.54	37	54.7	3.55	54	100.0	7.10
21	27.8	1.59	38	56.8	4. 4	55	103.7	7.26
22	29.3	2. 6	39	58.8	4.13	56	107.6	7.43
23	30.8	2.12	40	60.9	4.22	57	111.8	8.00
24	32.3	2.19	41	63.1	4.31	58	116.2	8.19
25	33.8	2.25	42	65.4	4.41	59	120.9	8.40
26	35.4	2.32	43	67.7	4.51	60	125.7	9.00

EXPLANATION AND USE OF THE ABOVE TABLE.

To find the convergency and angle for the fractional parts of each degree of latitude, increase the convergency and angle, in proportion to the fractional part required. The convergency of equal lengths of meridians with same latitude are in proportion to their distance apart.

The convergency between any two meridians, whose lengths are equal to their mean distance apart, is in proportion to the square of the distance given in the table (six miles) to the square of the length required.

EXAMPLE.

Suppose it is required to find the convergency of two meridians three miles in length and three miles apart, in latitude 42° (6^2): $65.4 :: 3^2 : 16.35$ links.

Suppose a station in latitude 42° N. an object is observed due east eight miles distant; how far north of the object is the same parallel of latitude, of the station from which the observation is made? Proceed as in the above example. $36:65.4 :: 64:116.27$. One half of which is 58,14 links nearly, answer. (See rule preceding the above table.) If the angle be required that would touch the same parallel

north of the object, it will be given by the following proportion; $6 : 4' 41'' :: 8 : 6' 14''$. One half of which is $3' 7''$ or N. $89^{\circ} 56' 53''$ E.*

CONVERGENCY OF MERIDIANS.

RULE —As the cosine of any given latitude is to a given distance of longitude, in that latitude, so is the cosine of any other latitude, to the distance of a corresponding longitude; the difference of these numbers will be the convergency.

EXAMPLE.

Required the convergency of two range lines that are 6 miles or 480 chains apart, in latitude $42^{\circ} 30'$ north, and extending north ten townships, or to latitude $43^{\circ} 21' 48''$.

As cosine of lat. $42^{\circ} 30'$ = 9.867631

: Longitude 480 chains, = 2.681241

:: Cosine of lat. $43^{\circ} 21', 48''$ = 9.861543

—————
12.542764

9.867631

: Log. - - - 2.675153 = 473.32 subtract
from 480. chains = 6.68 chains. The convergency.

TO RUN A LINE PARALLEL TO A GIVEN MERIDIAN, AT ANY DISTANCE EAST OR WEST OF IT.

Find the angle of convergency between the meridians for the distance required, then run the line at the angle thus found, east or west of the meridian as the case requires.

AMPLITUDE OF CELESTIAL OBJECTS.

All heavenly bodies will rise and set to the north, or to the south of the east and west points of the horizon, as their declination may be north or south.

In consequence of the horizontal refraction of celestial objects, the proper time of taking their amplitude is when their centers appear about $33'$ above the horizon.

TO FIND THE AMPLITUDE.

To the Log, secant of the latitude (rejecting its index,) add the Log-sine of the sun's or star's declination; the sum will be the Log-

* The preceding rules are close approximations to the truth.

sine of the course, the sun or star will rise or set from the east or west point.

EXAMPLE.

Latitude $42^{\circ} 45'$ Log. secant,	.134113
Declination $15^{\circ} 10'$ Log. sine,	9.417684
Log sine of Amplitude,	<u>9.551797</u> = $20^{\circ} 52'$.

PROBLEMS.

TO FIND THE TIME OF THE SUN RISING OR SETTING.

RULE.—To the tangent of the latitude, add the tangent of the sun's or star's declination, and subtract radius from their sum; the remainder is the cosine of the semi-diurnal arc, when the latitude and declination are of different names; and of the semi-nocturnal arc, when both are of the same name.

EXAMPLE.

Sun's decl. $18^{\circ} 20'$ Tangent =	9.520805
Latitude $41^{\circ} 50'$ Tangent =	9.951896

19.472201

Subtract radius	10.000000
-----------------	-----------

Cosine	9.472201 = $72^{\circ} 45'$ or 4h. 51min.
--------	---

Apparent time of sunrise when the latitude and declination are of the same name, or sunset when they are of different names.

TO FIND THE ANGLE THAT THE EQUATORIAL LINES OF THE SOLAR COMPASS, MAKE WITH THE HORIZON IN ANY LATITUDE, WHEN OBSERVING A CELESTIAL OBJECT, AT ANY HOUR ANGLE FROM THE MERIDIAN.

RULE.—As radius is to the cosine of the latitude, so is the sine of the hour angle of the celestial object, to the sine of the angle of the equatorial lines with the horizon.

EXAMPLE.

As radius,	10.000000
: Cosine of lat. $42^{\circ} 30'$	= 9.867631
:: Sine of H'r angle $30^{\circ} 00'$	= 9.698970
: Sine of angle	<u>= 9.566601</u> = $21^{\circ} 38'$ nearly.

TO FIND THE AZIMUTH OF THE POLE STAR AT THE TIME OF ITS GREATEST ELONGATION.

RULE.—As cosine of the latitude, is to radius, so is the cosine of the declination, to the sign of the azimuth or elongation.

EXAMPLE.

Latitude $40^{\circ} 20'$, declination of the pole star, January 1st, 1854, $88^{\circ} 32' 7''$.

As cosine of lat. $40^{\circ} 20'$	=	9.882121
: Radius		10.000000
:: Cosine of Decl. $88^{\circ} 32' 7''$	=	8.407727
		18.407727
		9.882121
: Sine of azimuth		8.525606 = $1^{\circ}, 55', 20''$.

TO FIND THE MOON'S PARALLAX IN ALTITUDE, AND TO REDUCE IT TO THE QUANTITY TO BE SUBTRACTED FROM HER DECLINATION WHEN HER LATITUDE IS OF THE SAME NAME, AND ADDED TO IT, WHEN OF A CONTRARY NAME.

RULE.—As radius is to the sine of horizontal parallax, so is the cosine of altitude to the sine of parallax in altitude: subtract the refraction in altitude and the meridional refraction; take the proportional part of this difference from table of proportional parts of refraction, and apply it to her declination as above named.

EXAMPLE.

As Radius,	=	10.000000
: Sine horizontal parallax $58'$	=	8.227184
: : Cos. altitude 36°	=	9.907958
		8.135092 = $46', 55''$
: Sine parallax in altitude,	=	8.135092 = $46', 55''$
Refraction in altitude, $1' 20''$		— $2' 8''$
Meridional refraction, $48''$		— $48''$
$2' 8''$		$44' 47''$ Pro-
		portional part in latitude
		36° at 3h. from the meridian,
		$82 = 36', 43''$ to be applied
		to the Moon's declination

HOW TO FIND THE MERIDIONAL REFRACTION OF CELESTIAL OBJECTS
IN ANY LATITUDE.

EXAMPLE.

In latitude 42° N., $90^{\circ}-42=48^{\circ}$,
Sun or star's declination north, $+ 15^{\circ} 30'$

The meridional altitude is $63^{\circ} 30'$.

The refraction of which is $29''$, (see table of refraction.)

SECOND EXAMPLE.

In latitude 38° N., $90^{\circ}-38^{\circ}=52^{\circ} 00'$.
Declination south, $- 10^{\circ} 15'$

The meridional altitude is $41^{\circ} 45'$.
the refraction of which is $1' 5''$.

BAROMETER.

In view of the many hilly and mountainous districts yet to be surveyed, and their chorographical and geological characters defined, as well as for other purposes, the following table and theorems as given by Sir George Shuckburgh, will show in what manner the barometer is used for ascertaining the height of Mountains, Hills, &c.*

Thermometer.	Factor.	Thermometer.	Factor.	Thermometer.	Factor.
30	864.4	47	900.2	64	936.1
31	866.5	48	902.3	65	938.2
32	868.5	49	904.5	66	940.3
33	870.6	50	906.6	67	942.4
34	872.7	51	908.7	68	944.5
35	874.9	52	910.8	69	946.7
36	877.0	53	913.0	70	948.8
37	879.1	54	915.1	71	950.9
38	881.3	55	917.2	72	953.0
39	883.4	56	919.3	73	955.1
40	885.4	57	921.4	74	957.2
41	887.5	58	923.5	75	959.3
42	889.6	59	925.6	76	961.4
43	891.7	60	927.7	77	963.5
44	893.8	61	929.8	78	965.6
45	896.0	62	931.9	79	967.7
46	898.1	63	934.0	80	969.9

DEPRESSION OF MERCURY IN GLASS TUBES, OR CORRECTIONS TO BE ADDED FOR CAPILLARY ATTRACTION.

	INCHES.				
Diameter of Tube,	0. 25	0. 30	0. 40	0. 45	0. 60
Correction, . . .	0.020	0.015	0.007	0.005	0.002

* To perform this operation accurately, two persons should take contemporary observations with two barometers and thermometers, the one at the bottom of the hill, and the other at the top.

RULE.—The difference between the two barometers at the bottom and top of the mountain, multiplied by the height of the barometer at the bottom of the mountain; and that product by the tabular difference corresponding to the mean of the thermometers, and divided by the mean between the readings of the barometers, will equal the amount of elevation in feet.

EXAMPLE.

Suppose the barometer at the bottom of the mountain to stand at 80 inches, thermometer 60°; and the barometer at the top 26.36 inches, thermometer 46°; required the height of the mountain.

As per rule the mean of the two barometers = 28.18 inches, their difference = 3.64 inches; and the mean of the two thermometers = 53°. The number corresponding to 53° in the table is 913.0, hence $(3.64 \times 80 \times 913.0) \div 28.18 = 3537.92 +$. The height of the mountain.

The following are extracts from the remarks of the late eminent Dr. Halley:—

“In calm weather, when the air is inclined to rain, the mercury is commonly low.

“In serene, good weather, the mercury is generally high. Upon very great winds, though they be not accompanied with rain, the mercury sinks lowest of all, with relation to the point of compass the wind blows upon.

“In calm frosty weather, the mercury generally stands high.

“Within the tropics, and near them, there is very little or no variation of the height of mercury in all weathers.

“The greater height of the barometer, is occasioned by two contrary winds blowing towards the place of observation, whereby the air of other places is brought thither and accumulated.”

In regard to the course of winds, and their effect on the barometer and weather, they are variable in different countries, and therefore omitted here.

Extracts from a Manual published by J. H. Belville of the Royal Observatory of Greenwich.

“Heat and moisture are the principal causes of the variations in the weight of the atmosphere, and necessarily in the variations in the barometer at the same station.”

“The variations of the barometer, are less within the tropics, than in the temperate and polar regions; they vary in different

countries in the same latitude, and they are greater in mountainous countries, and islands. In Peru, the range of the mercury is about one-third of an inch—in London two and a half inches, and in St. Petersburg, it exceeds three inches."

"It is not so much the *absolute* height, as the actual rising and falling of the mercury, which determines the kind of weather like y to follow."

"Great depressions at all seasons are followed by change of wind, and by much rain."

"Rain in some quantity may fall with a high pressure, provided the wind be in any of the northerly points."

"No great storm ever sets in with a steady rising barometer."

"The variations of the barometer, are always greater in the winter than in the summer."

"Sudden depressions of the barometer, sometimes occur in weather apparently calm. It is almost an established fact, that storms have a circular motion; and, if when an exhaustion, or sudden diminution of the atmosphere takes place, the mercurial column happens to be in the partial vacuum or centre of motion, the air will be at rest; while the surrounding air at a greater distance from the centre, will be violently agitated with a less fall of the barometer."

N. B.—In all observations for this purpose, the rise and fall of the mercury should be reckoned from its mean height at whatever elevation the station may be above the sea level.

ANEROID BAROMETER.

The Aneroid Barometer is a new instrument for ascertaining the variations of the atmosphere: its action depends on the effect produced by the pressure of the atmosphere on a metallic box, from which the air has been exhausted and then hermetically sealed: the hand of the Aneroid can be set to correspond with the mercurial barometer, by which it should be compared by turning a screw on its back-side. This screw when turned with, or against the sun, alters the position of the hand, *and is not to be touched for any other purpose.*

There is another gilt hand, called the register or index, which moves above the other by a nut or thumb piece which projects through the centre of the glass, to enable the observer to register the barometer hand, by which to refer its movement for another time, or in ascending or descending hills, &c.

The Aneroid Barometer can be carried and used through any country

with about the same safety as a watch, and is, therefore, the most suitable barometer of any now in use, for measuring the height of hills and mountains, in new countries.

The corrections for temperature for the Aneroid, are seldom precisely the same as for the mercurial barometer; but the quantity necessary for thermometrical correction can be readily found, by exposing the instrument to the temperature of the external air for twenty or thirty minutes, and set the hands coincident, then place it near the fire until the thermometer is at ninety or a hundred degrees; the variation of the hand, divided by the variation in degrees of the thermometer, will give the quantity for each degree.

MEASUREMENTS OF HEIGHTS WITH THE BAROMETER.

The following table, being an extract from the elaborate table of W. Galbraith, A. M., furnishes another expeditious method for this purpose.

In this table, the third column exhibits numbers in English feet, corresponding to the height of the barometer (shown on its left,) in inches, tenths, and hundredths, the proportional parts to thousandths are given in column headed A.

BAROMETRIC TABLE.

A.	Bar. Inch.	English Feet.	A.	Bar. Inch.	English Feet.	A.	Bar. Inch.	English Feet.
+	28.00	27425.3	+	28.20	27611.3	+	28.40	27795.8
0.9	1	27434.6	0.9	1	27620.6	0.9	1	27805.0
1.0	2	27444.0	1.0	2	27629.8	1.8	2	27814.2
2.8	3	27453.3	2.8	3	27639.1	2.8	3	27823.4
3.7	4	27462.6	3.7	5	27648.3	3.7	4	27832.6
4.7	5	27471.9	4.6	5	27657.6	4.6	5	27841.8
5.6	6	27481.3	5.6	6	27666.8	5.5	6	27851.0
6.5	7	27490.6	6.5	7	27676.1	6.4	7	27860.2
7.5	8	27499.9	7.4	8	27685.3	7.4	8	27869.3
8.4	9	27509.2	8.3	9	27694.6	8.3	9	27878.5
+	28.10	27518.4	+	28.30	27703.7	+	28.50	27887.7
0.9	1	27527.7	0.9	1	27712.9	0.9	1	27896.9
1.0	2	27537.0	1.8	2	27722.2	1.8	2	27906.0
2.8	3	27546.3	2.8	3	27731.4	2.7	3	27915.2
3.7	4	27555.6	3.7	4	27740.6	3.7	4	27924.3
4.6	5	27564.9	4.6	5	27749.8	4.6	5	27933.5
5.6	6	27574.2	5.5	6	27759.1	5.5	6	27942.6
6.5	7	27583.5	6.5	7	27768.3	6.4	7	27951.8
7.4	8	27592.7	7.4	8	27777.5	7.3	8	27960.9
8.4	9	27602.0	8.3	9	27786.7	8.2	9	27970.1

A.	Bar. Inch.	English Feet.	A.	Bar. Inch.	English Feet.	A.	Bar. Inch.	English Feet.
+	28-00	27573.2	+	29-20	28521.7	+	29-80	29053.1
0.9	1	27988.3	0.9	1	28530.6	0.9	1	29061.9
1.8	2	27997.5	1.8	2	28539.6	1.8	2	29070.6
2.7	3	28006.6	2.7	3	28548.5	2.6	3	29079.4
3.6	4	28015.7	3.6	4	28557.5	3.5	4	29088.1
4.6	5	28024.8	4.5	5	28566.4	4.4	5	29096.9
5.5	6	28034.0	5.4	6	28575.4	5.3	6	29105.6
6.4	7	28043.1	6.3	7	28584.3	6.1	7	29114.4
7.3	8	28052.2	7.2	8	28593.2	7.0	8	29123.1
8.2	9	28061.3	8.0	9	28602.2	7.9	9	29131.9
+	28-70	28070.5	+	29-30	28611.1	+	29-90	29140.6
0.9	1	28079.6	0.9	1	28620.0	0.9	1	29149.3
1.8	2	28088.7	1.8	2	28628.9	1.7	2	29158.1
2.7	3	28097.8	2.7	3	28637.8	2.6	3	29166.8
3.6	4	28106.9	3.6	4	28646.7	3.5	4	29175.5
4.5	5	28115.9	4.5	5	28655.6	4.4	5	29184.2
5.5	6	28125.0	5.3	6	28664.5	5.2	6	29193.0
6.4	7	28134.1	6.2	7	28673.4	6.1	7	29201.7
7.3	8	28143.2	7.1	8	28682.3	7.0	8	29210.4
8.2	9	28152.2	8.0	9	28691.2	7.8	9	29219.1
+	28-80	28161.3	+	29-40	28700.0	+	30-00	29227.8
0.9	1	28170.4	0.9	1	28708.9	0.9	1	29236.5
1.8	2	28179.4	1.8	2	28717.8	1.7	2	29245.2
2.7	3	28188.5	2.7	3	28726.6	2.6	3	29253.9
3.6	4	28197.5	3.6	4	28735.5	3.5	4	29262.6
4.5	5	28206.6	4.4	5	28744.4	4.3	5	29271.3
5.4	6	28215.6	5.3	6	28753.3	5.2	6	29280.0
6.3	7	28224.7	6.2	7	28762.1	6.1	7	29288.7
7.2	8	28233.7	7.1	8	28771.0	7.0	8	29297.3
8.1	9	28242.8	8.0	9	28779.9	7.8	9	29306.0
+	28-90	28251.8	+	29-50	28788.7	+	30-10	29314.7
0.9	1	28260.8	0.9	1	28797.5	0.9	1	29323.4
1.8	2	28269.9	1.8	2	28806.4	1.7	2	29332.0
2.7	3	28278.9	2.7	3	28815.2	2.6	3	29340.7
3.6	4	28287.9	3.5	4	28824.1	3.5	4	29349.2
4.5	5	28296.9	4.4	5	28832.9	4.3	5	29357.8
5.4	6	28305.0	5.3	6	28841.8	5.2	6	29366.7
6.3	7	28315.0	6.2	7	28850.6	6.1	7	29375.3
7.2	8	28324.0	7.1	8	28859.4	6.9	8	29384.0
8.1	9	28333.0	8.0	9	28868.2	7.8	9	29392.6
+	29-00	28342.1	+	29-60	28877.1	+	30-20	29401.3
0.9	1	28351.1	0.9	1	28885.9	0.9	1	29409.9
1.8	2	28360.1	1.8	2	28894.7	1.7	2	29418.6
2.7	3	28369.1	2.6	3	28903.6	2.6	3	29427.2
3.6	4	28378.1	3.5	4	28912.4	3.5	4	29435.9
4.5	5	28387.1	4.4	5	28921.2	4.3	5	29444.5
5.4	6	28396.1	5.3	6	28930.0	5.2	6	29453.2
6.3	7	28405.0	6.2	7	28938.8	6.1	7	29461.8
7.2	8	28414.0	7.0	8	28947.6	6.9	8	29470.4
8.1	9	28423.0	7.9	9	28956.4	7.8	9	29479.1
+	29-10	28432.0	+	29-70	28965.2	+	30-30	29487.7
0.9	1	28441.0	0.9	1	28974.0	0.9	1	29496.3
1.8	2	28450.0	1.8	2	28982.8	1.7	2	29504.9
2.7	3	28458.9	2.6	3	28991.6	2.6	3	29513.6
3.6	4	28467.9	3.5	4	29000.4	3.4	4	29522.2
4.5	5	28476.9	4.4	5	29009.1	4.3	5	29530.8
5.4	6	28485.8	5.3	6	29017.9	5.2	6	29539.4
6.3	7	28494.8	6.1	7	29026.7	6.0	7	29548.0
7.2	8	28503.8	7.0	8	29035.5	6.9	8	29556.6
8.1	9	28512.7	7.9	9	29044.2	7.7	9	29565.2

A.	Bar. Inch.	English Feet.	A.	Bar. Inch.	English Feet.	A.	Bar. Inch.	English Feet.
+	30.40	29573.8	+	30.60	29745.0	+	30.80	29915.2
0.9	1	29582.4	0.9	1	29753.5	0.8	1	29923.7
1.7	2	29591.0	1.7	2	29762.1	1.7	2	29932.2
2.6	3	29599.6	2.6	3	29770.6	2.5	3	29940.7
3.4	4	29608.2	3.4	4	29779.1	3.4	4	29949.2
4.3	5	29616.7	4.3	5	29787.6	4.2	5	29957.6
5.2	6	29625.3	5.1	6	29796.2	5.1	6	29966.1
6.0	7	29633.9	6.0	7	29804.7	5.9	7	29974.6
6.9	8	29642.5	6.8	8	29813.2	6.8	8	29983.1
7.7	9	29651.0	7.7	9	29821.7	7.6	9	29991.5
+	30.50	29659.6	+	30.70	29830.2	+	30.90	30000.0
0.9	1	29668.1	0.9	1	29838.7	0.8	1	30008.5
1.7	2	29676.7	1.7	2	29847.2	1.7	2	30016.9
2.6	3	29685.2	2.5	3	29855.7	2.5	3	30025.4
3.4	4	29693.8	3.4	4	29864.2	3.4	4	30033.8
4.3	5	29702.3	4.3	5	29872.7	4.2	5	30042.3
5.1	6	29710.9	5.1	6	29881.2	5.1	6	30050.7
6.0	7	29719.4	6.0	7	29889.7	5.9	7	30059.2
6.8	8	29727.9	6.8	8	29898.2	6.8	8	30067.6
7.7	9	29736.5	7.7	9	29906.7	7.6	9	30076.1

EXAMPLE.

At the foot of a hill the barometer indicates 29.54 inches, then carried immediately to the top of the hill reads 28.70 inches. In the table at 29.54 we find 28824.1 feet,
 at 28.70 we find —28070.5 feet,

Height of hill 753.6 feet.

To perform this operation accurately, when the interval of time exceeds ten minutes between the two observations, two persons should take contemporary observations, with two Aneroid Barometers, one at the foot, and the other at the top of the hill, and correct each for temperature.

SYSTEM OF SURVEYS OF THE U. S. LANDS.

The public lands of the United States are surveyed in a uniform mode established by law, by lines run by the cardinal points of the compass; the north and south lines coinciding with the true meridian, and the east and west lines intersecting them at right angles, giving to the tracts thus surveyed the rectangular form.

The public lands are laid off and surveyed, primarily, into tracts of six miles square as near as practicable, called *townships*, containing 3600 acres each. The townships are subdivided into thirty-six tracts, called *sections*, each of which is one mile square, as near as may be, and contains 640 acres. Any number, or series, of contiguous townships, situated north or south of each other, constitute a *Range*.

To obtain and preserve a convenient and uniform mode of numbering the ranges and townships, it is usual in commencing the survey of an insulated body of public lands to run, or assume two *standard lines*, as the basis of the survey to be made therein. One of these standard lines is run due north and south, and is called the *principal meridian*, to which the ranges are parallel, and from which they are numbered eastward and westward. The other standard line is run due east and west, and is called the *base line*, from which the townships are numbered, northward and southward.

To distinguish from each other, the systems, or series of surveys thus formed, the several principal meridians are designated by progressive numbers. Thus the meridian running north from the mouth of the Great Miami river, is called the *first* principal meridian: the meridian running north through the centre of the State of Indiana, is called the *second* principal meridian: that running north from the mouth of the Ohio river, through the State of Illinois, is called the *third* principal meridian: that running north from the mouth of the Illinois river, through the States of Illinois and Wisconsin, is called the *fourth* principal meridian: and that running north from the mouth of the Arkansas river, through the states of Missouri and Iowa, is called the *fifth* principal meridian.

CORRECTION LINES correct the error that would otherwise arise from the convergency of meridians, and arrest that proceeding from the inaccuracies of measurement. They are run due east and west at stated distances, generally at the end of every tenth township, and each forms a base for the townships north of it. Each range of townships should be made as much over six miles in width on each base and correction line as it will fall short of the same width where it closes, on the next correction line north, the excess or deficiency of width being always thrown into the last half mile, on all of the lines closing out to the west boundary of each township.

This mode of executing the public surveys, conduces more, perhaps, than any other which could be devised, to the simplicity, regularity, and symmetry of the work, and to the ease and certainty with which any tract may be identified.

The public lands are surveyed by Deputy Surveyors, appointed by the Surveyor General of the State or Territory, in which the district assigned to each deputy may be situated; their duties are prescribed by general and special instructions.

OF SUBDIVIDING TOWNSHIPS.

Each township is laid off and surveyed into thirty-six sections as near as may be of one mile square, by lines running north and south, crossed by others running east and west. The sections are known and designated by progressive numbers, beginning at the north-east corner of the township, and numbering westward and eastward alternately, as shown in the following diagram.

6	5	4	3	2	1
7	8	9	10	11	12
18	17	16	15	14	13
19	20	21	22	23	24
30	29	28	27	26	25
31	32	33	34	35	36

Quarter section corners are established equidistant between the section corners, except on the section lines closing on the north and west boundaries of townships, on which they are set at forty chains from the last section corner, and the excess or deficiency of measure (if any) is carried out into the last half mile, and cast upon the north and west sides of the township, as required by law. Various instructions have been given by Surveyors General, to Deputy Surveyors, for the purpose of accomplishing an equitable and lawful subdivision of townships into sections, none of which, it is believed, will effect this object better than the system adopted in 1850, by the surveyor general of Ohio, Indiana, and Michigan; by which the true course and measurement of every line is given, and the inequalities of measurement proportionally carried to every sectional line. This, together with the closing of the section lines at post on the north and west boundaries of the townships, (which were formerly closed at the intersection of the lines run to them, whether at post or not,) has much improved the symmetry and equality of the subdivision of townships.

An act of Congress of the 24th May, 1824, authorizes a departure from the ordinary mode of surveying the public land, on any river, lake, or bayou, whenever, in the opinion of the President of the United States, the public interest would be promoted thereby, so as to survey such lands, in tracts of two acres in width fronting on such river, lake, or bayou, and running back to the depth of forty acres.

ON SUBDIVIDING SECTIONS, AND RE-ESTABLISHING OF EXTINGUISHED LINES AND CORNERS: DEDUCED FROM THE ACTS OF CONGRESS, IN REGARD TO THE SURVEYS OF THE PUBLIC LANDS; AND THE CONSTRUCTIONS AND USAGES THEREON.

The general principles on which the public lands are surveyed, have already been given; but the county surveyors and purchasers of these lands, are more immediately interested in the proper method of subdividing sections into such tracts as are sold to purchasers from the United States land offices; and the re-establishing of extinct lines and corners, when from any cause they are lost or cannot be found.

In the regular surveys of the public lands, no other lines are actually run and marked by the Deputy Surveyors of the United States, than township lines, and sections, or subdivisional lines of

townships, into sections; on all of these lines, no other than section and quarter section corners are established; except meander corners at the end of all fractional section lines which close on rivers, lakes, &c.

All sections in a full township, except those which are bounded by its north and west sides, are treated as full sections in their sales and subdivisions; and also, the south half of sections on the north boundary, and the east half of sections on the west boundary of each full township, are sold and subdivided as full half sections. Section sixteen in each township is reserved for *school purposes*, and is not, therefore, subject to private entry.

From various causes (elsewhere treated of in this work) section lines do not always correctly coincide with the cardinal points; nor will their measurement in all cases be found exactly eighty chains or one mile in length. (See article on measurement with the chain.) Quarter section corners, especially in the older surveys, may not always be found equidistant between the section corners. This defect arises in most cases, it is believed, from difficult or careless measurement with the chain.

Notwithstanding such errors, all corners that can be identified by the original field notes, or other unquestionable testimony, must be regarded as the original corners, and for that purpose should be perpetuated with new posts and bearings when the old ones decay.

EXTINCT LINES AND CORNERS.

When a *Section corner* cannot be identified by the original field notes, or by clear and unquestionable testimony, run a right line between the nearest noted station trees, north and south, and east and west of the lost section corner, if there be any such trees within the distance of the nearest quarter section, or section corners; but if no station trees be found, then between the nearest quarter section or section corners, and at the point of intersection of these two lines re-establish the section corner, with new bearings from it to the nearest and most durable objects; which of course should be recorded with the survey.

Extinct Quarter Section corners, except on *fractional section lines*, if not identified as above stated for *section corners*, must be re-established equidistant between the section corners, in a right line between the nearest noted station trees each side of it, if there be

any; but if none are found, then in right line between the section corners.

Extinct Quarter Section corners, on section line, which close on the north and west boundaries of townships, must be re-established according to the original measurement thereof, at forty chains from the last interior section corner towards the township line. For an example, suppose the line between sections 3 and 4, or 18 and 19, to be 81.30 chains, according to the original survey, and by the measurement of the county survey, 80.90 chains. Then say as 81.30 : 80.90 :: 40.00 to = 39.81½. Thus 39 chains and 81½ links is the distance the quarter section corner must be established from the last interior section corner, according to the measure of the county surveyor.

Lost or extinct Township corners, except on correction lines, should be restored in the same manner as already given for section corners; and extinct quarter section corners on township lines, should be restored in the same manner as those on interior section lines.

In subdividing townships into sections, the section lines which close on the north and west boundaries of townships, have not always been closed at the section corners which were established on the survey of the township lines; but at such points on their boundaries, as the first lines run to them may have intersected.

Wherever this has been done on the north and west boundaries of townships, a new quarter section corner must be established, equidistant between the corners of all such irregular closing lines; for, the section and quarter section corners established on the survey of these boundaries, belong exclusively to the adjoining township. Consequently, to restore lost or extinct section corners, that were established on the north and west boundaries of townships, during their subdivisions into sections as above mentioned, the section lines closing at these corners, must be retraced to them. But to restore lost section, or quarter section corners, that were established on the original survey of the township lines, these boundaries should be carefully retraced and measured, and the lost section and quarter section corners should be re-established at their proportional distance from each other, between known corners. The only exception to this rule is, when it is clear that the section lines have been regularly run according to instructions, and can be correctly retraced to the township line. The section corners should then be re-established at such intersections.

Extinct or obliterated lines may be restored by running right lines between re-established and other known corners; except noted station trees be found between them, when the lines between corners must conform to the noted station trees.

It may be remarked here that no surveyor can legally alter or correct the original surveys. It is his duty to restore them as far as practicable to their original condition.—In making resurveys of the public lands, such directions and absolute length must be given to each line as were given to them by the original surveyor, whether the retracing, courses and measurements, agree with the original survey or not; except otherwise directed by the Surveyor General, or the Commissioner of the general Land Office.

BEARING TREES, &c.

Bearing trees, to corners, have a blaze with a notch in them near the ground and facing the corner; sometimes the letters B T are found in the blaze above or below the notch, which are the initials of Bearing Tree. Their size, kind of timber, course and distance from the corner post, is given in the field notes of the survey.

Section, and quarter section trees are "faced off" on the side towards the corner, four or five feet from the ground. The quarter section trees are marked thus $\frac{1}{4}$ S. At section corners these trees are marked with the number of the Range, Township and Section, thus, R. 24 W. T. 45 N. S. 15.* There is no note made of these trees in the field books, unless they are bearing trees also; they are marked for the purpose of giving information at the corner, of the number of the *sections* which corner there, and also, the number of the *township* and *range*. Station trees on the lines, are notched with two notches on each side in the direction of the line, and their size, kind of timber, and distance from the last section corner are given in the field notes.

SUBDIVISION LINES OF SECTIONS.

The subdivisions of whole sections into such tracts as are sold by the land officers of the United States, to purchasers of public lands, are made by running right lines between the quarter section corners, on the north and south, and east and west sides of the section; and at the intersection of these lines is established the common corner for


* In prairies, the posts set in mounds for corners are marked in like manner.

its four quarters, without regard to the quantity of land contained in each of them. These quarter sections are sold as containing 160 acres each, and are designated as the N. E., N. W., S. E. and S. W. quarters.

Quarter sections are divided into halves, by a north and south line, equidistant by measurement between its east and west corners. These tracts of land are supposed to contain eighty acres each, and are designated as the east and west half of the quarter section.

Furthermore a quarter section is, also, divided into quarters by lines run north and south, and east and west, equidistant between its four corners, and at the intersection of these lines at the centre of the quarter section, is established the common corner to its four quarters. These quarters of a quarter section are supposed to contain forty acres each, and are described as the N. E., N. W., S. E. and S. W. quarters of the quarter section.

The following diagram of the subdivision of a whole section, will more clearly show the method of subdividing such section.



Quarter sections adjoining the north and west boundaries of townships, are deemed to be fractional, and therefore, may contain more or less land, than is given to other quarter sections within the townships; they are sold or surveyed according to their plats in the land offices.

ON SUBDIVIDING FRACTIONAL SECTIONS.

Fractional section lines which close on meandered rivers and lakes, or on reservations, &c., are required by law to be run north and south, or east and west, as the case requires. These lines like those before mentioned in the subdivisions of townships into sections, may not precisely agree with the cardinal points of the compass.—Therefore, in subdividing fractional sections embraced by fractional section lines, which close on meandered streams, lakes, &c.; the quarter section line should be run with an intermediate course between the section lines; and the fractional quarter sections thereof, should be divided in like manner.

The subdivisions of fractional sections, are indicated on the maps of surveys, in the land offices.

AN ACT CONCERNING THE MODE OF SURVEYING THE PUBLIC LANDS OF THE UNITED STATES.

§ I. *Be it enacted, &c.* That the Surveyor General shall cause all those lands north of the river Ohio, which, by virtue of the act entitled, "An act providing for the sale of the lands of the United States in the territory northwest of the river Ohio, and above the mouth of the Kentucky river," were subdivided, by running through the townships parallel lines, each way, at the end of every two miles, and by marking a corner on each of the said lines, at the end of every mile, to be subdivided into sections, by running straight lines, from the mile corners thus marked to the opposite corresponding corners, and by marking, on each of the said lines, intermediate corners, as near as possible equidistant from the corners of the sections of the same. And the said Surveyor General shall also cause the boundaries of all the half section, which had been purchased previous to the first day of July last, and on which the surveying fees had been paid according to law by the purchaser, to be surveyed and marked, by running straight lines from the half mile corners heretofore marked, to the opposite corresponding corners; and intermediate corners shall at the same time, be marked on each of the said dividing lines, as nearly as possible equidistant from the corners of the half section on the same line: *Provided*, That the whole expense of surveying and marking the lines, shall not exceed three dollars for every mile which has not yet been surveyed, and which shall be actually run, sur-

veyed and marked, by virtue of this section. And the expense of making the subdivisions directed by this section, shall be defrayed out of the moneys appropriated, or which may be hereafter appropriated, for completing the surveys of the public lands of the United States.

§ II. That the boundaries and contents of the several sections, half sections, and quarter sections, of the public lands of the United States, shall be ascertained in conformity with the following principles, any act or acts to the contrary notwithstanding:—1st. All the corners marked in the surveys returned by the Surveyor General, or by the surveyor of the land south of the state of Tennessee respectively, shall be established as the proper corners of sections, or subdivisions of sections, which they were intended to designate; and the corners of half and quarter sections, not marked on said surveys, shall be placed as nearly as possible equidistant from those two corners which stand on the same line. 2d. The boundary lines, actually run and marked in the surveys returned by the Surveyor General, or by the surveyor of the land south of the state of Tennessee, respectively, shall be established as the proper boundary lines of the sections, or subdivisions for which they were intended; and the length of such lines, as returned by either of the surveyors aforesaid, shall be held and considered as the true length thereof. And the boundary lines which shall not have been actually run and marked as aforesaid, shall be ascertained by running straight lines from the established corners to the opposite corresponding corners; but in those portions of the fractional townships, when no such opposite corresponding corners have been or can be fixed, the said boundary lines shall be ascertained by running from the established corners, due north and south or east and west lines, as the case may be, to the water course, Indian boundary line, or other external boundary of such fractional township. 3d. Each section, or subdivision of section, the contents whereof shall have been, or by virtue of the first section of this act, shall be returned by the Surveyor General, or by the surveyor of the public lands south of the state of Tennessee, respectively, shall be held and considered as containing the exact quantity expressed in such return or returns; and the half sections and quarter sections, the contents whereof shall not have been thus returned, shall be held and considered as containing the one half, or the one fourth part, respectively, of the returned contents of the section of which they make part.

§ III. That so much of the act, entitled "An act making provision for the disposal of the lands of Indiana territory, and for other purposes," as provides the mode of ascertaining the true contents of sections, or subdivisions of sections, and prevents the issue of final certificates, unless the said contents shall have been ascertained, and a plot certified by the District Surveyor, lodged with the register, be, and the same is hereby repealed. [Approved, February 11, 1805.]

GEOLOGICAL AND TOPOGRAPHICAL IN CONNEXION WITH LINEAR SURVEYS.

GEOLOGICAL SURVEYS.

In connexion with the linear surveys of new districts of country, the surveyors have good opportunities to make geological examinations, and to collect specimens of minerals that may be discovered in the course of their work. Such specimens, when submitted to a scientific and practical geologist, will enable him to determine the true character of such new districts, and what kinds of products may be expected to be derived from them.

It is, therefore, of much importance, that surveyors of the public land should possess or acquire, at least a sufficient knowledge of geology, to enable them to make a proper collection of geological specimens; and also, to observe the character, stratifications, dip, &c., of any rocks in place, or other mineral deposits.

Such services afford pleasure and profit to the surveyors, while they contribute to the public interest, and to science. A system of surveys for this purpose has been partly tested; but while in successful progress, it was interrupted by the death of the geologist, the lamented Dr. Douglass Houghton, while he was engaged in prosecuting a geological, in connexion with the linear survey, of the south coast of Lake Superior.

This system possesses many advantages over any other that has been adopted, for obtaining a general geological knowledge of new and unsettled countries, the expense of which is trifling compared with an independent geological survey; also, such surveys are of great value when known, in directing emigrants to the country suitable for their occupation or enterprise, and thus effect an early and judicious development of its resources.

A system of linear and geological surveys may be satisfactorily prosecuted, by the appointment of a competent geologist to a clerkship in each Surveyor General's office: the Deputy Surveyors being made assistant geologists to execute the field work, under a well digested system for that purpose, who should make their report, and return their specimens to the Surveyor General, when the geologist under him can investigate such reports, and embody the whole in one connected geological report, so far as such surveys extend.

By this system, it will be seen that the position of all mineral deposits from which specimens are taken, may be precisely located by measure on the survey, and be as easily found as the various section, quarter section, and other subdivisions themselves, a consideration of much importance, which any independent geological or other system yet adopted fails to do.

TOPOGRAPHICAL SURVEYS.

The general topographical features of new districts of country are of much interest to the public, and especially to emigrants. Such surveys can be made with but little expenditure of time while the linear surveys are in progress, by a proper use of the Aneroid Barometer, for the purpose of determining on the lines, the height of hills, ledges, &c., above the valleys; (see article on the use of the Aneroid Barometer) and by observing also, the course and angle of elevation or depression of distant noticeable objects, on the summits of hills, mountains, ledges, &c., and in the valleys below them; which can be seen from two or more stations on the lines at the time they are being run. And further, when running the meanderings of the shores of rivers or lakes, bearings and angles of elevation may be also taken to conspicuous objects on islands, rocks, sand-bars, &c., which can be seen from their shores. To these observations should be added, sketches of landscapes, ledges, and whatever else may interest the inquiring mind.

Such bearings, and angles of elevation and depression, form triangles with a given base to each, which are good data for mapping, or trigonometrical calculations, to establish the course, distance, elevation or depression, from a fixed point within the survey of every object with which they are connected.*

* In making calculations for the heights of distant objects, the table for corrections for curvature and refraction, will give the number of feet to be added to their height: on the account of the difference of the apparent and true level from the point of observation.

TABLE OF CORRECTIONS FOR CURVATURE AND REFRACTION, SHOWING THE DIFFERENCE OF THE APPARENT AND TRUE LEVEL, IN FEET AND DECIMALS OF A FOOT, FOR DISTANCES IN FEET AND MILES.

Distances in Feet.	CORRECTION IN FEET.			Distances in Miles.	CORRECTION IN FEET.		
	For Curvature.	For Refraction.	For Curvature and Refraction.		For Curvature.	For Refraction.	For Curvature and Refraction.
100	·00024	·00004	·00020	$\frac{1}{2}$	·0417	·0060	·0357
150	·00054	·00008	·00046	$\frac{3}{4}$	·1668	·0238	·1430
200	·00094	·00013	·00083	$\frac{2}{3}$	·3752	·0536	·3216
250	·00149	·00021	·00128	1	·6670	·0953	·5717
300	·00215	·00031	·00184	$1\frac{1}{2}$	1·5008	·2144	1·2864
350	·00293	·00042	·00251	2	2·6080	·3811	2·2269
400	·00383	·00055	·00328	$2\frac{1}{2}$	4·1688	·5955	3·5733
450	·00484	·00069	·00415	3	6·0030	·8561	5·1469
500	·00598	·00085	·00513	$3\frac{1}{2}$	8·1708	1·1673	7·0035
550	·00724	·00103	·00621	4	10·6720	1·5246	9·1474
600	·00861	·00123	·00738	$4\frac{1}{2}$	13·5468	1·9295	11·5773
650	·01010	·00144	·00866	5	16·6750	2·3821	14·2929
700	·01172	·00167	·01005	$5\frac{1}{2}$	20·1769	2·8824	17·2945
750	·01345	·00192	·01153	6	24·0120	3·4303	20·5817
800	·01531	·00219	·01312	$6\frac{1}{2}$	28·1809	4·0258	24·1551
850	·01728	·00247	·01481	7	32·6830	4·6690	28·0143
900	·01938	·00277	·01661	$7\frac{1}{2}$	37·5190	5·3590	32·1591
950	·02159	·00308	·01851	8	42·6880	6·0997	36·5883
1000	·02392	·00333	·02059	$8\frac{1}{2}$	48·1910	6·8844	41·3066
1050	·02638	·00377	·02261	9	54·0270	7·7181	46·3089
1100	·02895	·00414	·02481	$9\frac{1}{2}$	60·1971	8·5996	51·5975
1150	·03164	·00452	·02712	10	66·7000	9·5286	57·1714
1200	·03445	·00492	·02953	11	80·7070	11·5296	69·1774
1250	·03738	·00534	·03204	12	96·0480	13·7211	82·3269
1300	·04043	·00578	·03465	13	112·7230	16·1033	96·6197
1350	·04361	·00623	·03738	14	130·7320	18·6760	112·0560
1400	·04699	·00670	·04019	15	150·0750	21·4333	128·6357
1450	·05030	·00719	·04311	16	170·7520	24·3931	146·3589
1500	·05383	·00769	·04614	17	192·7630	27·5376	165·2254
1550	·05748	·00821	·04927	18	216·1086	30·8727	185·2359
1600	·06125	·00875	·05250	19	240·7870	34·3981	206·3889
1650	·06514	·00931	·05583	20	266·8000	38·1143	228·6857
1700	·06914	·00988	·05926				
1750	·07327	·01047	·06280				
1800	·07752	·01107	·06645				
1850	·08189	·01170	·07018				
1900	·08637	·01234	·07403				
1950	·09099	·01300	·07798				
2000	·09570	·01367	·08203				

For a very close approximation.

Correction for Curvature in feet = $\frac{2 D^2}{3}$

D being distance in miles.

A useful application of a series of triangles can be made across lakes, bays, harbours, &c., commencing from a correctly measured base, on or near their coasts, so connected with every point or object on their shores or within their waters, that the meanderings of their shores, and position of islands, sand-bars, soundings or other objects can be correctly delineated on a map, by course and distance from any known point of survey. A full description of the above principles with proper examples, would occupy too much space to be admitted here, but it is believed that the well qualified practical surveyor, will find but little, if any difficulty in applying these principles to any survey that may require their use.

OUTFIT FOR A SURVEYING COMPANY OF SIX MEN FOR FOUR MONTHS IN THE PUBLIC SURVEYS.

SUPPLIES OF PROVISION.

The following quantity and kinds, or a substitute for them, is generally required.

- 8 barrels of flour.
- 2½ do. of clear pork.
- 8 bushels of beans.
- 2 do. of dried apples.
- 120 lbs. of good dry sugar.
- 70 lbs. of ground coffee, or a substitute for it.
- 10 lbs. of saleratus, or its substitute.
- 1 lb. of ground pepper.
- 1 small bag of table salt.
- 25 lbs. of rice.
- 4 lbs. of Castile soap.

CAMP FURNITURE.

- 1 large tent for the surveying company.
- 1 small tent for the packmen.
- 6 Mackinaw blankets.
- 3 common blankets to spread underneath them.
- 2 dozen boxes of matches. (best kind.)
- 1 good chopping axe.
- 4 tin pails, made to fit into each other.
- 14 tin basins.
- 1 set of knives and forks. (Small size.)
- 1 butcher, or meat knife.

- 7 spoons.
- 3 light frying pans.
- 2 half round cans, made to fit inside of the pails,—for lard and saleratus.
- 2 tin pepper boxes, with covers to fit closely over the sieve.
- 6 "soldiers' drinking cups," also needles, awls, thread, twine, small cord, &c.
- 2 mixing cloths, made of heavy cotton drilling, one yard square each.
- 4 papers of 3 oz. tacks for nailing boots.

FOR PACKING, ETC.*

- 1 or 2 good horses, or mules, as circumstances require; one pack saddle; a bell and spencil for each.
- 20 stout bags, that hold one and a half bushels each.
- 4 linen bags, for pork.
- 6 small bags, for beans, dried apples, knives and forks, &c.
- 3 India Rubber bags for sugar and coffee. (Should be lined.)
- 2 strong drilling cloths, two or two and one half, yards square, to do up the camp equipage into packs; also, strap and cords, to secure the packs to the horse and saddle.

SURVEYING INSTRUMENTS, ETC.

- 1 solar compass.
- 1 case of drawing instruments.
- 1 measuring chain.
- 1 standard chain.
- 11 tally pins.
- 1 tape measure.
- 1 Telescope 16 or 18 inches in length.
- 2 marking tools.
- 2 pocket compasses.
- 2 marking axes, weighing three and a half pounds each.
- 1 hatchet, and two whetstones.
- 2 three-cornered files, for sharpening axes, &c.
- 2 small round files for sharpening marking tools. Also, field books, mapping and writing paper, ink, pens, pencils, India rubber, mouth glue, and a small valise (or box) to carry them in.

* "Packing." This word is used by surveyors of the public lands, both for making up and conveying packs.

Remarks.

Camp pails, or kettles, should be made of heavy tin, and the covers and ears riveted, where they would be likely to separate when exposed to the fire.

The most approved form of a camp pail is an elliptical, or oblong bottom, with upright sides. The largest pail should be made about nine inches in depth, and to hold twelve quarts, or more; the other three of a less size, so as to fit inside of the largest one.

The basins are made six or seven inches in diameter, and one and a half inch in depth; they serve in the place of plates, cups, soup and meat dishes, &c. The knives, forks, and spoons, should be of a small size, except one large spoon for mixing bread, &c.

Flour is mixed for bread on a cloth of cotton drilling, of about one yard square. It is done as follows:—

Spread the cloth on a blanket, folded and laid on the ground; pour enough flour upon it for a mixing, and make a hollow in it; then pour in some lard from the can, and add saleratus and salt dissolved in warm water, stirring the flour with a spoon to a proper consistency for kneading with the hand, taking care not to reach the bottom of the flour so as to wet the cloth.—Bake the loaves in the frying pans before the fire, and when done, fold the cloth, and lay it aside for future use.

TENTS.

The soldiers' tent made of good firm cotton drilling, will answer the purpose very well, in any country. The *Marquée*, however, is better in a prairie country. Another tent, much approved by some surveyors, for a timbered country, is made of good cotton drilling: when pitched, nearly resembles a little more than one half of a steep roofed building, with its share of the ends. It can be quickly pitched with poles, and crotches, by having suitable eyelets, and strings at the bottom, and at the ridge, and front. It has four or five breadths of cloth, about four and one third yards in length; the end may be made of cotton sheeting, of the form above indicated. This tent possesses the advantage of being less in weight and bulk, than any other in use among surveyors: therefore, very suitable to be used when the carrying is done by men.

CONVEYING PACKS WITH HORSES OR MULES.

The man who manages the pack horse, should be an experienced woodsman, capable of finding his way with the help of a pocket compass, to any point within the district to be surveyed, that may be designated by the surveyor.

The "sack Indian saddle" is the best in use for the purpose of packing, but pack saddles may be made in the form of those used by most of the Indian tribes. They should have attached to them a stout girt, breast strap, and breeching, and be well padded, or have a folded blanket under it, when in use.

Suitable straps with buckles should be provided, to tightly buckle around near the ends of each bag, or articles done up with a wrapper and cord, which are intended for side packs. Before buckling these straps, a loop made of strong cord about ten inches long, should be slipped on to each; after buckling the straps, these loops will be hitched over the horns of the saddle, and wound around them if too long: thus each side pack lies lengthwise of the horse, suspended by the loops from the horns of the saddle.

Between the side packs other loose articles may be placed, such as tin pails, frying pans, &c. These bags and other loading, should be well balanced, and bound to the horse and saddle, with a cord of suitable length. That the horse may be easily found when not at work, a small bell should be fastened to his neck, with a strap and buckle. A "spancil" should also be provided, made of leather with two buckles, for fastening the forefeet of the animal nearly together, that he may not go astray.

CONVEYING PACKS WITH MEN.

When packs cannot be carried on horses, or mules, men are employed for that purpose, and should be provided with suitable pack straps. The "portage strap" is sometimes used: it is made of leather, and is ten or twelve feet in length; the middle part is two feet long, and three inches broad in the middle, and tapers each way; at each end of this broad part is secured a thong of leather, sufficiently strong to support the pack. Each end of the portage strap is tied around the pack to be carried: the broad part passes over the forehead, or chest of the person who conveys it.

Another "pack strap" in common use, is made of five straps;

Two of them are buckled around the pack near each end, and two are slipped under them and sewed together, in such a manner, as when buck'ed, to form shoulder straps; the fifth strap is about three inches broad at the middle, and tapers each way, and is buckled at each end to the other straps, in such a manner as to pass over the forehead when in use; the pack is put on in a similar manner to that of a peddler's pack.

Packs which are carried by men, to supply a surveying company in the field, usually weigh from seventy-five to a hundred and twenty pounds each.

SURVEYORS' WEARING APPAREL.

The common wool hat is best for any season of the year, especially in timbered land.

Trowsers should be made large, and of strong cloth.

A light coat, or frock, should be provided, well supplied with water-proof pockets, to keep books and papers dry in wet weather, and a light India rubber, or water proof cape should also be provided to keep the compass dry, when travelling in wet weather.

Flannel for under clothes, is preferable to cotton, for all seasons and kinds of weather.

Boots may be made of good kip skin, and rather larger than for ordinary use; the fronts of the legs should be cut narrower, and the backs wider, than is usual to cut them. A thick single sole projecting about one quarter of an inch from under the upper leather, and well nailed over the bottoms with sparables, or tacks, are the most durable. The nails keep the feet from slipping, and the broad sole protects the upper leather from wearing against bushes, grass, &c. A large silk handkerchief, of any colour but red, to tie over the ears and neck, is a good protection from flies and mosquitoes.

DEPOTS IN ADVANCE OF A SURVEY.

Much difficulty has sometimes been experienced by surveyors in new and unsettled countries, in providing an ample supply of provisions for their parties while engaged in large surveys of exterior township lines. This difficulty can be overcome in a great measure by the use of the solar compass. The latitude of the township corner, which is to be the commencing point of the survey, must be determined with the instrument to be used in executing the work;

then convey the supplies by the most feasible route, to the desired position within the district to be surveyed, and deposit it securely from storms and wild animals, on or near some stream, lake, Indian trail, or other conspicuous object that can be recognised, in the latitude of any east and west township line; which may be determined by allowing 5' 12'' of latitude for each township of six miles north or south of the commencing corner of the survey. If the township line, when run, should pass a few chains to the right or left of the depot thus made, it can be found in a few minutes.

This method of depositing supplies of provisions in advance of the surveyed lines, has been successfully practised by the author

TRAVERSE TABLE.

SHOWING THE DIFFERENCE OF

LATITUDE AND DEPARTURE

FOR

DISTANCES BETWEEN 1 AND 100;

AND FOR

ANGLES TO QUARTER DEGREES BETWEEN 1° AND 90°,

AND

NATURAL SIGNS AND TANGENTS

TO EVERY DEGREE AND MINUTE OF THE QUADRANT.

Distance.	$\frac{1}{4}$ Deg.		$\frac{1}{2}$ Deg.		$\frac{3}{4}$ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	1-00	0-00	1-00	0-01	1-00	0-01	1
2	2-00	0-01	2-00	0-02	2-00	0-03	2
3	3-00	0-01	3-00	0-03	3-00	0-04	3
4	4-00	0-02	4-00	0-03	4-00	0-05	4
5	5-00	0-02	5-00	0-04	5-00	0-07	5
6	6-00	0-03	6-00	0-05	6-00	0-08	6
7	7-00	0-03	7-00	0-06	7-00	0-09	7
8	8-00	0-03	8-00	0-07	8-00	0-10	8
9	9-00	0-04	9-00	0-08	9-00	0-12	9
10	10-00	0-04	10-00	0-09	10-00	0-13	10
11	11-00	0-05	11-00	0-10	11-00	0-14	11
12	12-00	0-05	12-00	0-10	12-00	0-15	12
13	13-00	0-06	13-00	0-11	13-00	0-17	13
14	14-00	0-06	14-00	0-12	14-00	0-18	14
15	15-00	0-07	15-00	0-13	15-00	0-20	15
16	16-00	0-07	16-00	0-14	16-00	0-21	16
17	17-00	0-07	17-00	0-15	17-00	0-22	17
18	18-00	0-08	18-00	0-16	18-00	0-24	18
19	19-00	0-08	19-00	0-17	19-00	0-25	19
20	20-00	0-09	20-00	0-17	20-00	0-26	20
21	21-00	0-09	21-00	0-18	21-00	0-27	21
22	22-00	0-10	22-00	0-19	22-00	0-29	22
23	23-00	0-10	23-00	0-20	23-00	0-30	23
24	24-00	0-10	24-00	0-21	24-00	0-31	24
25	25-00	0-11	25-00	0-22	25-00	0-33	25
26	26-00	0-11	26-00	0-23	26-00	0-34	26
27	27-00	0-12	27-00	0-24	27-00	0-35	27
28	28-00	0-12	28-00	0-24	28-00	0-37	28
29	29-00	0-13	29-00	0-25	29-00	0-38	29
30	30-00	0-13	30-00	0-26	30-00	0-39	30
31	31-00	0-14	31-00	0-27	31-00	0-41	31
32	32-00	0-14	32-00	0-28	32-00	0-42	32
33	33-00	0-14	33-00	0-29	33-00	0-43	33
34	34-00	0-15	34-00	0-30	34-00	0-45	34
35	35-00	0-15	35-00	0-31	35-00	0-46	35
36	36-00	0-16	36-00	0-31	36-00	0-47	36
37	37-00	0-16	37-00	0-32	37-00	0-48	37
38	38-00	0-17	38-00	0-33	38-00	0-50	38
39	39-00	0-17	39-00	0-34	39-00	0-51	39
40	40-00	0-17	40-00	0-35	40-00	0-52	40
41	41-00	0-18	41-00	0-36	41-00	0-54	41
42	42-00	0-18	42-00	0-37	42-00	0-55	42
43	43-00	0-19	43-00	0-38	43-00	0-56	43
44	44-00	0-19	44-00	0-38	44-00	0-58	44
45	45-00	0-20	45-00	0-39	45-00	0-59	45
46	46-00	0-20	46-00	0-40	46-00	0-60	46
47	47-00	0-21	47-00	0-41	47-00	0-62	47
48	48-00	0-21	48-00	0-42	48-00	0-63	48
49	49-00	0-21	49-00	0-43	49-00	0-64	49
50	50-00	0-22	50-00	0-44	50-00	0-65	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	$89\frac{3}{4}$ Deg.		$89\frac{1}{2}$ Deg.		$89\frac{1}{4}$ Deg.		

TRAVERSE TABLE.

Distance.	$\frac{1}{4}$ Deg.		$\frac{1}{2}$ Deg.		$\frac{3}{4}$ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	51-00	0-22	51-00	0-45	51-00	0-07	51
52	52-00	0-23	52-00	0-45	52-00	0-08	52
53	53-00	0-23	53-00	0-46	53-00	0-09	53
54	54-00	0-24	54-00	0-47	54-00	0-11	54
55	55-00	0-24	55-00	0-48	55-00	0-12	55
56	56-00	0-24	56-00	0-49	56-00	0-13	56
57	57-00	0-25	57-00	0-50	57-00	0-15	57
58	58-00	0-25	58-00	0-51	57-99	0-16	58
59	59-00	0-26	59-00	0-51	58-99	0-17	59
60	60-00	0-26	60-00	0-52	59-99	0-19	60
61	61-00	0-27	61-00	0-53	60-99	0-20	61
62	62-00	0-27	62-00	0-54	61-99	0-21	62
63	63-00	0-27	63-00	0-55	62-99	0-22	63
64	64-00	0-28	64-00	0-56	63-99	0-23	64
65	65-00	0-28	65-00	0-57	64-99	0-24	65
66	66-00	0-29	66-00	0-58	65-99	0-25	66
67	67-00	0-29	67-00	0-58	66-99	0-26	67
68	68-00	0-30	68-00	0-59	67-99	0-27	68
69	69-00	0-30	69-00	0-60	68-99	0-28	69
70	70-00	0-31	70-00	0-61	69-99	0-29	70
71	71-00	0-31	71-00	0-62	70-99	0-30	71
72	72-00	0-31	72-00	0-63	71-99	0-31	72
73	73-00	0-32	73-00	0-64	72-99	0-32	73
74	74-00	0-32	74-00	0-65	73-99	0-33	74
75	75-00	0-33	75-00	0-65	74-99	0-34	75
76	76-00	0-33	76-00	0-66	75-99	0-35	76
77	77-00	0-34	77-00	0-67	76-99	1-01	77
78	78-00	0-34	78-00	0-68	77-99	1-02	78
79	79-00	0-34	79-00	0-69	78-99	1-03	79
80	80-00	0-35	80-00	0-70	79-99	1-05	80
81	81-00	0-35	81-00	0-71	80-99	1-06	81
82	82-00	0-36	82-00	0-72	81-99	1-07	82
83	83-00	0-36	83-00	0-72	82-99	1-09	83
84	84-00	0-37	84-00	0-73	83-99	1-10	84
85	85-00	0-37	85-00	0-74	84-99	1-11	85
86	86-00	0-38	86-00	0-75	85-99	1-13	86
87	87-00	0-38	87-00	0-76	86-99	1-14	87
88	88-00	0-38	88-00	0-77	87-99	1-15	88
89	89-00	0-39	89-00	0-78	88-99	1-16	89
90	90-00	0-39	90-00	0-79	89-99	1-18	90
91	91-00	0-40	91-00	0-79	90-99	1-19	91
92	92-00	0-40	92-00	0-80	91-99	1-20	92
93	93-00	0-41	93-00	0-81	92-99	1-22	93
94	94-00	0-41	94-00	0-82	93-99	1-23	94
95	95-00	0-41	95-00	0-83	94-99	1-24	95
96	96-00	0-42	96-00	0-84	95-99	1-26	96
97	97-00	0-42	97-00	0-85	96-99	1-27	97
98	98-00	0-43	98-00	0-86	97-99	1-28	98
99	99-00	0-43	99-00	0-86	98-99	1-30	99
100	100-00	0-44	100-00	0-87	99-99	1-31	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	$89\frac{3}{4}$ Deg.		$89\frac{1}{2}$ Deg.		$89\frac{1}{4}$ Deg.		

TRAVERSE TABLE.

Distance.	1 Deg.		1¼ Deg.		1½ Deg.		1¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	1-00	0-02	1-00	0-02	1-00	0-03	1-00	0-03	1
2	2-00	0-03	2-00	0-04	2-00	0-05	2-00	0-06	2
3	3-00	0-05	3-00	0-07	3-00	0-08	3-00	0-09	3
4	4-00	0-07	4-00	0-09	4-00	0-10	4-00	0-12	4
5	5-00	0-09	5-00	0-11	5-00	0-13	5-00	0-15	5
6	6-00	0-10	6-00	0-13	6-00	0-16	6-00	0-18	6
7	7-00	0-12	7-00	0-15	7-00	0-18	7-00	0-21	7
8	8-00	0-14	8-00	0-17	8-00	0-21	8-00	0-25	8
9	9-00	0-16	9-00	0-20	9-00	0-24	9-00	0-28	9
10	10-00	0-17	10-00	0-22	10-00	0-26	10-00	0-31	10
11	11-00	0-19	11-00	0-24	11-00	0-28	10-99	0-34	11
12	12-00	0-21	12-00	0-26	12-00	0-31	11-99	0-37	12
13	13-00	0-23	13-00	0-28	13-00	0-34	12-99	0-40	13
14	14-00	0-24	14-00	0-31	14-00	0-37	13-99	0-43	14
15	15-00	0-26	15-00	0-33	14-99	0-39	14-99	0-46	15
16	16-00	0-28	16-00	0-35	15-99	0-42	15-99	0-49	16
17	17-00	0-30	17-00	0-37	16-99	0-45	16-99	0-52	17
18	18-00	0-31	18-00	0-39	17-99	0-47	17-99	0-55	18
19	19-00	0-33	18-00	0-41	18-99	0-50	18-99	0-58	19
20	20-00	0-35	20-00	0-44	19-99	0-52	19-99	0-61	20
21	21-00	0-37	21-00	0-46	20-99	0-55	20-99	0-64	21
22	22-00	0-38	21-99	0-48	21-99	0-58	21-99	0-67	22
23	23-00	0-40	22-99	0-50	22-99	0-60	22-99	0-70	23
24	24-00	0-42	23-99	0-52	23-99	0-63	23-99	0-73	24
25	25-00	0-44	24-99	0-55	24-99	0-65	24-99	0-76	25
26	26-00	0-45	25-99	0-57	25-99	0-68	25-99	0-79	26
27	27-00	0-47	26-99	0-59	26-99	0-71	26-99	0-83	27
28	28-00	0-49	27-99	0-61	27-99	0-73	27-99	0-86	28
29	29-00	0-51	28-99	0-63	28-99	0-76	28-99	0-89	29
30	30-00	0-52	29-99	0-65	29-99	0-79	29-99	0-92	30
31	31-00	0-54	30-99	0-68	30-99	0-81	30-99	0-95	31
32	32-00	0-56	31-99	0-70	31-99	0-84	31-99	0-98	32
33	32-99	0-58	32-99	0-72	32-99	0-86	32-98	1-01	33
34	33-99	0-59	33-99	0-74	33-99	0-89	33-98	1-04	34
35	34-99	0-61	34-99	0-76	34-99	0-92	34-98	1-07	35
36	35-99	0-63	35-99	0-79	35-99	0-94	35-98	1-10	36
37	36-99	0-65	36-99	0-81	36-99	0-97	36-98	1-13	37
38	37-99	0-66	37-99	0-83	37-99	0-99	37-98	1-16	38
39	38-99	0-68	38-99	0-85	38-99	1-02	38-98	1-19	39
40	39-99	0-70	39-99	0-87	39-99	1-05	39-98	1-22	40
41	40-99	0-72	40-99	0-89	40-99	1-07	40-98	1-25	41
42	41-99	0-73	41-99	0-92	41-99	1-10	41-98	1-28	42
43	42-99	0-75	42-99	0-94	42-99	1-13	42-98	1-31	43
44	43-99	0-77	43-99	0-96	43-99	1-15	43-98	1-34	44
45	44-99	0-79	44-99	0-98	44-99	1-18	44-98	1-37	45
46	45-99	0-80	45-99	1-00	45-99	1-20	45-98	1-40	46
47	46-99	0-82	46-99	1-03	46-99	1-23	46-98	1-44	47
48	47-99	0-84	47-99	1-05	47-99	1-26	47-98	1-47	48
49	48-99	0-86	48-99	1-07	48-99	1-28	48-98	1-50	49
50	49-99	0-87	49-99	1-09	49-99	1-31	49-98	1-53	50
Dist rec.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	89 Deg.		88¾ Deg.		88½ Deg.		88¼ Deg.		

TRAVERSE TABLE.

Distance.	1 Deg.		1¼ Deg.		1½ Deg.		1¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	50-99	0-89	50-99	1-11	50-98	1-34	50-98	1-56	51
52	51-99	0-91	51-99	1-13	51-98	1-36	51-98	1-59	52
53	52-99	0-92	52-99	1-16	52-98	1-39	52-98	1-62	53
54	53-99	0-94	53-99	1-18	53-98	1-41	53-97	1-65	54
55	54-99	0-96	54-99	1-20	54-98	1-44	54-97	1-68	55
56	55-99	0-98	55-99	1-22	55-98	1-47	55-97	1-71	56
57	56-99	0-99	56-99	1-24	56-98	1-49	56-97	1-74	57
58	57-99	1-01	57-99	1-27	57-98	1-52	57-97	1-77	58
59	58-99	1-03	58-99	1-29	58-98	1-54	58-97	1-80	59
60	59-99	1-05	59-99	1-31	59-98	1-57	59-97	1-83	60
61	60-99	1-06	60-99	1-33	60-98	1-60	60-97	1-86	61
62	61-99	1-08	61-99	1-35	61-98	1-62	61-97	1-89	62
63	62-99	1-10	62-99	1-37	62-98	1-65	62-97	1-92	63
64	63-99	1-12	63-98	1-40	63-98	1-68	63-97	1-95	64
65	64-99	1-13	64-98	1-42	64-98	1-70	64-97	1-99	65
66	65-99	1-15	65-98	1-44	65-98	1-73	65-97	2-02	66
67	66-99	1-17	66-98	1-46	66-98	1-75	66-97	2-05	67
68	67-99	1-19	67-98	1-48	67-98	1-78	67-97	2-08	68
69	68-99	1-20	68-98	1-51	68-98	1-81	68-97	2-11	69
70	69-99	1-22	69-98	1-53	69-98	1-83	69-97	2-14	70
71	70-99	1-24	70-98	1-55	70-98	1-86	70-97	2-17	71
72	71-99	1-26	71-98	1-57	71-98	1-88	71-97	2-20	72
73	72-99	1-27	72-98	1-59	72-97	1-91	72-97	2-23	73
74	73-99	1-29	73-98	1-61	73-97	1-94	73-97	2-26	74
75	74-99	1-31	74-98	1-64	74-97	1-96	74-97	2-29	75
76	75-99	1-33	75-98	1-66	75-97	1-99	75-96	2-32	76
77	76-99	1-34	76-98	1-68	76-97	2-02	76-96	2-35	77
78	77-99	1-36	77-98	1-70	77-97	2-04	77-96	2-38	78
79	78-99	1-38	78-98	1-72	78-97	2-07	78-96	2-41	79
80	79-99	1-40	79-98	1-75	79-97	2-09	79-96	2-44	80
81	80-99	1-41	80-98	1-77	80-97	2-12	80-96	2-47	81
82	81-99	1-43	81-98	1-79	81-97	2-15	81-96	2-50	82
83	82-99	1-45	82-98	1-81	82-97	2-17	82-96	2-53	83
84	83-99	1-47	83-98	1-83	83-97	2-20	83-96	2-57	84
85	84-99	1-48	84-98	1-85	84-97	2-23	84-96	2-60	85
86	85-99	1-50	85-98	1-88	85-97	2-25	85-96	2-63	86
87	86-99	1-52	86-98	1-90	86-97	2-28	86-96	2-66	87
88	87-99	1-54	87-98	1-92	87-97	2-30	87-96	2-69	88
89	88-99	1-55	88-98	1-94	88-97	2-33	88-96	2-72	89
90	89-99	1-57	89-98	1-96	89-97	2-36	89-96	2-75	90
91	90-99	1-59	90-98	1-99	90-97	2-38	90-96	2-78	91
92	91-99	1-61	91-98	2-01	91-97	2-41	91-96	2-81	92
93	92-99	1-62	92-98	2-03	92-97	2-43	92-96	2-84	93
94	93-99	1-64	93-98	2-05	93-97	2-46	93-96	2-87	94
95	94-99	1-66	94-98	2-07	94-97	2-49	94-96	2-90	95
96	95-99	1-68	95-98	2-09	95-97	2-51	95-96	2-94	96
97	96-99	1-69	96-98	2-12	96-97	2-54	96-96	2-96	97
98	97-99	1-71	97-98	2-14	97-97	2-57	97-96	2-99	98
99	98-98	1-73	98-98	2-16	98-97	2-59	98-96	3-02	99
100	99-98	1-75	99-98	2-18	99-97	2-62	99-96	3-05	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	89 Deg.		88¾ Deg.		88½ Deg.		88¼ Deg.		

Distance.	2 Deg.		2¼ Deg.		2½ Deg.		2¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	1:00	0:03	1:00	0:04	1:00	0:04	1:00	0:05	1
2	2:00	0:07	2:00	0:08	2:00	0:09	2:00	0:10	2
3	3:00	0:10	3:00	0:12	3:00	0:13	3:00	0:14	3
4	4:00	0:14	4:00	0:16	4:00	0:17	4:00	0:19	4
5	5:00	0:17	5:00	0:20	5:00	0:22	4:59	0:21	5
6	6:00	0:21	6:00	0:24	5:59	0:26	5:59	0:29	6
7	7:00	0:24	6:59	0:27	6:59	0:31	6:59	0:34	7
8	7:59	0:28	7:59	0:31	7:59	0:35	7:59	0:38	8
9	8:59	0:31	8:59	0:35	8:59	0:39	8:59	0:43	9
10	9:59	0:35	9:59	0:39	9:59	0:44	9:59	0:48	10
11	10:59	0:38	10:59	0:43	10:59	0:48	10:59	0:53	11
12	11:59	0:42	11:59	0:47	11:59	0:52	11:59	0:58	12
13	12:59	0:45	12:59	0:51	12:59	0:57	12:59	0:62	13
14	13:59	0:49	13:59	0:55	13:59	0:61	13:58	0:67	14
15	14:59	0:52	14:59	0:59	14:59	0:65	14:58	0:72	15
16	15:59	0:56	15:59	0:63	15:59	0:70	15:59	0:77	16
17	16:59	0:59	16:59	0:67	16:58	0:74	16:58	0:82	17
18	17:59	0:63	17:59	0:71	17:58	0:79	17:58	0:86	18
19	18:59	0:66	18:59	0:75	18:58	0:83	18:58	0:91	19
20	19:59	0:70	19:59	0:79	19:58	0:87	19:58	0:96	20
21	20:59	0:73	20:59	0:82	20:58	0:92	20:58	1:01	21
22	21:59	0:77	21:59	0:86	21:58	0:96	21:57	1:06	22
23	22:59	0:80	22:59	0:90	22:58	1:00	22:57	1:10	23
24	23:59	0:84	23:59	0:94	23:58	1:05	23:57	1:15	24
25	24:59	0:87	24:59	0:98	24:58	1:09	24:57	1:20	25
26	25:59	0:91	25:59	1:02	25:58	1:13	25:57	1:25	26
27	26:59	0:94	26:58	1:06	26:57	1:18	26:57	1:30	27
28	27:59	0:98	27:58	1:10	27:57	1:22	27:57	1:34	28
29	28:59	1:01	28:58	1:14	28:57	1:26	28:57	1:39	29
30	29:59	1:05	29:58	1:18	29:57	1:31	29:57	1:44	30
31	30:59	1:08	30:58	1:22	30:57	1:35	30:56	1:49	31
32	31:59	1:12	31:58	1:26	31:57	1:40	31:56	1:54	32
33	32:59	1:15	32:57	1:30	32:57	1:44	32:56	1:58	33
34	33:59	1:19	33:57	1:33	33:57	1:48	33:56	1:63	34
35	34:59	1:22	34:57	1:37	34:57	1:53	34:56	1:68	35
36	35:59	1:26	35:57	1:41	35:57	1:57	35:56	1:73	36
37	36:59	1:29	36:57	1:45	36:56	1:61	36:56	1:78	37
38	37:59	1:33	37:57	1:49	37:56	1:66	37:56	1:82	38
39	38:59	1:36	38:57	1:53	38:56	1:70	38:56	1:87	39
40	39:59	1:40	39:57	1:57	39:56	1:75	39:56	1:92	40
41	40:59	1:43	40:57	1:61	40:56	1:77	40:56	1:97	41
42	41:57	1:47	41:57	1:65	41:56	1:83	41:56	2:02	42
43	42:57	1:50	42:57	1:69	42:56	1:88	42:56	2:06	43
44	43:57	1:54	43:57	1:73	43:56	1:92	43:56	2:11	44
45	44:57	1:57	44:57	1:77	44:56	1:96	44:56	2:16	45
46	45:57	1:61	45:56	1:81	45:56	2:01	45:56	2:21	46
47	46:57	1:64	46:56	1:85	46:56	2:05	46:56	2:25	47
48	47:57	1:68	47:56	1:88	47:56	2:09	47:56	2:30	48
49	48:57	1:71	48:56	1:92	48:56	2:14	48:56	2:35	49
50	49:57	1:74	49:56	1:96	49:56	2:18	49:56	2:40	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	88 Deg.		87¾ Deg.		87½ Deg.		87¼ Deg.		

TRAVERSE TABLE.

7

Distance.	2 Deg.		2¼ Deg.		2½ Deg.		2¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	50:97	1:78	50:96	2:00	50:95	2:22	50:94	2:45	51
52	51:97	1:81	51:96	2:04	51:95	2:27	51:94	2:50	52
53	52:97	1:85	52:96	2:08	52:95	2:31	52:94	2:54	53
54	53:97	1:88	53:96	2:12	53:95	2:36	53:94	2:59	54
55	54:97	1:92	54:96	2:16	54:95	2:40	54:94	2:64	55
56	55:97	1:95	55:96	2:20	55:95	2:44	55:94	2:69	56
57	56:97	1:99	56:96	2:24	56:95	2:49	56:93	2:73	57
58	57:96	2:02	57:96	2:28	57:94	2:53	57:93	2:78	58
59	58:96	2:06	58:95	2:32	58:94	2:57	58:93	2:83	59
60	59:96	2:09	59:95	2:36	59:94	2:62	59:93	2:88	60
61	60:96	2:13	60:95	2:39	60:94	2:66	60:93	2:93	61
62	61:96	2:16	61:95	2:43	61:94	2:70	61:93	2:97	62
63	62:96	2:20	62:95	2:47	62:94	2:75	62:93	3:02	63
64	63:96	2:23	63:95	2:51	63:94	2:79	63:93	3:07	64
65	64:96	2:27	64:95	2:55	64:94	2:84	64:93	3:12	65
66	65:96	2:30	65:95	2:59	65:94	2:88	65:92	3:17	66
67	66:96	2:34	66:95	2:63	66:94	2:92	66:92	3:21	67
68	67:96	2:37	67:95	2:67	67:94	2:97	67:92	3:26	68
69	68:96	2:41	68:95	2:71	68:93	3:01	68:92	3:31	69
70	69:96	2:44	69:95	2:75	69:93	3:05	69:92	3:36	70
71	70:96	2:48	70:95	2:79	70:93	3:10	70:92	3:41	71
72	71:96	2:51	71:94	2:83	71:93	3:14	71:92	3:45	72
73	72:96	2:55	72:94	2:87	72:93	3:18	72:92	3:50	73
74	73:95	2:58	73:94	2:91	73:93	3:23	73:91	3:55	74
75	74:95	2:62	74:94	2:94	74:93	3:27	74:91	3:60	75
76	75:95	2:65	75:94	2:98	75:93	3:31	75:91	3:65	76
77	76:95	2:69	76:94	3:02	76:93	3:36	76:91	3:70	77
78	77:95	2:72	77:94	3:06	77:93	3:40	77:91	3:74	78
79	78:95	2:76	78:94	3:10	78:92	3:45	78:91	3:79	79
80	79:95	2:79	79:94	3:14	79:92	3:49	79:91	3:84	80
81	80:95	2:83	80:94	3:18	80:92	3:53	80:91	3:89	81
82	81:95	2:86	81:94	3:22	81:92	3:58	81:91	3:93	82
83	82:95	2:90	82:94	3:26	82:92	3:62	82:90	3:98	83
84	83:95	2:93	83:94	3:30	83:92	3:66	83:90	4:03	84
85	84:95	2:97	84:93	3:34	84:92	3:71	84:90	4:08	85
86	85:95	3:00	85:93	3:38	85:92	3:75	85:90	4:13	86
87	86:95	3:04	86:93	3:42	86:92	3:79	86:90	4:17	87
88	87:95	3:07	87:93	3:45	87:92	3:84	87:90	4:22	88
89	88:95	3:11	88:93	3:49	88:92	3:88	88:90	4:27	89
90	89:95	3:14	89:93	3:53	89:91	3:93	89:90	4:32	90
91	90:95	3:18	90:93	3:57	90:91	3:97	90:90	4:37	91
92	91:94	3:21	91:93	3:61	91:91	4:01	91:89	4:41	92
93	92:94	3:25	92:93	3:65	92:91	4:06	92:89	4:46	93
94	93:94	3:28	93:93	3:69	93:91	4:10	93:89	4:51	94
95	94:94	3:32	94:93	3:73	94:91	4:14	94:89	4:56	95
96	95:94	3:35	95:93	3:77	95:91	4:19	95:89	4:61	96
97	96:94	3:39	96:93	3:81	96:91	4:23	96:89	4:65	97
98	97:94	3:42	97:92	3:85	97:91	4:27	97:89	4:70	98
99	98:94	3:46	98:92	3:89	98:91	4:32	98:89	4:75	99
100	99:94	3:49	99:92	3:93	99:91	4:36	99:88	4:80	100
Distance.	Dep.	Lat.	Dop.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	88 Deg.		87¾ Deg.		87½ Deg.		87¼ Deg.		

TRAVERSE TABLE.

Distance.	3 Deg.		3¼ Deg.		3½ Deg.		3¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	1-00	0-05	1-00	0-06	1-00	0-06	1-00	0-06	1
2	2-00	0-10	2-00	0-11	2-00	0-12	2-00	0-13	2
3	3-00	0-16	3-00	0-17	2-99	0-18	2-99	0-20	3
4	3-99	0-21	3-99	0-23	3-99	0-24	3-99	0-26	4
5	4-99	0-26	4-00	0-28	4-99	0-31	4-99	0-33	5
6	5-99	0-31	5-99	0-34	5-99	0-37	5-99	0-39	6
7	6-99	0-37	6-99	0-40	6-99	0-43	6-99	0-46	7
8	7-99	0-42	7-99	0-45	7-99	0-49	7-98	0-52	8
9	8-99	0-47	8-99	0-51	8-98	0-55	8-98	0-59	9
10	9-99	0-52	9-98	0-57	9-98	0-61	9-98	0-65	10
11	10-98	0-58	10-98	0-62	10-98	0-67	10-98	0-72	11
12	11-98	0-63	11-98	0-68	11-98	0-73	11-97	0-78	12
13	12-98	0-68	12-98	0-73	12-98	0-79	12-97	0-85	13
14	13-98	0-73	13-98	0-79	13-97	0-85	13-97	0-92	14
15	14-98	0-79	14-98	0-85	14-97	0-92	14-97	0-98	15
16	15-98	0-84	15-97	0-91	15-97	0-98	15-97	1-05	16
17	16-98	0-89	16-97	0-96	16-97	1-04	16-96	1-11	17
18	17-98	0-94	17-97	1-02	17-97	1-10	17-96	1-18	18
19	18-98	0-99	18-97	1-08	18-96	1-16	18-96	1-24	19
20	19-97	1-05	19-97	1-13	19-96	1-22	19-96	1-31	20
21	20-97	1-10	20-97	1-19	20-96	1-28	20-96	1-37	21
22	21-97	1-15	21-96	1-25	21-96	1-34	21-95	1-44	22
23	22-97	1-20	22-96	1-30	22-95	1-40	22-95	1-50	23
24	23-97	1-26	23-96	1-36	23-96	1-47	23-95	1-57	24
25	24-97	1-31	24-96	1-42	24-95	1-53	24-95	1-64	25
26	25-96	1-36	25-96	1-47	25-95	1-59	25-94	1-70	26
27	26-96	1-41	26-96	1-53	26-95	1-65	26-94	1-77	27
28	27-96	1-47	27-95	1-59	27-95	1-71	27-94	1-83	28
29	28-96	1-52	28-95	1-64	28-95	1-77	28-94	1-90	29
30	29-96	1-57	29-95	1-70	29-94	1-83	29-94	1-96	30
31	30-96	1-62	30-95	1-76	30-94	1-89	30-93	2-03	31
32	31-96	1-67	31-95	1-81	31-94	1-95	31-93	2-09	32
33	32-95	1-73	32-95	1-87	32-94	2-01	32-93	2-16	33
34	33-95	1-78	33-95	1-93	33-94	2-08	33-93	2-22	34
35	34-95	1-83	34-94	1-98	34-93	2-14	34-92	2-29	35
36	35-95	1-88	35-94	2-04	35-93	2-20	35-92	2-35	36
37	36-95	1-94	36-94	2-10	36-93	2-26	36-92	2-42	37
38	37-95	1-99	37-94	2-15	37-93	2-32	37-92	2-49	38
39	38-95	2-04	38-94	2-21	38-93	2-38	38-92	2-55	39
40	39-95	2-09	39-94	2-27	39-93	2-44	39-91	2-62	40
41	40-94	2-15	40-93	2-32	40-92	2-50	40-91	2-68	41
42	41-94	2-20	41-93	2-38	41-92	2-56	41-91	2-75	42
43	42-94	2-25	42-93	2-44	42-92	2-63	42-91	2-81	43
44	43-94	2-30	43-93	2-49	43-92	2-69	43-91	2-88	44
45	44-94	2-36	44-93	2-55	44-92	2-75	44-90	2-94	45
46	45-94	2-41	45-93	2-61	45-91	2-81	45-90	3-01	46
47	46-94	2-46	46-92	2-66	46-91	2-87	46-90	3-07	47
48	47-93	2-51	47-92	2-72	47-91	2-93	47-90	3-14	48
49	48-93	2-56	48-92	2-78	48-91	2-99	48-90	3-20	49
50	49-93	2-62	49-92	2-83	49-91	3-05	49-90	3-27	50
Distance.	87 Deg.		86¾ Deg.		86½ Deg.		86¼ Deg.		Distance.
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	

TRAVERSE TABLE.

Distance.	3 Deg.		3¼ Deg.		3½ Deg.		3¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	59°03	2:67	59°02	2:89	59°00	3:11	58°89	3:34	51
52	51°03	2:72	51°02	2:95	51°00	3:17	51°89	3:40	52
53	52°03	2:77	52°01	3:00	52°00	3:24	52°89	3:47	53
54	53°03	2:83	53°01	3:06	53°00	3:30	53°88	3:53	54
55	54°02	2:88	54°01	3:12	54°00	3:36	54°88	3:60	55
56	55°02	2:93	55°01	3:17	55°00	3:42	55°88	3:66	56
57	56°02	2:98	56°01	3:23	56°00	3:48	56°88	3:73	57
58	57°02	3:04	57°01	3:29	57°00	3:54	57°88	3:79	58
59	58°02	3:09	58°01	3:34	58°00	3:60	58°87	3:86	59
60	59°02	3:14	59°00	3:40	59°00	3:66	59°87	3:92	60
61	60°02	3:19	60°00	3:46	60°00	3:72	60°87	3:99	61
62	61°02	3:24	61°00	3:51	61°88	3:79	61°87	4:05	62
63	62°01	3:30	62°00	3:57	62°88	3:85	62°87	4:12	63
64	63°01	3:35	63°00	3:63	63°88	3:91	63°86	4:19	64
65	64°01	3:40	64°00	3:69	64°88	3:97	64°86	4:25	65
66	65°01	3:45	65°00	3:74	65°88	4:03	65°86	4:32	66
67	66°01	3:51	66°00	3:80	66°88	4:09	66°86	4:38	67
68	67°01	3:56	67°00	3:86	67°87	4:15	67°85	4:45	68
69	68°01	3:61	68°00	3:91	68°87	4:21	68°85	4:51	69
70	69°00	3:66	69°00	3:97	69°87	4:27	69°85	4:58	70
71	70°00	3:72	70°00	4:03	70°87	4:33	70°85	4:64	71
72	71°00	3:77	71°00	4:08	71°87	4:40	71°85	4:71	72
73	72°00	3:82	72°00	4:14	72°86	4:46	72°84	4:77	73
74	73°00	3:87	73°00	4:20	73°86	4:52	73°84	4:84	74
75	74°00	3:93	74°00	4:25	74°86	4:58	74°84	4:91	75
76	75°00	3:98	75°00	4:31	75°86	4:64	75°84	4:97	76
77	76°00	4:03	76°00	4:37	76°86	4:70	76°84	5:04	77
78	77°00	4:08	77°00	4:42	77°85	4:76	77°83	5:10	78
79	78°00	4:13	78°00	4:48	78°85	4:82	78°83	5:17	79
80	79°00	4:19	79°00	4:54	79°85	4:88	79°83	5:23	80
81	80°00	4:24	80°00	4:59	80°85	4:94	80°83	5:30	81
82	81°00	4:29	81°00	4:65	81°85	5:01	81°82	5:36	82
83	82°00	4:34	82°00	4:71	82°85	5:07	82°82	5:43	83
84	83°00	4:40	83°00	4:76	83°84	5:13	83°82	5:49	84
85	84°00	4:45	84°00	4:82	84°84	5:19	84°82	5:56	85
86	85°00	4:50	85°00	4:88	85°84	5:25	85°82	5:62	86
87	86°00	4:55	86°00	4:93	86°84	5:31	86°81	5:69	87
88	87°00	4:61	87°00	4:99	87°84	5:37	87°81	5:76	88
89	88°00	4:66	88°00	5:05	88°83	5:43	88°81	5:82	89
90	89°00	4:71	89°00	5:10	89°83	5:49	89°81	5:89	90
91	90°00	4:76	90°00	5:16	90°83	5:56	90°81	5:95	91
92	91°00	4:81	91°00	5:22	91°83	5:62	91°80	6:02	92
93	92°00	4:87	92°00	5:27	92°83	5:68	92°80	6:08	93
94	93°00	4:92	93°00	5:33	93°82	5:74	93°80	6:15	94
95	94°00	4:97	94°00	5:39	94°82	5:80	94°80	6:21	95
96	95°00	5:02	95°00	5:44	95°82	5:86	95°79	6:28	96
97	96°00	5:08	96°00	5:50	96°82	5:92	96°79	6:34	97
98	97°00	5:13	97°00	5:56	97°82	5:98	97°79	6:41	98
99	98°00	5:18	98°00	5:61	98°82	6:04	98°79	6:47	99
100	99°00	5:23	99°00	5:67	99°81	6:10	99°79	6:54	100

Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	87 Deg.		86¾ Deg.		86½ Deg.		86¼ Deg.		

Distance.	4 Deg.		4¼ Deg.		4½ Deg.		4¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	1-00	0-07	1-00	0-07	1-00	0-08	1-00	0-08	1
2	2-00	0-14	1-09	0-15	1-09	0-16	1-09	0-17	2
3	2-09	0-21	2-09	0-22	2-09	0-24	2-09	0-25	3
4	3-09	0-28	3-09	0-30	3-08	0-31	3-08	0-33	4
5	4-09	0-35	4-09	0-37	4-08	0-39	4-08	0-41	5
6	5-09	0-42	5-08	0-44	5-08	0-47	5-08	0-50	6
7	6-08	0-49	6-08	0-52	6-08	0-55	6-07	0-58	7
8	7-08	0-56	7-08	0-59	7-08	0-63	7-07	0-66	8
9	8-08	0-63	8-08	0-67	8-07	0-71	8-07	0-75	9
10	9-08	0-70	9-07	0-74	9-07	0-78	9-07	0-83	10
11	10-07	0-77	10-07	0-82	10-07	0-86	10-06	0-91	11
12	11-07	0-84	11-07	0-89	11-06	0-94	11-06	0-99	12
13	12-07	0-91	12-06	0-96	12-06	1-02	12-06	1-08	13
14	13-07	0-98	13-06	1-04	13-06	1-10	13-05	1-16	14
15	14-06	1-05	14-06	1-11	14-05	1-18	14-05	1-24	15
16	15-06	1-12	15-06	1-19	15-05	1-26	15-05	1-32	16
17	16-06	1-19	16-05	1-26	16-05	1-33	16-04	1-41	17
18	17-06	1-26	17-05	1-33	17-04	1-41	17-04	1-49	18
19	18-05	1-33	18-05	1-40	18-04	1-49	18-03	1-57	19
20	19-05	1-40	19-05	1-48	19-04	1-57	19-03	1-66	20
21	20-05	1-46	20-04	1-56	20-04	1-65	20-03	1-74	21
22	21-05	1-53	21-04	1-63	21-03	1-73	21-02	1-82	22
23	22-04	1-60	22-04	1-70	22-03	1-80	22-02	1-90	23
24	23-04	1-67	23-03	1-78	23-03	1-88	23-02	1-99	24
25	24-04	1-74	24-03	1-85	24-02	1-96	24-01	2-07	25
26	25-04	1-81	25-03	1-93	25-02	2-04	25-01	2-15	26
27	26-03	1-88	26-03	2-00	26-02	2-12	26-01	2-24	27
28	27-03	1-95	27-02	2-08	27-01	2-20	27-00	2-32	28
29	28-03	2-02	28-02	2-15	28-01	2-28	28-00	2-40	29
30	29-03	2-09	29-02	2-22	29-01	2-35	29-00	2-48	30
31	30-02	2-16	30-01	2-30	30-00	2-43	30-00	2-57	31
32	31-02	2-23	31-01	2-37	31-00	2-51	31-00	2-65	32
33	32-02	2-30	32-01	2-45	32-00	2-59	32-00	2-73	33
34	33-02	2-37	33-01	2-52	33-00	2-67	33-00	2-82	34
35	34-01	2-44	34-00	2-59	34-00	2-75	34-00	2-90	35
36	35-01	2-51	35-00	2-67	35-00	2-82	35-00	2-98	36
37	36-01	2-58	36-00	2-74	36-00	2-90	36-00	3-06	37
38	37-01	2-65	37-00	2-82	37-00	2-98	37-00	3-15	38
39	38-01	2-72	38-00	2-89	38-00	3-06	38-00	3-23	39
40	39-00	2-79	39-00	2-96	39-00	3-14	39-00	3-31	40
41	40-00	2-86	40-00	3-04	40-00	3-22	40-00	3-40	41
42	41-00	2-93	41-00	3-11	41-00	3-30	41-00	3-48	42
43	42-00	3-00	42-00	3-19	42-00	3-37	42-00	3-56	43
44	43-00	3-07	43-00	3-26	43-00	3-45	43-00	3-64	44
45	44-00	3-14	44-00	3-33	44-00	3-53	44-00	3-73	45
46	45-00	3-21	45-00	3-41	45-00	3-61	45-00	3-81	46
47	46-00	3-28	46-00	3-48	46-00	3-69	46-00	3-89	47
48	47-00	3-35	47-00	3-56	47-00	3-77	47-00	3-97	48
49	48-00	3-42	48-00	3-63	48-00	3-84	48-00	4-06	49
50	49-00	3-49	49-00	3-71	49-00	3-92	49-00	4-14	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	86 Deg.		85¼ Deg.		85½ Deg.		85¼ Deg.		

Distance.	4 Deg.		4¼ Deg.		4½ Deg.		4¾ Deg.		Distance
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	50-83	3-56	50-86	3-78	50-84	4-00	50-82	4-22	51
52	51-87	3-03	51-86	3-85	51-84	4-08	51-82	4-31	52
53	52-87	3-70	52-85	3-33	52-84	4-10	52-82	4-39	53
54	53-87	3-77	53-85	4-00	53-83	4-24	53-81	4-47	54
55	54-87	3-84	54-85	4-08	54-83	4-32	54-81	4-55	55
56	55-86	3-91	55-85	4-15	55-83	4-39	55-81	4-64	56
57	56-86	3-98	56-84	4-22	56-82	4-47	56-80	4-72	57
58	57-86	4-05	57-84	4-30	57-82	4-55	57-80	4-80	58
59	58-86	4-12	58-84	4-37	58-82	4-63	58-80	4-89	59
60	59-85	4-19	59-84	4-45	59-82	4-71	59-79	4-97	60
61	60-85	4-26	60-83	4-52	60-81	4-79	60-79	5-05	61
62	61-85	4-32	61-83	4-59	61-81	4-86	61-79	5-13	62
63	62-85	4-39	62-83	4-67	62-81	4-94	62-78	5-22	63
64	63-84	4-46	63-82	4-74	63-80	5-02	63-78	5-30	64
65	64-84	4-53	64-82	4-82	64-80	5-10	64-78	5-38	65
66	65-84	4-60	65-82	4-89	65-80	5-18	65-77	5-47	66
67	66-84	4-67	66-82	4-97	66-79	5-26	66-77	5-55	67
68	67-83	4-74	67-81	5-04	67-79	5-34	67-77	5-63	68
69	68-83	4-81	68-81	5-11	68-79	5-41	68-76	5-71	69
70	69-83	4-88	69-81	5-19	69-78	5-49	69-76	5-80	70
71	70-83	4-95	70-80	5-26	70-78	5-57	70-76	5-88	71
72	71-82	5-02	71-80	5-34	71-78	5-65	71-75	5-96	72
73	72-82	5-09	72-80	5-41	72-77	5-73	72-75	6-04	73
74	73-82	5-16	73-80	5-48	73-77	5-81	73-75	6-13	74
75	74-82	5-23	74-79	5-56	74-77	5-88	74-74	6-21	75
76	75-81	5-30	75-79	5-63	75-77	5-96	75-74	6-29	76
77	76-81	5-37	76-79	5-71	76-76	6-04	76-74	6-38	77
78	77-81	5-44	77-79	5-78	77-76	6-12	77-73	6-46	78
79	78-81	5-51	78-78	5-85	78-76	6-20	78-73	6-54	79
80	79-81	5-58	79-78	5-93	79-75	6-28	79-73	6-62	80
81	80-80	5-65	80-78	6-00	80-75	6-36	80-72	6-71	81
82	81-80	5-72	81-78	6-08	81-75	6-43	81-72	6-79	82
83	82-80	5-79	82-77	6-15	82-74	6-51	82-71	6-87	83
84	83-80	5-86	83-77	6-23	83-74	6-59	83-71	6-96	84
85	84-79	5-93	84-77	6-30	84-74	6-67	84-71	7-04	85
86	85-79	6-00	85-76	6-37	85-73	6-75	85-70	7-12	86
87	86-79	6-07	86-76	6-45	86-73	6-83	86-70	7-20	87
88	87-79	6-14	87-76	6-52	87-73	6-90	87-70	7-29	88
89	88-78	6-21	88-76	6-60	88-73	6-98	88-70	7-37	89
90	89-78	6-28	89-75	6-67	89-72	7-06	89-69	7-45	90
91	90-78	6-35	90-75	6-74	90-72	7-14	90-69	7-54	91
92	91-78	6-42	91-75	6-82	91-72	7-22	91-68	7-62	92
93	92-77	6-49	92-74	6-89	92-71	7-30	92-68	7-70	93
94	93-77	6-56	93-74	6-97	93-71	7-38	93-68	7-78	94
95	94-77	6-63	94-74	7-04	94-71	7-45	94-67	7-87	95
96	95-77	6-70	95-74	7-11	95-70	7-53	95-67	7-95	96
97	96-76	6-77	96-73	7-19	96-70	7-61	96-67	8-03	97
98	97-76	6-84	97-73	7-26	97-70	7-69	97-66	8-12	98
99	98-76	6-91	98-73	7-34	98-69	7-77	98-66	8-20	99
100	99-76	6-98	99-73	7-41	99-69	7-85	99-66	8-28	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	86 Deg.		85¾ Deg.		85½ Deg.		85¼ Deg.		

Distance.	5 Deg.		5¼ Deg.		5½ Deg.		5¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	1-00	0-09	1-00	0-09	1-00	0-10	0-99	0-10	1
2	1-99	0-17	1-99	0-18	1-99	0-19	1-99	0-20	2
3	2-99	0-26	2-99	0-27	2-99	0-29	2-98	0-30	3
4	3-98	0-35	3-98	0-37	3-98	0-38	3-98	0-40	4
5	4-98	0-44	4-98	0-46	4-98	0-48	4-97	0-50	5
6	5-98	0-52	5-97	0-55	5-97	0-58	5-97	0-60	6
7	6-97	0-61	6-97	0-64	6-97	0-67	6-96	0-70	7
8	7-97	0-70	7-97	0-73	7-96	0-76	7-96	0-80	8
9	8-97	0-78	8-96	0-82	8-96	0-86	8-95	0-90	9
10	9-96	0-87	9-96	0-92	9-95	0-96	9-95	1-00	10
11	10-96	0-96	10-95	1-01	10-95	1-05	10-94	1-10	11
12	11-95	1-05	11-95	1-10	11-94	1-15	11-94	1-20	12
13	12-95	1-13	12-95	1-19	12-94	1-25	12-93	1-30	13
14	13-95	1-22	13-94	1-28	13-94	1-34	13-93	1-40	14
15	14-94	1-31	14-94	1-37	14-93	1-44	14-92	1-50	15
16	15-94	1-39	15-93	1-46	15-93	1-53	15-92	1-60	16
17	16-94	1-48	16-93	1-56	16-92	1-63	16-91	1-70	17
18	17-93	1-57	17-92	1-65	17-92	1-73	17-91	1-80	18
19	18-93	1-66	18-92	1-74	18-91	1-82	18-90	1-90	19
20	19-92	1-74	19-92	1-83	19-91	1-92	19-90	2-00	20
21	20-92	1-83	20-91	1-92	20-90	2-01	20-89	2-10	21
22	21-92	1-92	21-91	2-01	21-90	2-11	21-89	2-20	22
23	22-91	2-00	22-90	2-10	22-89	2-20	22-88	2-30	23
24	23-91	2-09	23-90	2-20	23-89	2-30	23-88	2-40	24
25	24-90	2-18	24-90	2-29	24-88	2-40	24-87	2-50	25
26	25-90	2-27	25-89	2-38	25-88	2-49	25-87	2-60	26
27	26-90	2-35	26-89	2-47	26-88	2-59	26-86	2-71	27
28	27-89	2-44	27-88	2-56	27-87	2-68	27-86	2-81	28
29	28-89	2-53	28-88	2-65	28-87	2-78	28-85	2-91	29
30	29-89	2-61	29-87	2-75	29-86	2-88	29-85	3-01	30
31	30-88	2-70	30-87	2-84	30-86	2-97	30-84	3-11	31
32	31-88	2-79	31-87	2-93	31-85	3-07	31-84	3-21	32
33	32-87	2-88	32-86	3-02	32-85	3-16	32-83	3-31	33
34	33-87	2-96	33-86	3-11	33-84	3-26	33-83	3-41	34
35	34-87	3-05	34-85	3-20	34-84	3-35	34-82	3-51	35
36	35-86	3-14	35-85	3-29	35-83	3-45	35-82	3-61	36
37	36-86	3-22	36-84	3-39	36-83	3-55	36-81	3-71	37
38	37-86	3-31	37-84	3-48	37-83	3-64	37-81	3-81	38
39	38-85	3-40	38-84	3-57	38-82	3-74	38-80	3-91	39
40	39-85	3-49	39-83	3-66	39-82	3-83	39-80	4-01	40
41	40-84	3-57	40-82	3-75	40-81	3-93	40-79	4-11	41
42	41-84	3-66	41-82	3-84	41-81	4-03	41-79	4-21	42
43	42-84	3-75	42-82	3-93	42-80	4-12	42-78	4-31	43
44	43-83	3-83	43-82	4-03	43-80	4-22	43-78	4-41	44
45	44-83	3-92	44-81	4-12	44-79	4-31	44-77	4-51	45
46	45-82	4-01	45-81	4-21	45-79	4-41	45-77	4-61	46
47	46-82	4-10	46-80	4-30	46-78	4-50	46-76	4-71	47
48	47-82	4-18	47-80	4-39	47-78	4-60	47-76	4-81	48
49	48-81	4-27	48-79	4-48	48-77	4-70	48-75	4-91	49
50	49-81	4-36	49-79	4-58	49-77	4-79	49-75	5-01	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	85 Deg.		84¾ Deg.		84½ Deg.		84¼ Deg.		

Distance.	5 Deg.		5¼ Deg.		5½ Deg.		5¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	50-81	4-44	50-79	4-67	50-77	4-89	50-74	5-11	61
52	51-80	4-53	51-78	4-76	51-76	4-98	51-74	5-21	52
53	52-80	4-62	52-78	4-85	52-76	5-08	52-73	5-31	53
54	53-79	4-71	53-77	4-94	53-75	5-18	53-73	5-41	54
55	54-79	4-79	54-77	5-03	54-75	5-27	54-72	5-51	55
56	55-79	4-88	55-77	5-12	55-74	5-37	55-72	6-01	56
57	56-78	4-97	56-76	5-22	56-74	5-46	56-71	5-71	57
58	57-78	5-06	57-76	5-31	57-73	5-56	57-71	5-81	58
59	58-78	5-14	58-75	5-40	58-73	5-65	58-70	5-91	59
60	59-77	5-23	59-75	5-49	59-72	5-75	59-70	6-01	60
61	60-77	5-32	60-74	5-58	60-72	5-85	60-69	6-11	61
62	61-76	5-40	61-74	5-67	61-71	5-94	61-69	6-21	62
63	62-76	5-49	62-74	5-76	62-71	6-04	62-68	6-31	63
64	63-76	5-58	63-73	5-86	63-71	6-13	63-68	6-41	64
65	64-75	5-67	64-73	5-95	64-70	6-23	64-67	6-51	65
66	65-75	5-75	65-72	6-04	65-70	6-33	65-67	6-61	66
67	66-75	5-84	66-72	6-13	66-69	6-42	66-66	6-71	67
68	67-74	5-93	67-71	6-22	67-69	6-52	67-66	6-81	68
69	68-74	6-01	68-71	6-31	68-68	6-61	68-65	6-91	69
70	69-73	6-10	69-71	6-41	69-68	6-71	69-65	7-01	70
71	70-73	6-19	70-70	6-50	70-67	6-81	70-64	7-11	71
72	71-73	6-28	71-70	6-59	71-67	6-90	71-64	7-21	72
73	72-72	6-36	72-69	6-68	72-66	7-00	72-63	7-31	73
74	73-72	6-45	73-69	6-77	73-66	7-09	73-63	7-41	74
75	74-71	6-54	74-69	6-86	74-65	7-19	74-62	7-51	75
76	75-71	6-62	75-68	6-95	75-65	7-28	75-62	7-61	76
77	76-71	6-71	76-68	7-05	76-65	7-38	76-61	7-71	77
78	77-70	6-80	77-67	7-14	77-64	7-48	77-61	7-81	78
79	78-70	6-89	78-67	7-23	78-64	7-57	78-60	7-91	79
80	79-70	6-97	79-66	7-32	79-63	7-67	79-60	8-02	80
81	80-69	7-06	80-66	7-41	80-63	7-76	80-59	8-12	81
82	81-69	7-15	81-66	7-50	81-62	7-86	81-59	8-22	82
83	82-68	7-23	82-65	7-59	82-62	7-96	82-58	8-32	83
84	83-68	7-32	83-65	7-69	83-61	8-05	83-58	8-42	84
85	84-68	7-41	84-64	7-78	84-61	8-15	84-57	8-52	85
86	85-67	7-50	85-64	7-87	85-60	8-24	85-57	8-62	86
87	86-67	7-58	86-64	7-96	86-60	8-34	86-56	8-72	87
88	87-67	7-67	87-63	8-05	87-59	8-43	87-56	8-82	88
89	88-66	7-76	88-63	8-14	88-59	8-53	88-55	8-92	89
90	89-66	7-84	89-62	8-24	89-59	8-63	89-55	9-02	90
91	90-65	7-93	90-62	8-33	90-58	8-72	90-54	9-12	91
92	91-65	8-02	91-61	8-42	91-58	8-82	91-54	9-22	92
93	92-65	8-11	92-61	8-51	92-57	8-91	92-53	9-32	93
94	93-64	8-19	93-61	8-60	93-57	9-01	93-53	9-42	94
95	94-64	8-28	94-60	8-69	94-56	9-11	94-52	9-52	95
96	95-63	8-37	95-60	8-78	95-56	9-20	95-52	9-62	96
97	96-63	8-45	96-59	8-88	96-55	9-30	96-51	9-72	97
98	97-63	8-54	97-59	8-97	97-55	9-39	97-51	9-82	98
99	98-62	8-63	98-59	9-06	98-54	9-49	98-50	9-92	99
100	99-62	8-72	99-58	9-15	99-54	9-58	99-50	10-02	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	85 Deg.		84¾ Deg.		84½ Deg.		84¼ Deg.		

Distance.	6 Deg.		6¼ Deg.		6½ Deg.		6¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-99	0-10	0-99	0-11	0-99	0-11	0-99	0-12	1
2	1-99	0-21	1-99	0-22	1-99	0-23	1-99	0-24	2
3	2-98	0-31	2-98	0-33	2-98	0-34	2-98	0-35	3
4	3-98	0-41	3-98	0-44	3-97	0-45	3-97	0-47	4
5	4-97	0-52	4-97	0-54	4-97	0-57	4-97	0-59	5
6	5-97	0-63	5-96	0-65	5-96	0-68	5-96	0-71	6
7	6-96	0-73	6-96	0-76	6-96	0-79	6-95	0-82	7
8	7-96	0-84	7-95	0-87	7-95	0-91	7-94	0-94	8
9	8-95	0-94	8-95	0-98	8-94	1-02	8-94	1-06	9
10	9-95	1-05	9-94	1-09	9-94	1-13	9-93	1-18	10
11	10-94	1-15	10-93	1-20	10-93	1-25	10-92	1-29	11
12	11-93	1-25	11-93	1-31	11-92	1-36	11-92	1-41	12
13	12-93	1-36	12-92	1-42	12-92	1-47	12-91	1-53	13
14	13-92	1-46	13-92	1-52	13-91	1-59	13-90	1-65	14
15	14-92	1-57	14-91	1-63	14-90	1-70	14-90	1-76	15
16	15-91	1-67	15-90	1-74	15-90	1-81	15-89	1-88	16
17	16-91	1-78	16-90	1-85	16-89	1-92	16-88	2-00	17
18	17-90	1-88	17-89	1-96	17-88	2-04	17-88	2-12	18
19	18-90	1-99	18-89	2-07	18-88	2-15	18-87	2-23	19
20	19-89	2-09	19-88	2-18	19-87	2-26	19-86	2-35	20
21	20-88	2-20	20-88	2-29	20-87	2-38	20-85	2-47	21
22	21-88	2-30	21-87	2-40	21-86	2-49	21-85	2-59	22
23	22-87	2-40	22-86	2-50	22-85	2-60	22-84	2-70	23
24	23-87	2-51	23-86	2-61	23-85	2-72	23-83	2-82	24
25	24-86	2-61	24-85	2-72	24-84	2-83	24-83	2-94	25
26	25-86	2-72	25-85	2-83	25-83	2-94	25-82	3-06	26
27	26-85	2-82	26-84	2-94	26-83	3-06	26-81	3-17	27
28	27-85	2-93	27-83	3-05	27-82	3-17	27-81	3-29	28
29	28-84	3-03	28-83	3-16	28-81	3-28	28-80	3-41	29
30	29-84	3-14	29-82	3-27	29-81	3-40	29-79	3-53	30
31	30-83	3-24	30-82	3-37	30-80	3-51	30-79	3-64	31
32	31-82	3-34	31-81	3-48	31-79	3-62	31-78	3-76	32
33	32-82	3-45	32-80	3-59	32-79	3-74	32-77	3-88	33
34	33-81	3-55	33-80	3-70	33-78	3-85	33-76	4-00	34
35	34-81	3-66	34-79	3-81	34-78	3-96	34-76	4-11	35
36	35-80	3-76	35-79	3-92	35-77	4-08	35-75	4-23	36
37	36-80	3-87	36-78	4-03	36-76	4-19	36-75	4-35	37
38	37-79	3-97	37-77	4-14	37-76	4-30	37-74	4-47	38
39	38-79	4-08	38-77	4-25	38-75	4-41	38-73	4-58	39
40	39-78	4-18	39-76	4-35	39-74	4-53	39-72	4-70	40
41	40-78	4-29	40-76	4-46	40-74	4-64	40-72	4-82	41
42	41-77	4-39	41-75	4-57	41-73	4-76	41-71	4-94	42
43	42-76	4-49	42-74	4-68	42-72	4-87	42-70	5-05	43
44	43-76	4-60	43-74	4-79	43-72	4-98	43-70	5-17	44
45	44-75	4-70	44-73	4-90	44-71	5-09	44-69	5-29	45
46	45-75	4-81	45-73	5-01	45-70	5-21	45-68	5-41	46
47	46-74	4-91	46-72	5-12	46-70	5-32	46-67	5-52	47
48	47-74	5-02	47-71	5-23	47-69	5-43	47-67	5-64	48
49	48-73	5-12	48-71	5-34	48-69	5-55	48-66	5-76	49
50	49-73	5-23	49-70	5-44	49-68	5-66	49-65	5-88	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	84 Deg.		83¾ Deg.		82½ Deg.		Deg. 83¼		

TRAVERSE TABLE.

Distance.	6 Deg.		6¼ Deg.		6½ Deg.		6¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	50-72	5-33	50-70	5-55	50-67	5-77	50-65	5-99	51
52	51-72	5-41	51-69	5-66	51-67	5-89	51-64	6-11	52
53	52-71	5-54	52-68	5-77	52-66	6-00	52-63	6-23	53
54	53-70	5-64	53-68	5-88	53-65	6-11	53-63	6-35	54
55	54-70	5-75	54-67	5-99	54-65	6-23	54-62	6-46	55
56	55-69	5-85	55-67	6-10	55-64	6-34	55-61	6-58	56
57	56-69	5-90	56-66	6-21	56-63	6-45	56-60	7-07	57
58	57-68	6-06	57-66	6-31	57-63	6-57	57-60	7-18	58
59	58-68	6-17	58-65	6-42	58-62	7-08	58-59	7-29	59
60	59-67	6-27	59-64	6-53	59-61	7-19	59-58	7-40	60
61	60-67	6-38	60-64	7-04	60-61	7-30	60-58	7-51	61
62	61-66	6-48	61-63	7-15	61-60	7-41	61-57	8-02	62
63	62-65	6-59	62-63	7-26	62-60	7-52	62-56	8-13	63
64	63-65	7-09	63-62	7-37	63-59	8-03	63-56	8-24	64
65	64-64	7-19	64-61	7-48	64-58	8-14	64-55	8-35	65
66	65-64	7-30	65-61	7-59	65-58	8-25	65-54	8-46	66
67	66-63	7-40	66-60	8-10	66-57	8-36	66-54	8-57	67
68	67-63	7-51	67-60	8-21	67-56	8-47	67-53	9-08	68
69	68-62	8-01	68-59	8-32	68-56	8-58	68-52	9-19	69
70	69-62	8-12	69-58	8-43	69-55	9-09	69-51	9-30	70
71	70-61	8-22	70-58	8-54	70-54	9-20	70-51	9-41	71
72	71-61	8-33	71-57	9-05	71-54	9-31	71-50	9-52	72
73	72-60	8-43	72-57	9-16	72-53	9-42	72-49	10-03	73
74	73-59	8-54	73-56	9-27	73-52	9-53	73-49	10-14	74
75	74-59	9-04	74-55	9-38	74-52	10-04	74-48	10-25	75
76	75-58	9-15	75-55	9-49	75-51	10-15	75-47	10-36	76
77	76-58	9-25	76-54	9-60	76-51	10-26	76-47	10-47	77
78	77-57	9-36	77-54	9-71	77-50	10-37	77-46	10-58	78
79	78-57	9-46	78-53	9-82	78-49	10-48	78-45	11-09	79
80	79-56	9-57	79-53	9-93	79-49	10-59	79-45	11-20	80
81	80-56	10-07	80-52	10-04	80-48	11-10	80-44	11-31	81
82	81-55	10-18	81-51	10-15	81-47	11-21	81-43	11-42	82
83	82-55	10-28	82-51	10-26	82-47	11-32	82-42	11-53	83
84	83-54	10-39	83-50	10-37	83-46	11-43	83-42	12-04	84
85	84-53	10-49	84-50	10-48	84-45	11-54	84-41	12-15	85
86	85-53	10-59	85-49	10-59	85-45	12-05	85-40	12-26	86
87	86-52	11-10	86-48	11-10	86-44	12-16	86-40	12-37	87
88	87-52	11-20	87-48	11-21	87-43	12-27	87-39	12-48	88
89	88-51	11-31	88-47	11-32	88-43	12-38	88-38	12-59	89
90	89-51	11-41	89-47	11-43	89-42	12-49	89-38	13-10	90
91	90-50	11-51	90-46	11-54	90-42	13-00	90-37	13-21	91
92	91-50	12-02	91-45	12-05	91-41	13-11	91-36	13-32	92
93	92-49	12-12	92-45	12-16	92-40	13-22	92-36	13-43	93
94	93-49	12-23	93-44	12-27	93-40	13-33	93-35	13-54	94
95	94-48	12-33	94-44	12-38	94-39	13-44	94-34	14-05	95
96	95-47	12-44	95-43	12-49	95-38	13-55	95-33	14-16	96
97	96-47	12-54	96-42	13-00	96-38	14-06	96-33	14-27	97
98	97-46	13-05	97-42	13-11	97-37	14-17	97-32	14-38	98
99	98-46	13-15	98-41	13-22	98-36	14-28	98-31	14-49	99
100	99-45	13-26	99-41	13-33	99-36	14-39	99-31	15-00	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	84 Deg.		83¾ Deg.		83½ Deg.		83¼ Deg.		

Distance.	7 Deg.		7¼ Deg.		7½ Deg.		7¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-99	6-12	0-99	0-13	0-99	0-13	0-99	0-13	1
2	1-99	0-24	1-98	0-25	1-98	0-26	1-98	0-27	2
3	2-98	0-37	2-98	0-38	2-97	0-39	2-97	0-40	3
4	3-97	0-49	3-97	0-50	3-97	0-52	3-96	0-54	4
5	4-96	0-61	4-96	0-62	4-96	0-65	4-95	0-67	5
6	5-96	0-73	5-95	0-76	5-95	0-78	5-95	0-81	6
7	6-95	0-85	6-94	0-88	6-94	0-91	6-94	0-94	7
8	7-94	0-97	7-94	1-01	7-93	1-04	7-93	1-08	8
9	8-93	1-10	8-93	1-14	8-92	1-17	8-92	1-21	9
10	9-93	1-22	9-92	1-26	9-91	1-31	9-91	1-36	10
11	10-92	1-34	10-91	1-39	10-91	1-44	10-90	1-48	11
12	11-91	1-46	11-90	1-51	11-90	1-57	11-89	1-62	12
13	12-90	1-58	12-90	1-64	12-89	1-70	12-88	1-75	13
14	13-90	1-71	13-89	1-77	13-88	1-83	13-87	1-89	14
15	14-89	1-83	14-88	1-89	14-87	1-96	14-86	2-02	15
16	15-88	1-95	15-87	2-02	15-86	2-09	15-85	2-16	16
17	16-87	2-07	16-86	2-15	16-85	2-22	16-84	2-29	17
18	17-87	2-19	17-86	2-27	17-85	2-35	17-84	2-43	18
19	18-86	2-32	18-85	2-40	18-84	2-48	18-83	2-56	19
20	19-85	2-44	19-84	2-52	19-83	2-61	19-82	2-70	20
21	20-84	2-56	20-83	2-65	20-82	2-74	20-81	2-83	21
22	21-84	2-68	21-82	2-78	21-81	2-87	21-80	2-97	22
23	22-83	2-80	22-82	2-90	22-80	3-00	22-79	3-10	23
24	23-82	2-92	23-81	3-03	23-79	3-13	23-78	3-24	24
25	24-81	3-05	24-80	3-15	24-79	3-26	24-77	3-37	25
26	25-81	3-17	25-79	3-28	25-78	3-39	25-76	3-51	26
27	26-80	3-29	26-78	3-41	26-77	3-52	26-75	3-64	27
28	27-79	3-41	27-78	3-53	27-76	3-65	27-74	3-78	28
29	28-78	3-53	28-77	3-66	28-75	3-79	28-74	3-91	29
30	29-78	3-66	29-76	3-79	29-74	3-92	29-73	4-05	30
31	30-77	3-78	30-75	3-91	30-73	4-05	30-72	4-18	31
32	31-76	3-90	31-74	4-04	31-73	4-18	31-71	4-32	32
33	32-75	4-02	32-74	4-16	32-72	4-31	32-70	4-45	33
34	33-75	4-14	33-73	4-29	33-71	4-44	33-69	4-58	34
35	34-74	4-27	34-72	4-42	34-70	4-57	34-68	4-72	35
36	35-73	4-39	35-71	4-54	35-69	4-70	35-67	4-85	36
37	36-72	4-51	36-70	4-67	36-68	4-83	36-66	4-99	37
38	37-72	4-63	37-70	4-80	37-67	4-96	37-65	5-12	38
39	38-71	4-75	38-69	4-92	38-67	5-09	38-64	5-26	39
40	39-70	4-87	39-68	5-05	39-66	5-22	39-63	5-39	40
41	40-70	5-00	40-67	5-17	40-65	5-35	40-63	5-53	41
42	41-69	5-12	41-66	5-30	41-64	5-48	41-62	5-66	42
43	42-68	5-24	42-66	5-43	42-63	5-61	42-61	5-80	43
44	43-67	5-36	43-65	5-55	43-62	5-74	43-60	5-98	44
45	44-67	5-48	44-64	5-68	44-62	5-87	44-59	6-07	45
46	45-66	5-61	45-63	5-81	45-61	6-00	45-58	6-20	46
47	46-65	5-73	46-62	5-93	46-60	6-13	46-57	6-34	47
48	47-64	5-85	47-62	6-06	47-59	6-27	47-56	6-47	48
49	48-63	5-97	48-61	6-18	48-58	6-40	48-55	6-61	49
50	49-63	6-09	49-60	6-31	49-57	6-53	49-54	6-74	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	83 Deg.		82¾ Deg.		82½ Deg.		82¼ Deg.		

TRAVERSE TABLE.

Distance.	7 Deg.		7¼ Deg.		7½ Deg.		7¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	50-62	6-22	50-59	6-44	50-56	6-66	50-53	6-88	51
52	51-61	6-34	51-58	6-56	51-56	6-79	51-53	7-01	52
53	52-60	6-46	52-58	6-69	52-55	6-92	52-52	7-15	53
54	53-60	6-58	53-57	6-81	53-54	7-05	53-51	7-28	54
55	54-59	6-70	54-56	6-94	54-53	7-18	54-50	7-42	55
56	55-58	6-82	55-55	7-07	55-52	7-31	55-49	7-55	56
57	56-58	6-95	56-54	7-19	56-51	7-44	56-48	7-69	57
58	57-57	7-07	57-54	7-32	57-50	7-57	57-47	7-82	58
59	58-56	7-19	58-53	7-45	58-50	7-70	58-46	7-96	59
60	59-55	7-31	59-52	7-57	59-49	7-83	59-45	8-09	60
61	60-55	7-43	60-51	7-70	60-48	7-96	60-44	8-23	61
62	61-54	7-56	61-50	7-82	61-47	8-09	61-43	8-36	62
63	62-53	7-68	62-50	7-95	62-46	8-22	62-42	8-50	63
64	63-52	7-80	63-49	8-08	63-45	8-35	63-42	8-63	64
65	64-52	7-92	64-48	8-20	64-44	8-48	64-41	8-77	65
66	65-51	8-04	65-47	8-33	65-44	8-61	65-40	8-90	66
67	66-50	8-17	66-46	8-46	66-43	8-75	66-39	9-04	67
68	67-49	8-29	67-46	8-58	67-42	8-88	67-38	9-17	68
69	68-49	8-41	68-45	8-71	68-41	9-01	68-37	9-30	69
70	69-48	8-53	69-44	8-83	69-40	9-14	69-36	9-44	70
71	70-47	8-65	70-43	8-96	70-39	9-27	70-35	9-57	71
72	71-46	8-77	71-42	9-09	71-38	9-40	71-34	9-71	72
73	72-46	8-90	72-42	9-21	72-38	9-53	72-33	9-84	73
74	73-45	9-02	73-41	9-34	73-37	9-66	73-32	9-98	74
75	74-44	9-14	74-40	9-46	74-36	9-79	74-31	10-11	75
76	75-43	9-26	75-39	9-59	75-35	9-92	75-31	10-25	76
77	76-43	9-38	76-38	9-72	76-34	10-05	76-30	10-38	77
78	77-42	9-51	77-38	9-84	77-33	10-18	77-29	10-52	78
79	78-41	9-63	78-37	9-97	78-32	10-31	78-28	10-65	79
80	79-40	9-75	79-36	10-10	79-32	10-44	79-27	10-79	80
81	80-40	9-87	80-35	10-22	80-31	10-57	80-27	10-92	81
82	81-39	9-99	81-34	10-35	81-30	10-70	81-25	11-06	82
83	82-38	10-12	82-34	10-47	82-29	10-83	82-24	11-19	83
84	83-37	10-24	83-33	10-60	83-28	10-96	83-23	11-33	84
85	84-37	10-36	84-32	10-73	84-27	11-09	84-22	11-46	85
86	85-36	10-48	85-31	10-85	85-26	11-23	85-21	11-60	86
87	86-35	10-60	86-30	10-98	86-26	11-36	86-21	11-73	87
88	87-34	10-72	87-29	11-11	87-25	11-49	87-20	11-87	88
89	88-34	10-85	88-29	11-23	88-24	11-62	88-19	12-00	89
90	89-33	10-97	89-28	11-36	89-23	11-75	89-18	12-14	90
91	90-32	11-09	90-27	11-48	90-22	11-88	90-17	12-27	91
92	91-31	11-21	91-26	11-61	91-21	12-01	91-16	12-41	92
93	92-31	11-33	92-26	11-74	92-20	12-14	92-15	12-54	93
94	93-30	11-46	93-25	11-86	93-20	12-27	93-14	12-68	94
95	94-29	11-58	94-24	11-99	94-19	12-40	94-13	12-81	95
96	95-28	11-70	95-23	12-12	95-18	12-53	95-12	12-95	96
97	96-28	11-82	96-22	12-24	96-17	12-66	96-11	13-08	97
98	97-27	11-94	97-22	12-37	97-16	12-79	97-10	13-22	98
99	98-26	12-07	98-21	12-49	98-15	12-92	98-10	13-35	99
100	99-25	12-19	99-20	12-62	99-14	13-05	99-09	13-49	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	83 Deg.		82¾ Deg.		82½ Deg.		82¼ Deg.		

Distance.	8 Deg.		8¼ Deg.		8½ Deg.		8¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-99	0-14	0-99	0-14	0-99	0-15	0-99	0-15	1
2	1-98	0-28	1-98	0-29	1-98	0-30	1-98	0-30	2
3	2-37	0-42	2-97	0-43	2-97	0-44	2-97	0-46	3
4	3-95	0-56	3-96	0-57	3-96	0-59	3-95	0-61	4
5	4-35	0-70	4-95	0-72	4-95	0-74	4-94	0-76	5
6	5-34	0-84	5-34	0-86	5-33	0-89	5-33	0-91	6
7	6-33	0-97	6-33	1-00	6-32	1-03	6-32	1-06	7
8	7-32	1-11	7-32	1-15	7-31	1-18	7-31	1-22	8
9	8-31	1-25	8-31	1-29	8-30	1-33	8-30	1-37	9
10	9-30	1-39	9-30	1-43	9-29	1-48	9-28	1-52	10
11	10-89	1-53	10-89	1-58	10-88	1-63	10-87	1-67	11
12	11-88	1-67	11-88	1-72	11-87	1-77	11-86	1-83	12
13	12-87	1-81	12-87	1-87	12-86	1-92	12-85	1-98	13
14	13-86	1-95	13-86	2-01	13-85	2-07	13-84	2-13	14
15	14-85	2-09	14-85	2-15	14-84	2-22	14-83	2-28	15
16	15-84	2-23	15-84	2-30	15-82	2-36	15-81	2-43	16
17	16-83	2-37	16-83	2-44	16-81	2-51	16-80	2-59	17
18	17-82	2-51	17-81	2-58	17-80	2-66	17-79	2-74	18
19	18-82	2-64	18-80	2-73	18-79	2-81	18-78	2-89	19
20	19-81	2-78	19-79	2-87	19-78	2-96	19-77	3-04	20
21	20-80	2-92	20-78	3-01	20-77	3-10	20-76	3-19	21
22	21-79	3-06	21-77	3-16	21-76	3-25	21-74	3-35	22
23	22-78	3-20	22-76	3-30	22-75	3-40	22-73	3-50	23
24	23-77	3-34	23-75	3-44	23-74	3-55	23-72	3-65	24
25	24-76	3-48	24-74	3-59	24-73	3-70	24-71	3-80	25
26	25-75	3-62	25-73	3-73	25-71	3-84	25-70	3-96	26
27	26-74	3-76	26-72	3-87	26-70	3-99	26-69	4-11	27
28	27-73	3-90	27-71	4-02	27-69	4-14	27-67	4-26	28
29	28-72	4-04	28-70	4-16	28-68	4-29	28-66	4-41	29
30	29-71	4-18	29-69	4-30	29-67	4-43	29-65	4-56	30
31	30-70	4-31	30-68	4-45	30-66	4-58	30-64	4-72	31
32	31-69	4-45	31-67	4-59	31-65	4-73	31-63	4-87	32
33	32-68	4-59	32-66	4-74	32-64	4-88	32-62	5-02	33
34	33-67	4-73	33-65	4-88	33-63	5-03	33-60	5-17	34
35	34-66	4-87	34-64	5-02	34-62	5-17	34-59	5-32	35
36	35-65	5-01	35-63	5-17	35-60	5-32	35-58	5-48	36
37	36-64	5-15	36-62	5-31	36-59	5-47	36-57	5-63	37
38	37-63	5-29	37-61	5-45	37-58	5-62	37-56	5-78	38
39	38-62	5-43	38-60	5-60	38-57	5-76	38-55	5-93	39
40	39-61	5-57	39-59	5-74	39-56	5-91	39-53	6-08	40
41	40-60	5-71	40-58	5-88	40-55	6-06	40-52	6-24	41
42	41-59	5-85	41-57	6-03	41-54	6-21	41-51	6-39	42
43	42-58	5-98	42-56	6-17	42-53	6-36	42-50	6-54	43
44	43-57	6-12	43-54	6-31	43-52	6-50	43-49	6-69	44
45	44-56	6-26	44-53	6-46	44-51	6-65	44-48	6-85	45
46	45-55	6-40	45-52	6-60	45-49	6-80	45-46	7-00	46
47	46-54	6-54	46-51	6-74	46-48	6-95	46-45	7-15	47
48	47-53	6-68	47-50	6-89	47-47	7-09	47-44	7-30	48
49	48-52	6-82	48-49	7-03	48-46	7-24	48-43	7-45	49
50	49-51	6-96	49-48	7-17	49-45	7-39	49-42	7-61	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	82 Deg.		81¾ Deg.		81½ Deg.		81¼ Deg.		

Distance.	8 Deg.		8¼ Deg.		8½ Deg.		8¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	50:50	7:10	50:47	7:32	50:44	7:64	50:41	7:76	61
52	51:49	7:21	51:46	7:46	51:43	7:60	51:39	7:91	52
53	52:48	7:38	52:45	7:61	52:42	7:83	52:38	8:06	53
54	53:47	7:52	53:44	7:75	53:41	7:98	53:37	8:21	54
55	54:46	7:65	54:43	7:89	54:40	8:13	54:36	8:37	55
56	55:46	7:79	55:42	8:04	55:38	8:28	55:35	8:52	56
57	56:45	7:92	56:41	8:18	56:37	8:43	56:34	8:67	57
58	57:44	8:07	57:40	8:32	57:36	8:57	57:32	8:82	58
59	58:43	8:21	58:39	8:47	58:35	8:72	58:31	8:98	59
60	59:42	8:35	59:38	8:61	59:34	8:87	59:30	9:13	60
61	60:41	8:49	60:37	8:75	60:33	9:02	60:29	9:28	61
62	61:40	8:63	61:36	8:90	61:32	9:16	61:28	9:43	62
63	62:39	8:77	62:35	9:04	62:31	9:31	62:27	9:58	63
64	63:38	8:91	63:34	9:18	63:30	9:46	63:26	9:74	64
65	64:37	9:05	64:33	9:33	64:29	9:61	64:24	9:89	65
66	65:36	9:19	65:32	9:47	65:28	9:76	65:23	10:04	66
67	66:35	9:32	66:31	9:61	66:26	9:90	66:22	10:19	67
68	67:34	9:46	67:30	9:76	67:25	10:05	67:21	10:34	68
69	68:33	9:60	68:29	9:90	68:24	10:20	68:20	10:50	69
70	69:32	9:74	69:28	10:04	69:23	10:35	69:19	10:65	70
71	70:31	9:88	70:27	10:19	70:22	10:49	70:17	10:80	71
72	71:30	10:02	71:25	10:33	71:21	10:64	71:16	10:95	72
73	72:29	10:16	72:24	10:47	72:20	10:79	72:15	11:10	73
74	73:28	10:30	73:23	10:62	73:19	10:94	73:14	11:26	74
75	74:27	10:44	74:22	10:76	74:18	11:09	74:13	11:41	75
76	75:26	10:58	75:21	10:91	75:17	11:23	75:12	11:56	76
77	76:25	10:72	76:20	11:05	76:15	11:38	76:10	11:71	77
78	77:24	10:86	77:19	11:19	77:14	11:53	77:09	11:87	78
79	78:23	10:99	78:18	11:34	78:13	11:68	78:08	12:02	79
80	79:22	11:13	79:17	11:48	79:12	11:82	79:07	12:17	80
81	80:21	11:27	80:16	11:62	80:11	11:97	80:06	12:32	81
82	81:20	11:41	81:15	11:77	81:10	12:12	81:05	12:47	82
83	82:19	11:55	82:14	11:91	82:09	12:27	82:03	12:63	83
84	83:18	11:69	83:13	12:05	83:08	12:42	83:02	12:78	84
85	84:17	11:83	84:12	12:20	84:07	12:56	84:01	12:93	85
86	85:16	11:97	85:11	12:34	85:06	12:71	85:00	13:08	86
87	86:15	12:11	86:10	12:48	86:04	12:86	85:99	13:23	87
88	87:14	12:25	87:09	12:63	87:03	13:01	86:98	13:39	88
89	88:13	12:39	88:08	12:77	88:02	13:16	87:96	13:54	89
90	89:12	12:53	89:07	12:91	89:01	13:30	88:95	13:69	90
91	90:11	12:66	90:06	13:06	90:00	13:45	89:94	13:84	91
92	91:10	12:80	91:05	13:20	90:99	13:60	90:93	14:00	92
93	92:09	12:94	92:04	13:34	91:98	13:75	91:92	14:15	93
94	93:09	13:08	93:03	13:49	92:97	13:89	92:91	14:30	94
95	94:08	13:22	94:02	13:63	93:96	14:04	93:89	14:45	95
96	95:07	13:36	95:01	13:78	94:95	14:19	94:88	14:60	96
97	96:06	13:50	96:00	13:92	95:93	14:34	95:87	14:76	97
98	97:05	13:64	96:99	14:06	96:92	14:49	96:86	14:91	98
99	98:04	13:78	97:98	14:21	97:91	14:63	97:85	15:06	99
100	99:03	13:92	98:97	14:35	98:90	14:78	98:84	15:21	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	82 Deg.		8¼ Deg.		8½ Deg.		8¾ Deg.		

Distance.	9 Deg.		9¼ Deg.		9½ Deg.		9¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0:39	0:16	0:99	0:16	0:99	0:17	0:39	0:17	1
2	1:38	0:31	1:97	0:32	1:97	0:33	1:97	0:34	2
3	2:36	0:47	2:96	0:48	2:96	0:50	2:36	0:51	3
4	3:35	0:63	3:95	0:64	3:95	0:66	3:34	0:68	4
5	4:34	0:78	4:93	0:80	4:93	0:83	4:33	0:85	5
6	5:33	0:94	5:92	0:96	5:92	0:99	5:31	1:02	6
7	6:31	1:10	6:91	1:13	6:90	1:16	6:30	1:19	7
8	7:29	1:25	7:90	1:29	7:89	1:32	7:28	1:35	8
9	8:28	1:41	8:88	1:45	8:88	1:49	8:27	1:52	9
10	9:26	1:56	9:87	1:61	9:86	1:65	9:26	1:69	10
11	10:26	2:12	10:86	1:77	10:85	1:82	10:24	1:86	11
12	11:25	2:28	11:84	1:93	11:84	1:98	11:23	2:03	12
13	12:24	2:43	12:83	2:09	12:82	2:15	12:21	2:20	13
14	13:23	2:59	13:82	2:25	13:81	2:31	13:20	2:37	14
15	14:22	3:15	14:80	2:41	14:79	2:48	14:18	2:54	15
16	15:20	3:30	15:79	2:57	15:78	2:54	15:17	2:71	16
17	16:19	3:46	16:78	3:13	16:77	3:21	16:15	2:88	17
18	17:18	4:02	17:77	3:29	17:75	3:29	17:14	3:05	18
19	18:17	4:17	18:75	3:45	18:74	3:37	18:13	3:22	19
20	19:16	4:33	19:74	4:01	19:73	4:05	19:11	3:39	20
21	20:16	4:49	20:73	4:17	20:71	4:17	20:10	3:56	21
22	21:15	5:05	21:71	4:33	21:70	4:25	21:08	4:13	22
23	22:14	5:21	22:70	4:49	22:68	4:33	22:07	4:30	23
24	23:13	5:37	23:69	5:05	23:67	4:41	23:05	4:47	24
25	24:12	5:53	24:67	5:21	24:66	4:49	24:04	5:04	25
26	25:11	6:09	25:66	5:37	25:64	4:57	25:02	5:21	26
27	26:10	6:25	26:65	5:53	26:63	5:05	26:01	5:38	27
28	27:09	6:41	27:64	6:09	27:62	5:13	27:00	5:55	28
29	28:08	6:57	28:62	6:25	28:60	5:21	28:58	6:12	29
30	29:07	7:13	29:61	6:41	29:59	5:29	29:57	6:29	30
31	30:06	7:29	30:60	6:57	30:57	5:37	30:55	6:46	31
32	31:05	7:45	31:58	7:13	31:56	5:45	31:54	7:03	32
33	32:04	8:01	32:57	7:29	32:55	5:53	32:52	7:20	33
34	33:03	8:17	33:56	7:45	33:53	6:01	33:51	7:37	34
35	34:02	8:33	34:54	8:01	34:52	6:09	34:49	7:54	35
36	35:01	8:49	35:53	8:17	35:51	6:17	35:48	8:11	36
37	36:00	9:05	36:52	8:33	36:49	6:25	36:47	8:28	37
38	37:00	9:21	37:51	8:49	37:48	6:33	37:45	8:45	38
39	38:00	9:37	38:49	9:05	38:47	6:41	38:44	9:02	39
40	39:00	9:53	39:48	9:21	39:45	6:49	39:42	9:19	40
41	40:00	10:09	40:47	9:37	40:44	6:57	40:41	9:36	41
42	41:00	10:25	41:45	9:53	41:42	7:05	41:39	9:53	42
43	42:00	10:41	42:44	10:09	42:41	7:13	42:38	10:10	43
44	43:00	10:57	43:43	10:25	43:40	7:21	43:36	10:27	44
45	44:00	11:13	44:41	10:41	44:38	7:29	44:35	10:44	45
46	45:00	11:29	45:40	10:57	45:37	7:37	45:34	11:01	46
47	46:00	11:45	46:39	11:13	46:36	7:45	46:32	11:18	47
48	47:00	12:01	47:38	11:29	47:34	7:53	47:31	11:35	48
49	48:00	12:17	48:36	11:45	48:33	8:01	48:29	11:52	49
50	49:00	12:33	49:35	12:01	49:32	8:09	49:28	12:09	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	81 Deg.		80¾ Deg.		80½ Deg.		80¼ Deg.		

Distance.	9 Deg.		9¼ Deg.		9½ Deg.		9¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	50:37	7:38	50:34	8:20	50:30	8:42	50:26	8:64	51
52	51:36	8:13	51:32	8:36	51:29	8:58	51:25	8:81	52
53	52:35	8:29	52:31	8:52	52:27	8:75	52:23	8:98	53
54	53:34	8:45	53:30	8:68	53:26	8:91	53:22	9:14	54
55	54:32	8:10	54:28	8:84	54:25	9:08	54:21	9:31	55
56	55:31	8:76	55:27	9:00	55:23	9:24	55:19	9:48	56
57	56:30	8:92	56:26	9:16	56:22	9:41	56:18	9:65	57
58	57:29	9:07	57:25	9:32	57:20	9:57	57:16	9:82	58
59	58:27	9:23	58:23	9:48	58:19	9:74	58:15	9:99	59
60	59:26	9:39	59:22	9:64	59:18	9:90	59:13	10:16	60
61	60:25	9:54	60:21	9:81	60:16	10:07	60:12	10:33	61
62	61:24	9:70	61:19	9:97	61:15	10:23	61:10	10:50	62
63	62:22	9:86	62:18	10:13	62:14	10:40	62:09	10:67	63
64	63:21	10:01	63:17	10:29	63:12	10:56	63:08	10:84	64
65	64:20	10:17	64:15	10:45	64:11	10:73	64:06	11:01	65
66	65:19	10:32	65:14	10:61	65:09	10:89	65:05	11:18	66
67	66:18	10:48	66:13	10:77	66:08	11:06	66:03	11:35	67
68	67:16	10:64	67:12	10:93	67:07	11:22	67:02	11:52	68
69	68:15	10:79	68:10	11:09	68:05	11:39	68:00	11:69	69
70	69:14	10:95	69:09	11:25	69:04	11:55	68:99	11:85	70
71	70:13	11:11	70:08	11:41	70:03	11:72	69:97	12:02	71
72	71:11	11:26	71:06	11:57	71:01	11:88	70:96	12:19	72
73	72:10	11:42	72:05	11:73	72:00	12:05	71:95	12:36	73
74	73:09	11:58	73:04	11:89	72:99	12:21	72:93	12:53	74
75	74:08	11:73	74:02	12:05	73:97	12:38	73:92	12:70	75
76	75:06	11:89	75:01	12:22	74:96	12:54	74:90	12:87	76
77	76:05	12:05	76:00	12:38	75:94	12:71	75:89	13:04	77
78	77:04	12:20	76:99	12:54	76:93	12:87	76:87	13:21	78
79	78:03	12:36	77:97	12:70	77:92	13:04	77:86	13:38	79
80	79:02	12:51	78:96	12:86	78:90	13:20	78:84	13:55	80
81	80:00	12:67	79:95	13:02	79:89	13:37	79:83	13:72	81
82	80:59	12:83	80:93	13:18	80:88	13:53	80:82	13:89	82
83	81:98	12:98	81:92	13:34	81:86	13:70	81:80	14:06	83
84	82:97	13:14	82:91	13:50	82:85	13:86	82:79	14:23	84
85	83:95	13:30	83:89	13:66	83:83	14:03	83:77	14:39	85
86	84:94	13:45	84:88	13:82	84:82	14:19	84:76	14:56	86
87	85:93	13:61	85:87	13:98	85:81	14:36	85:74	14:73	87
88	86:92	13:77	86:86	14:15	86:79	14:52	86:73	14:90	88
89	87:90	13:92	87:84	14:31	87:78	14:69	87:71	15:07	89
90	88:89	14:08	88:83	14:47	88:77	14:85	88:70	15:24	90
91	89:88	14:24	89:82	14:63	89:75	15:02	89:69	15:41	91
92	90:87	14:39	90:80	14:79	90:74	15:18	90:67	15:58	92
93	91:86	14:55	91:79	14:95	91:72	15:35	91:66	15:75	93
94	92:84	14:70	92:78	15:11	92:71	15:51	92:64	15:92	94
95	93:83	14:86	93:75	15:27	93:70	15:68	93:63	16:09	95
96	94:82	15:02	94:75	15:43	94:68	15:84	94:61	16:26	96
97	95:81	15:17	95:74	15:59	95:67	16:01	95:60	16:43	97
98	96:79	15:33	96:73	15:75	96:66	16:17	96:58	16:60	98
99	97:78	15:49	97:71	15:91	97:64	16:34	97:57	16:77	99
100	98:77	15:64	98:70	16:07	98:63	16:50	98:56	16:93	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	81 Deg.		80¾ Deg.		80½ Deg.		80¼ Deg.		

Distance.	10 Deg.		10¼ Deg.		10½ Deg.		10¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-98	0-17	0-98	0-18	0-96	0-18	0-98	0-19	1
2	1-97	0-35	1-97	0-36	1-97	0-36	1-96	0-37	2
3	2-95	0-52	2-95	0-53	2-95	0-55	2-95	0-56	3
4	3-94	0-09	3-94	0-71	3-93	0-73	3-93	0-75	4
5	4-92	0-87	4-92	0-89	4-92	0-91	4-91	0-93	5
6	5-91	1-04	5-90	1-07	5-90	1-09	5-89	1-12	6
7	6-89	1-22	6-89	1-25	6-88	1-28	6-88	1-31	7
8	7-88	1-39	7-87	1-42	7-87	1-46	7-86	1-49	8
9	8-86	1-56	8-86	1-60	8-85	1-64	8-84	1-68	9
10	9-85	1-74	9-84	1-78	9-83	1-82	9-82	1-87	10
11	10-83	1-91	10-82	1-96	10-82	2-00	10-81	2-05	11
12	11-82	2-08	11-81	2-14	11-80	2-19	11-79	2-24	12
13	12-80	2-26	12-79	2-31	12-78	2-37	12-77	2-42	13
14	13-79	2-43	13-78	2-49	13-77	2-55	13-75	2-61	14
15	14-77	2-60	14-76	2-67	14-75	2-73	14-74	2-80	15
16	15-76	2-78	15-74	2-85	15-73	2-92	15-72	2-98	16
17	16-74	2-95	16-73	3-03	16-72	3-10	16-70	3-17	17
18	17-73	3-13	17-71	3-20	17-70	3-28	17-68	3-36	18
19	18-71	3-30	18-70	3-38	18-68	3-46	18-67	3-54	19
20	19-70	3-47	19-68	3-56	19-67	3-64	19-65	3-73	20
21	20-68	3-65	20-66	3-74	20-65	3-83	20-63	3-92	21
22	21-67	3-82	21-65	3-91	21-63	4-01	21-61	4-10	22
23	22-65	3-99	22-63	4-09	22-61	4-19	22-60	4-29	23
24	23-64	4-17	23-62	4-27	23-60	4-37	23-58	4-48	24
25	24-62	4-34	24-60	4-45	24-58	4-56	24-56	4-66	25
26	25-61	4-51	25-59	4-53	25-56	4-74	25-54	4-85	26
27	26-59	4-69	26-57	4-80	26-55	4-92	26-53	5-04	27
28	27-57	4-86	27-55	4-98	27-53	5-10	27-51	5-22	28
29	28-56	5-04	28-54	5-16	28-51	5-28	28-49	5-41	29
30	29-54	5-21	29-52	5-34	29-50	5-47	29-47	5-60	30
31	30-53	5-38	30-51	5-52	30-48	5-65	30-46	5-78	31
32	31-51	5-56	31-49	5-69	31-46	5-83	31-44	5-97	32
33	32-50	5-73	32-47	5-87	32-45	6-01	32-42	6-16	33
34	33-48	5-90	33-46	6-05	33-43	6-20	33-40	6-34	34
35	34-47	6-08	34-44	6-23	34-41	6-38	34-39	6-53	35
36	35-45	6-25	35-43	6-41	35-40	6-56	35-37	6-71	36
37	36-44	6-42	36-41	6-58	36-38	6-74	36-35	6-90	37
38	37-42	6-60	37-39	6-76	37-36	6-92	37-33	7-09	38
39	38-41	6-77	38-38	6-94	38-35	7-11	38-32	7-27	39
40	39-39	6-95	39-36	7-12	39-33	7-29	39-30	7-46	40
41	40-38	7-12	40-35	7-30	40-31	7-47	40-28	7-65	41
42	41-36	7-29	41-33	7-47	41-30	7-65	41-26	7-83	42
43	42-35	7-47	42-31	7-65	42-28	7-84	42-25	8-02	43
44	43-33	7-64	43-30	7-83	43-26	8-02	43-23	8-21	44
45	44-32	7-81	44-28	8-01	44-25	8-20	44-21	8-39	45
46	45-30	7-99	45-27	8-19	45-23	8-38	45-19	8-58	46
47	46-29	8-16	46-25	8-36	46-21	8-57	46-18	8-77	47
48	47-27	8-34	47-23	8-54	47-20	8-75	47-16	8-95	48
49	48-26	8-51	48-22	8-72	48-18	8-93	48-14	9-14	49
50	49-24	8-68	49-20	8-90	49-16	9-11	49-12	9-33	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	80 Deg.		79¾ Deg.		79½ Deg.		79¼ Deg.		

Distance.	10 Deg.		10¼ Deg.		10½ Deg.		10¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	50-23	8-86	50-19	9-08	50-15	9-29	50-10	9-51	51
52	51-21	9-03	51-17	9-25	51-13	9-48	51-09	9-70	52
53	52-19	9-20	52-15	9-43	52-11	9-06	52-07	9-89	53
54	53-18	9-38	53-14	9-61	53-10	9-84	53-06	10-07	54
55	54-16	9-55	54-12	9-79	54-08	10-02	54-03	10-26	55
56	55-15	9-72	55-11	9-96	55-06	10-21	55-02	10-45	56
57	56-13	9-90	56-09	10-14	56-05	10-39	56-00	10-63	57
58	57-12	10-07	57-07	10-32	57-03	10-57	56-98	10-82	58
59	58-10	10-25	58-06	10-50	58-01	10-75	57-96	11-00	59
60	59-09	10-42	59-04	10-68	59-00	10-93	58-95	11-19	60
61	60-07	10-59	60-03	10-85	59-98	11-12	59-93	11-38	61
62	61-06	10-77	61-01	11-03	60-96	11-30	60-91	11-56	62
63	62-04	10-94	61-99	11-21	61-95	11-48	61-89	11-75	63
64	63-03	11-11	62-98	11-39	62-93	11-66	62-88	11-91	64
65	64-01	11-29	63-96	11-57	63-91	11-85	63-86	12-12	65
66	65-00	11-46	64-95	11-74	64-89	12-03	64-84	12-31	66
67	65-98	11-63	65-93	11-92	65-88	12-21	65-82	12-60	67
68	66-97	11-81	66-91	12-10	66-86	12-39	66-81	12-68	68
69	67-95	11-98	67-90	12-28	67-84	12-57	67-79	12-87	69
70	68-94	12-16	68-88	12-46	68-83	12-76	68-77	13-06	70
71	69-92	12-33	69-87	12-63	69-81	12-94	69-75	13-24	71
72	70-91	12-50	70-85	12-81	70-79	13-12	70-74	13-43	72
73	71-89	12-68	71-83	12-99	71-78	13-30	71-72	13-62	73
74	72-88	12-85	72-82	13-17	72-76	13-49	72-70	13-80	74
75	73-86	13-02	73-80	13-35	73-74	13-67	73-68	13-99	75
76	74-85	13-20	74-79	13-52	74-73	13-85	74-67	14-18	76
77	75-83	13-37	75-77	13-70	75-71	14-03	75-65	14-36	77
78	76-82	13-54	76-76	13-88	76-69	14-21	76-63	14-55	78
79	77-80	13-72	77-74	14-06	77-68	14-40	77-61	14-74	79
80	78-78	13-89	78-72	14-24	78-66	14-58	78-60	14-92	80
81	79-77	14-07	79-71	14-41	79-64	14-76	79-58	15-11	81
82	80-75	14-24	80-69	14-59	80-63	14-94	80-56	15-29	82
83	81-74	14-41	81-68	14-77	81-61	15-13	81-54	15-48	83
84	82-72	14-59	82-66	14-95	82-59	15-31	82-53	15-67	84
85	83-71	14-76	83-64	15-13	83-58	15-49	83-51	15-85	85
86	84-69	14-93	84-63	15-30	84-56	15-67	84-49	16-04	86
87	85-68	15-11	85-61	15-48	85-54	15-85	85-47	16-23	87
88	86-66	15-28	86-60	15-66	86-53	16-04	86-46	16-41	88
89	87-65	15-45	87-58	15-84	87-51	16-22	87-44	16-60	89
90	88-63	15-63	88-56	16-01	88-49	16-40	88-42	16-79	90
91	89-62	15-80	89-55	16-19	89-48	16-58	89-40	16-97	91
92	90-60	15-98	90-53	16-37	90-46	16-77	90-39	17-16	92
93	91-59	16-15	91-52	16-55	91-44	16-95	91-37	17-35	93
94	92-57	16-32	92-50	16-73	92-43	17-13	92-35	17-53	94
95	93-56	16-50	93-48	16-90	93-41	17-31	93-33	17-72	95
96	94-54	16-67	94-47	17-08	94-39	17-49	94-32	17-91	96
97	95-53	16-84	95-45	17-26	95-38	17-68	95-30	18-09	97
98	96-51	17-02	96-44	17-44	96-36	17-86	96-28	18-28	98
99	97-50	17-19	97-42	17-62	97-34	18-04	97-26	18-47	99
100	98-48	17-36	98-40	17-79	98-33	18-22	98-25	18-65	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	80 Deg.		79¾ Deg.		79½ Deg.		79¼ Deg.		

Distance.	11 Deg.		11¼ Deg.		11½ Deg.		11¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-98	0-19	0-08	0-23	0-98	0-20	0-98	0-20	1
2	1-96	0-38	1-96	0-39	1-96	0-40	1-96	0-41	2
3	2-94	0-57	2-94	0-59	2-94	0-60	2-94	0-61	3
4	3-93	0-76	3-92	0-78	3-92	0-80	3-92	0-82	4
5	4-91	0-95	4-90	0-98	4-90	1-00	4-90	1-02	5
6	5-89	1-14	5-88	1-17	5-88	1-20	5-87	1-22	6
7	6-87	1-34	6-87	1-37	6-86	1-40	6-85	1-43	7
8	7-85	1-53	7-85	1-56	7-84	1-59	7-83	1-63	8
9	8-83	1-72	8-83	1-76	8-82	1-79	8-81	1-83	9
10	9-82	1-91	9-81	1-95	9-80	1-99	9-79	2-04	10
11	10-80	2-10	10-79	2-15	10-78	2-19	10-77	2-24	11
12	11-78	2-29	11-77	2-34	11-76	2-39	11-75	2-44	12
13	12-76	2-48	12-75	2-54	12-74	2-59	12-73	2-65	13
14	13-74	2-67	13-73	2-73	13-72	2-79	13-71	2-85	14
15	14-72	2-87	14-71	2-93	14-70	2-99	14-69	3-06	15
16	15-71	3-05	15-69	3-12	15-68	3-19	15-66	3-26	16
17	16-69	3-24	16-67	3-32	16-66	3-39	16-64	3-46	17
18	17-67	3-43	17-65	3-51	17-64	3-59	17-62	3-66	18
19	18-65	3-63	18-63	3-71	18-62	3-79	18-60	3-87	19
20	19-63	3-82	19-62	3-90	19-60	3-99	19-58	4-07	20
21	20-61	4-01	20-60	4-10	20-58	4-19	20-56	4-28	21
22	21-60	4-20	21-58	4-29	21-56	4-39	21-54	4-48	22
23	22-58	4-39	22-56	4-49	22-54	4-59	22-52	4-68	23
24	23-56	4-58	23-54	4-68	23-52	4-78	23-50	4-89	24
25	24-54	4-77	24-52	4-88	24-50	4-98	24-48	5-09	25
26	25-52	4-96	25-50	5-07	25-48	5-18	25-46	5-30	26
27	26-50	5-15	26-48	5-27	26-46	5-38	26-43	5-50	27
28	27-49	5-34	27-46	5-46	27-44	5-58	27-41	5-70	28
29	28-47	5-53	28-44	5-66	28-42	5-78	28-39	5-91	29
30	29-45	5-72	29-42	5-85	29-40	5-98	29-37	6-11	30
31	30-43	5-92	30-40	6-05	30-38	6-18	30-35	6-31	31
32	31-41	6-11	31-39	6-24	31-36	6-38	31-33	6-52	32
33	32-39	6-30	32-37	6-44	32-34	6-58	32-31	6-72	33
34	33-38	6-49	33-35	6-63	33-32	6-78	33-29	6-92	34
35	34-36	6-68	34-33	6-83	34-30	6-98	34-27	7-13	35
36	35-34	6-87	35-31	7-02	35-28	7-18	35-25	7-33	36
37	36-32	7-06	36-29	7-22	36-26	7-38	36-22	7-53	37
38	37-30	7-25	37-27	7-41	37-24	7-58	37-20	7-74	38
39	38-28	7-44	38-25	7-61	38-22	7-78	38-18	7-94	39
40	39-27	7-63	39-23	7-80	39-20	7-97	39-16	8-15	40
41	40-25	7-82	40-21	8-00	40-18	8-17	40-14	8-35	41
42	41-23	8-01	41-19	8-19	41-16	8-37	41-12	8-55	42
43	42-21	8-20	42-17	8-39	42-14	8-57	42-10	8-76	43
44	43-19	8-40	43-15	8-58	43-12	8-77	43-08	8-96	44
45	44-17	8-59	44-14	8-78	44-10	8-97	44-06	9-18	45
46	45-15	8-78	45-12	8-97	45-08	9-17	45-04	9-37	46
47	46-14	8-97	46-10	9-17	46-06	9-37	46-02	9-57	47
48	47-12	9-16	47-08	9-36	47-04	9-57	47-00	9-78	48
49	48-10	9-35	48-06	9-56	48-02	9-77	47-97	9-98	49
50	49-08	9-54	49-04	9-75	49-00	9-97	48-95	10-18	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	79 Deg.		78¾ Deg.		78½ Deg.		78¼ Deg.		

TRAVERSE TABLE.

Distance.	11 Deg.		11¼ Deg.		11½ Deg.		11¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	50:00	9:73	50:02	9:35	50:08	10:17	50:13	10:39	51
52	51:04	9:52	51:00	10:14	50:56	10:37	50:51	10:59	52
53	52:03	10:11	51:58	10:34	51:54	10:57	51:89	10:79	53
54	53:11	10:30	52:56	10:53	52:52	10:77	52:87	11:00	54
55	53:59	10:49	53:54	10:73	53:50	10:97	53:85	11:20	55
56	54:57	10:69	54:52	10:93	54:88	11:16	54:83	11:40	56
57	55:35	10:83	55:30	11:12	55:86	11:36	55:81	11:61	57
58	55:33	11:07	56:89	11:32	56:84	11:56	56:78	11:81	58
59	57:92	11:26	57:87	11:51	57:82	11:76	57:76	12:01	59
60	58:90	11:45	58:85	11:71	58:80	11:96	58:74	12:22	60
61	59:88	11:64	59:83	11:90	59:78	12:16	59:72	12:42	61
62	60:86	11:83	60:81	12:10	60:76	12:36	60:70	12:63	62
63	61:84	12:02	61:79	12:29	61:74	12:56	61:68	12:83	63
64	62:82	12:21	62:77	12:49	62:72	12:76	62:66	13:03	64
65	63:81	12:40	63:75	12:68	63:70	12:96	63:64	13:24	65
66	64:79	12:59	64:73	12:88	64:68	13:16	64:62	13:44	66
67	65:77	12:78	65:71	13:07	65:66	13:36	65:60	13:64	67
68	66:75	12:98	66:69	13:27	66:63	13:56	66:58	13:85	68
69	67:73	13:17	67:67	13:46	67:61	13:76	67:55	14:05	69
70	68:71	13:36	68:66	13:66	68:59	13:96	68:53	14:25	70
71	69:70	13:55	69:64	13:85	69:57	14:16	69:51	14:46	71
72	70:68	13:74	70:62	14:05	70:55	14:35	70:49	14:66	72
73	71:66	13:93	71:60	14:24	71:53	14:55	71:47	14:87	73
74	72:64	14:12	72:58	14:44	72:51	14:75	72:45	15:07	74
75	73:62	14:31	73:56	14:63	73:49	14:95	73:43	15:27	75
76	74:60	14:50	74:54	14:83	74:47	15:15	74:41	15:48	76
77	75:59	14:69	75:52	15:02	75:45	15:35	75:39	15:68	77
78	76:57	14:88	76:50	15:22	76:43	15:55	76:37	15:88	78
79	77:55	15:07	77:48	15:41	77:41	15:75	77:34	16:09	79
80	78:53	15:26	78:46	15:61	78:39	15:95	78:32	16:29	80
81	79:51	15:46	79:44	15:80	79:37	16:15	79:30	16:49	81
82	80:49	15:65	80:42	16:00	80:35	16:35	80:28	16:70	82
83	81:48	15:84	81:41	16:19	81:33	16:55	81:26	16:90	83
84	82:46	16:03	82:39	16:39	82:31	16:75	82:24	17:11	84
85	83:44	16:22	83:37	16:58	83:29	16:95	83:22	17:31	85
86	84:42	16:41	84:35	16:78	84:27	17:15	84:20	17:51	86
87	85:40	16:60	85:33	16:97	85:25	17:35	85:18	17:72	87
88	86:38	16:79	86:31	17:17	86:23	17:54	86:16	17:92	88
89	87:36	16:98	87:29	17:36	87:21	17:74	87:14	18:12	89
90	88:35	17:17	88:27	17:56	88:19	17:94	88:11	18:33	90
91	89:33	17:36	89:25	17:75	89:17	18:14	89:09	18:53	91
92	90:31	17:55	90:23	17:95	90:15	18:34	90:07	18:74	92
93	91:29	17:75	91:21	18:14	91:13	18:54	91:05	18:94	93
94	92:27	17:94	92:19	18:34	92:11	18:74	92:03	19:14	94
95	93:25	18:13	93:17	18:53	93:09	18:94	93:01	19:35	95
96	94:23	18:32	94:16	18:73	94:07	19:14	94:00	19:55	96
97	95:22	18:51	95:14	18:92	95:05	19:34	95:07	19:75	97
98	96:20	18:70	96:12	19:12	96:03	19:54	96:05	19:96	98
99	97:18	18:89	97:10	19:31	97:01	19:74	97:03	20:16	99
100	98:16	19:08	98:08	19:51	97:59	19:94	97:01	20:36	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	79 Deg.		78¾ Deg.		78½ Deg.		78¼ Deg.		

TRAVERSE TABLE

Distance.	12 Deg.		12¼ Deg.		12½ Deg.		12¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-08	0-21	0-08	0-21	0-08	0-22	0-08	0-22	1
2	1-06	0-42	1-05	0-42	1-05	0-43	1-05	0-44	2
3	2-03	0-62	2-03	0-64	2-03	0-65	2-03	0-66	3
4	3-01	0-83	3-01	0-85	3-01	0-87	3-00	0-88	4
5	4-89	1-04	4-89	1-06	4-88	1-08	4-88	1-10	5
6	5-87	1-25	5-86	1-27	5-86	1-30	5-85	1-32	6
7	6-85	1-46	6-84	1-49	6-83	1-52	6-83	1-54	7
8	7-83	1-66	7-82	1-70	7-81	1-73	7-80	1-77	8
9	8-80	1-87	8-80	1-91	8-79	1-95	8-78	1-99	9
10	9-78	2-08	9-77	2-12	9-76	2-16	9-75	2-21	10
11	10-76	2-29	10-75	2-33	10-74	2-38	10-73	2-43	11
12	11-74	2-49	11-73	2-55	11-72	2-60	11-70	2-65	12
13	12-72	2-70	12-70	2-76	12-69	2-81	12-68	2-87	13
14	13-69	2-91	13-68	2-97	13-67	3-03	13-65	3-09	14
15	14-67	3-12	14-66	3-18	14-64	3-25	14-63	3-31	15
16	15-65	3-33	15-64	3-39	15-62	3-46	15-61	3-53	16
17	16-63	3-53	16-61	3-61	16-60	3-68	16-58	3-75	17
18	17-61	3-74	17-59	3-82	17-57	3-90	17-56	3-97	18
19	18-58	3-95	18-57	4-03	18-55	4-11	18-53	4-19	19
20	19-56	4-16	19-54	4-24	19-53	4-33	19-51	4-41	20
21	20-54	4-37	20-52	4-46	20-50	4-55	20-48	4-63	21
22	21-52	4-57	21-50	4-67	21-48	4-76	21-46	4-86	22
23	22-50	4-78	22-48	4-88	22-45	4-98	22-43	5-08	23
24	23-48	4-99	23-45	5-09	23-43	5-19	23-41	5-30	24
25	24-45	5-20	24-43	5-30	24-41	5-41	24-38	5-52	25
26	25-43	5-41	25-41	5-52	25-38	5-63	25-36	5-74	26
27	26-41	5-61	26-39	5-73	26-36	5-84	26-33	5-96	27
28	27-39	5-82	27-36	5-94	27-34	6-06	27-31	6-18	28
29	28-37	6-03	28-34	6-15	28-31	6-28	28-28	6-40	29
30	29-34	6-24	29-32	6-37	29-29	6-49	29-26	6-62	30
31	30-32	6-45	30-29	6-58	30-27	6-71	30-24	6-84	31
32	31-30	6-65	31-27	6-79	31-24	6-93	31-21	7-06	32
33	32-28	6-86	32-25	7-00	32-22	7-14	32-19	7-28	33
34	33-26	7-07	33-23	7-21	33-19	7-36	33-16	7-50	34
35	34-24	7-28	34-20	7-43	34-17	7-58	34-14	7-72	35
36	35-21	7-48	35-18	7-64	35-15	7-79	35-11	7-95	36
37	36-19	7-69	36-16	7-85	36-12	8-01	36-09	8-17	37
38	37-17	7-90	37-13	8-06	37-10	8-22	37-06	8-39	38
39	38-15	8-11	38-11	8-27	38-08	8-44	38-04	8-61	39
40	39-13	8-32	39-09	8-49	39-05	8-66	39-01	8-83	40
41	40-10	8-52	40-07	8-70	40-03	8-87	39-99	9-05	41
42	41-08	8-73	41-04	8-91	41-00	9-09	40-96	9-27	42
43	42-06	8-94	42-02	9-12	41-98	9-31	41-94	9-49	43
44	43-04	9-15	43-00	9-34	42-96	9-52	42-92	9-71	44
45	44-02	9-36	43-98	9-55	43-92	9-74	43-89	9-93	45
46	44-59	9-56	44-95	9-76	44-91	9-96	44-87	10-15	46
47	45-97	9-77	45-93	9-97	45-89	10-17	45-84	10-37	47
48	46-95	9-98	46-91	10-18	46-86	10-39	46-82	10-59	48
49	47-93	10-19	47-88	10-40	47-84	10-61	47-79	10-81	49
50	48-91	10-40	48-86	10-61	48-81	10-82	48-77	11-03	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	78 Deg.		77¾ Deg.		77½ Deg.		77¼ Deg.		

Distance.	12 Deg.		12¼ Deg.		12½ Deg.		12¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	49-59	10-00	49-54	10-02	49-79	11-04	49-74	11-26	51
52	50-56	10-81	50-52	11-03	50-77	11-25	50-72	11-48	52
53	51-54	11-02	51-79	11-25	51-74	11-47	51-69	11-70	53
54	52-52	11-23	52-77	11-46	52-72	11-69	52-67	11-92	54
55	53-50	11-44	53-75	11-67	53-70	11-90	53-64	12-14	55
56	54-78	11-64	54-72	11-88	54-67	12-12	54-62	12-36	56
57	55-75	11-85	55-70	12-09	55-65	12-34	55-59	12-58	57
58	56-73	12-06	56-68	12-31	56-63	12-55	56-57	12-80	58
59	57-71	12-27	57-66	12-52	57-60	12-77	57-55	13-02	59
60	58-69	12-47	58-63	12-73	58-58	12-99	58-52	13-24	60
61	59-67	12-68	59-61	12-94	59-55	13-20	59-50	13-46	61
62	60-65	12-89	60-59	13-16	60-53	13-42	60-47	13-68	62
63	61-62	13-10	61-57	13-37	61-51	13-64	61-45	13-90	63
64	62-60	13-31	62-54	13-58	62-48	13-85	62-42	14-12	64
65	63-58	13-51	63-52	13-79	63-46	14-07	63-40	14-35	65
66	64-56	13-72	64-50	14-00	64-44	14-29	64-37	14-57	66
67	65-54	13-93	65-47	14-22	65-41	14-50	65-35	14-79	67
68	66-51	14-14	66-45	14-43	66-39	14-72	66-32	15-01	68
69	67-49	14-35	67-43	14-64	67-36	14-93	67-30	15-23	69
70	68-47	14-55	68-41	14-85	68-34	15-15	68-27	15-45	70
71	69-45	14-76	69-38	15-06	69-32	15-37	69-25	15-67	71
72	70-43	14-97	70-36	15-28	70-29	15-58	70-22	15-89	72
73	71-40	15-18	71-34	15-49	71-27	15-80	71-20	16-11	73
74	72-38	15-39	72-32	15-70	72-25	16-02	72-18	16-33	74
75	73-36	15-59	73-29	15-91	73-22	16-23	73-16	16-55	75
76	74-34	15-80	74-27	16-13	74-20	16-45	74-13	16-77	76
77	75-32	16-01	75-25	16-34	75-17	16-67	75-10	16-99	77
78	76-30	16-22	76-22	16-55	76-15	16-88	76-08	17-21	78
79	77-27	16-43	77-20	16-76	77-13	17-10	77-05	17-44	79
80	78-25	16-63	78-18	16-97	78-10	17-32	78-03	17-66	80
81	79-23	16-84	79-16	17-19	79-08	17-53	79-00	17-88	81
82	80-21	17-05	80-13	17-40	80-06	17-75	79-98	18-10	82
83	81-19	17-26	81-11	17-61	81-03	17-96	80-95	18-32	83
84	82-16	17-46	82-09	17-82	82-01	18-18	81-93	18-54	84
85	83-14	17-67	83-06	18-04	82-99	18-40	82-90	18-76	85
86	84-12	17-88	84-04	18-25	83-96	18-61	83-88	18-98	86
87	85-10	18-09	85-02	18-46	84-94	18-83	84-85	19-20	87
88	86-08	18-30	86-00	18-67	85-91	19-05	85-83	19-42	88
89	87-06	18-50	86-97	18-88	86-89	19-26	86-81	19-64	89
90	88-03	18-71	87-95	19-10	87-87	19-48	87-78	19-86	90
91	89-01	18-92	88-93	19-31	88-84	19-70	88-76	20-08	91
92	89-99	19-13	89-91	19-52	89-82	19-91	89-73	20-30	92
93	90-97	19-34	90-88	19-73	90-80	20-13	90-71	20-52	93
94	91-95	19-54	91-86	19-94	91-77	20-35	91-68	20-75	94
95	92-92	19-75	92-84	20-16	92-75	20-56	92-66	20-97	95
96	93-90	19-96	93-81	20-37	93-72	20-78	93-63	21-19	96
97	94-88	20-17	94-79	20-58	94-70	20-99	94-61	21-41	97
98	95-86	20-38	95-77	20-79	95-68	21-21	95-58	21-63	98
99	96-84	20-58	96-75	21-01	96-65	21-43	96-56	21-85	99
100	97-81	20-79	97-72	21-22	97-63	21-64	97-53	22-07	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	78 Deg.		77¾ Deg.		77½ Deg.		77¼ Deg.		

TRAVERSE TABLE.

Distance.	13 Deg.		13¼ Deg.		13½ Deg.		13¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-97	0-23	0-97	0-23	0-97	0-23	0-97	0-24	1
2	1-95	0-45	1-95	0-46	1-95	0-47	1-94	0-48	2
3	2-92	0-7	2-92	0-9	2-92	0-79	2-91	0-71	3
4	3-90	0-96	3-89	0-92	3-89	0-93	3-89	0-95	4
5	4-87	1-12	4-87	1-15	4-86	1-17	4-86	1-19	5
6	5-85	1-35	5-84	1-38	5-83	1-43	5-83	1-43	6
7	6-82	1-57	6-81	1-60	6-81	1-63	6-80	1-66	7
8	7-80	1-80	7-79	1-83	7-78	1-87	7-77	1-90	8
9	8-77	2-02	8-76	2-06	8-75	2-10	8-74	2-14	9
10	9-74	2-25	9-73	2-29	9-72	2-33	9-71	2-38	10
11	10-72	2-47	10-71	2-52	10-70	2-57	10-68	2-61	11
12	11-69	2-70	11-68	2-75	11-67	2-80	11-66	2-85	12
13	12-67	2-92	12-65	2-98	12-64	3-03	12-63	3-09	13
14	13-64	3-15	13-63	3-21	13-61	3-27	13-60	3-33	14
15	14-62	3-37	14-60	3-44	14-59	3-50	14-57	3-57	15
16	15-59	3-60	15-57	3-67	15-56	3-74	15-54	3-80	16
17	16-57	3-82	16-56	3-90	16-53	3-97	16-51	4-04	17
18	17-54	4-05	17-52	4-13	17-50	4-20	17-48	4-28	18
19	18-51	4-27	18-49	4-35	18-48	4-44	18-46	4-52	19
20	19-49	4-50	19-47	4-58	19-46	4-67	19-43	4-75	20
21	20-46	4-72	20-44	4-81	20-42	4-90	20-40	4-99	21
22	21-44	4-95	21-41	5-01	21-39	5-11	21-37	5-23	22
23	22-41	5-17	22-39	5-27	22-36	5-37	22-34	5-47	23
24	23-38	5-40	23-36	5-50	23-34	5-60	23-31	5-70	24
25	24-36	5-62	24-33	5-75	24-31	5-84	24-28	5-94	25
26	25-33	5-85	25-31	5-96	25-28	6-07	25-25	6-18	26
27	26-31	6-07	26-28	6-13	26-25	6-30	26-23	6-42	27
28	27-28	6-30	27-25	6-42	27-23	6-54	27-20	6-66	28
29	28-26	6-52	28-23	6-55	28-20	6-77	28-17	6-89	29
30	29-23	6-75	29-20	6-88	29-17	7-00	29-14	7-13	30
31	30-21	6-97	30-17	7-11	30-14	7-24	30-11	7-37	31
32	31-18	7-20	31-15	7-33	31-12	7-47	31-08	7-61	32
33	32-15	7-42	32-12	7-56	32-09	7-70	32-05	7-84	33
34	33-13	7-65	33-09	7-79	33-06	7-94	33-03	8-08	34
35	34-10	7-87	34-07	8-02	34-03	8-17	34-00	8-32	35
36	35-08	8-10	35-04	8-25	35-01	8-40	34-97	8-56	36
37	36-05	8-32	36-02	8-48	35-98	8-64	35-94	8-79	37
38	37-03	8-55	36-99	8-71	36-95	8-87	36-91	9-03	38
39	38-00	8-77	37-96	8-94	37-92	9-10	37-88	9-27	39
40	38-97	9-00	38-94	9-17	38-89	9-34	38-85	9-51	40
41	39-95	9-22	39-91	9-40	39-87	9-57	39-83	9-75	41
42	40-92	9-45	40-88	9-63	40-84	9-80	40-80	9-93	42
43	41-90	9-67	41-86	9-86	41-81	10-04	41-77	10-22	43
44	42-87	9-90	42-83	10-08	42-78	10-27	42-74	10-46	44
45	43-85	10-12	43-80	10-31	43-76	10-51	43-71	10-69	45
46	44-82	10-35	44-78	10-54	44-73	10-74	44-68	10-93	46
47	45-80	10-57	45-75	10-77	45-70	10-97	45-65	11-17	47
48	46-77	10-80	46-72	11-00	46-67	11-21	46-62	11-41	48
49	47-74	11-02	47-70	11-23	47-65	11-44	47-60	11-65	49
50	48-72	11-25	48-67	11-46	48-62	11-67	48-57	11-88	50
Distance.	77 Deg.		76¾ Deg.		76½ Deg.		76¼ Deg.		Distance.
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	

Distance.	13 Deg.		13¼ Deg.		13½ Deg.		13¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	49:59	11:47	49:54	11:49	49:59	11:51	49:54	11:47	51
52	50:57	11:50	50:52	11:52	50:56	11:54	50:51	11:50	52
53	51:54	11:52	51:49	11:55	51:54	11:57	51:49	11:52	53
54	52:52	12:15	52:46	12:18	52:51	12:21	52:46	12:15	54
55	53:59	12:37	53:54	12:41	53:58	12:34	53:53	12:37	55
56	54:56	12:50	54:51	12:54	54:55	12:57	54:50	12:50	56
57	55:54	12:52	55:48	12:56	55:53	12:59	55:48	12:52	57
58	56:51	13:05	56:46	13:09	56:50	13:11	56:45	13:05	58
59	57:49	13:27	57:43	13:32	57:47	13:24	57:42	13:27	59
60	58:46	13:50	58:40	13:55	58:44	13:57	58:38	13:50	60
61	59:44	13:72	59:38	13:58	59:41	14:01	59:36	13:72	61
62	60:41	13:55	60:35	14:01	60:39	14:07	60:34	13:55	62
63	61:39	14:17	61:32	14:14	61:36	14:21	61:31	14:17	63
64	62:36	14:40	62:30	14:47	62:33	14:54	62:27	14:40	64
65	63:33	14:62	63:27	14:50	63:29	14:57	63:24	14:55	65
66	64:31	14:85	64:24	15:13	64:28	15:41	64:23	14:85	66
67	65:28	15:07	65:22	15:36	65:25	15:54	65:20	15:07	67
68	66:26	15:30	66:19	15:59	66:21	16:27	66:16	15:30	68
69	67:23	15:52	67:15	16:31	67:19	16:54	67:14	15:52	69
70	68:21	15:75	68:14	16:54	68:17	17:21	68:12	15:75	70
71	69:18	15:57	69:11	16:27	69:14	16:57	69:09	15:57	71
72	70:15	16:20	70:08	16:50	70:11	16:81	70:06	16:20	72
73	71:13	16:42	71:06	16:73	70:98	17:04	70:93	16:42	73
74	72:10	16:65	72:03	16:96	72:06	17:28	72:01	16:65	74
75	73:08	16:87	73:00	17:19	73:03	17:50	72:58	16:87	75
76	74:05	17:10	73:98	17:42	73:99	17:74	73:92	17:10	76
77	75:03	17:32	74:95	17:65	74:87	17:98	74:79	17:32	77
78	76:00	17:55	75:92	17:88	75:84	18:21	75:76	17:55	78
79	76:98	17:77	76:90	18:11	76:82	18:44	76:74	17:77	79
80	77:95	18:00	77:87	18:34	77:79	18:68	77:71	18:00	80
81	78:92	18:22	78:84	18:57	78:76	18:91	78:68	18:22	81
82	79:89	18:45	79:82	18:79	79:73	19:14	79:65	18:45	82
83	80:87	18:67	80:79	19:02	80:71	19:38	80:62	18:67	83
84	81:85	18:90	81:76	19:25	81:68	19:61	81:59	18:90	84
85	82:82	19:12	82:74	19:48	82:65	19:84	82:56	19:12	85
86	83:80	19:35	83:71	19:71	83:62	20:08	83:54	19:35	86
87	84:77	19:57	84:68	19:94	84:60	20:31	84:51	19:57	87
88	85:74	19:80	85:66	20:17	85:57	20:54	85:48	19:80	88
89	86:72	20:02	86:63	20:49	86:54	20:78	86:45	20:02	89
90	87:69	20:25	87:60	20:63	87:51	21:01	87:42	20:25	90
91	88:67	20:47	88:58	20:86	88:49	21:24	88:40	20:47	91
92	89:64	20:70	89:55	21:09	89:46	21:48	89:36	20:70	92
93	90:62	20:92	90:52	21:32	90:43	21:71	90:33	20:92	93
94	91:59	21:15	91:50	21:54	91:40	21:94	91:31	21:15	94
95	92:57	21:37	92:47	21:77	92:38	22:18	92:28	21:37	95
96	93:54	21:60	93:44	22:00	93:35	22:41	93:25	22:52	96
97	94:51	21:82	94:42	22:23	94:32	22:64	94:22	22:06	97
98	95:49	22:05	95:39	22:46	95:29	22:88	95:19	22:29	98
99	96:46	22:27	96:36	22:69	96:26	23:11	96:16	22:53	99
100	97:44	22:50	97:34	22:92	97:24	23:34	97:13	23:17	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	77 Deg.		76¾ Deg.		76½ Deg.		76¼ Deg.		

Distance.	14 Deg.		14¼ Deg.		14½ Deg.		14¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-97	0-24	0-97	0-25	0-97	0-25	0-97	0-25	1
2	1-94	0-48	1-94	0-49	1-94	0-50	1-93	0-51	2
3	2-91	0-73	2-91	0-74	2-90	0-75	2-30	0-76	3
4	3-88	0-97	3-88	0-98	3-87	1-00	3-57	1-02	4
5	4-85	1-21	4-85	1-23	4-84	1-25	4-84	1-27	5
6	5-82	1-45	5-82	1-48	5-81	1-50	5-80	1-53	6
7	6-79	1-69	6-78	1-72	6-78	1-75	6-77	1-78	7
8	7-76	1-94	7-75	1-97	7-75	2-00	7-74	2-04	8
9	8-73	2-18	8-72	2-22	8-71	2-25	8-70	2-29	9
10	9-70	2-42	9-69	2-46	9-68	2-50	9-67	2-55	10
11	10-67	2-66	10-66	2-71	10-65	2-75	10-64	2-80	11
12	11-64	2-90	11-63	2-95	11-62	3-00	11-60	3-06	12
13	12-61	3-15	12-60	3-20	12-59	3-25	12-57	3-31	13
14	13-58	3-39	13-57	3-45	13-55	3-51	13-54	3-56	14
15	14-55	3-63	14-54	3-69	14-52	3-76	14-51	3-82	15
16	15-52	3-87	15-51	3-94	15-49	4-01	15-47	4-07	16
17	16-50	4-11	16-48	4-18	16-46	4-26	16-44	4-33	17
18	17-47	4-35	17-45	4-43	17-43	4-51	17-41	4-58	18
19	18-44	4-60	18-42	4-68	18-39	4-76	18-37	4-84	19
20	19-41	4-84	19-38	4-92	19-36	5-01	19-34	5-09	20
21	20-38	5-08	20-35	5-17	20-33	5-26	20-31	5-35	21
22	21-35	5-32	21-32	5-42	21-30	5-51	21-28	5-60	22
23	22-32	5-56	22-29	5-66	22-27	5-76	22-24	5-86	23
24	23-29	5-81	23-26	5-91	23-24	6-01	23-21	6-11	24
25	24-26	6-05	24-23	6-15	24-20	6-26	24-18	6-37	25
26	25-23	6-29	25-20	6-40	25-17	6-51	25-14	6-62	26
27	26-20	6-53	26-17	6-65	26-14	6-76	26-11	6-87	27
28	27-17	6-77	27-14	6-89	27-11	7-01	27-08	7-13	28
29	28-14	7-02	28-11	7-14	28-08	7-26	28-04	7-38	29
30	29-11	7-26	29-08	7-38	29-04	7-51	29-01	7-64	30
31	30-08	7-50	30-05	7-63	30-01	7-76	29-98	7-89	31
32	31-05	7-74	31-02	7-88	30-98	8-01	30-95	8-15	32
33	32-02	7-98	31-98	8-12	31-95	8-26	31-91	8-40	33
34	32-99	8-23	32-95	8-37	32-92	8-51	32-88	8-66	34
35	33-96	8-47	33-92	8-62	33-89	8-76	33-85	8-91	35
36	34-93	8-71	34-89	8-86	34-85	9-01	34-81	9-17	36
37	35-90	8-95	35-86	9-11	35-82	9-26	35-78	9-32	37
38	36-87	9-19	36-83	9-35	36-79	9-51	36-75	9-67	38
39	37-84	9-44	37-80	9-60	37-76	9-76	37-71	9-93	39
40	38-81	9-68	38-77	9-85	38-73	10-02	38-68	10-18	40
41	39-78	9-92	39-74	10-09	39-69	10-27	39-65	10-44	41
42	40-75	10-16	40-71	10-34	40-66	10-52	40-62	10-69	42
43	41-72	10-40	41-68	10-58	41-63	10-77	41-58	10-95	43
44	42-69	10-64	42-65	10-83	42-60	11-02	42-55	11-20	44
45	43-66	10-89	43-62	11-08	43-57	11-27	43-52	11-45	45
46	44-63	11-13	44-58	11-32	44-53	11-52	44-48	11-71	46
47	45-60	11-37	45-55	11-57	45-50	11-77	45-45	11-97	47
48	46-57	11-61	46-52	11-82	46-47	12-02	46-42	12-22	48
49	47-54	11-85	47-49	12-06	47-44	12-27	47-39	12-48	49
50	48-51	12-10	48-46	12-31	48-41	12-52	48-35	12-73	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	76 Deg		75¾ Deg.		75½ Deg.		75¼ Deg.		

Distance.	14 Deg.		14¼ Deg.		14½ Deg.		14¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	49-49	12-34	49-43	12-55	49-38	12-77	49-32	12-98	51
52	50-46	12-58	50-40	12-80	50-34	13-02	50-29	13-24	52
53	51-43	12-82	51-37	13-05	51-31	13-27	51-25	13-49	53
54	52-40	13-06	52-34	13-29	52-28	13-52	52-22	13-75	54
55	53-37	13-31	53-31	13-54	53-25	13-77	53-19	14-00	55
56	54-34	13-55	54-28	13-78	54-22	14-02	54-15	14-26	56
57	55-31	13-79	55-25	14-03	55-18	14-27	55-12	14-51	57
58	56-28	14-03	56-22	14-28	56-15	14-52	56-09	14-77	58
59	57-25	14-27	57-18	14-52	57-12	14-77	57-06	15-02	59
60	58-22	14-52	58-15	14-77	58-09	15-02	58-02	15-28	60
61	59-19	14-76	59-12	15-02	59-06	15-27	58-99	15-53	61
62	60-16	15-00	60-09	15-26	60-03	15-52	59-96	15-79	62
63	61-13	15-24	61-06	15-51	60-99	15-77	60-92	16-04	63
64	62-10	15-48	62-03	15-75	61-96	16-02	61-89	16-29	64
65	63-07	15-72	63-00	16-00	62-93	16-27	62-86	16-55	65
66	64-04	15-97	63-97	16-25	63-90	16-53	63-83	16-80	66
67	65-01	16-21	64-94	16-49	64-87	16-78	64-79	17-06	67
68	65-98	16-45	65-91	16-74	65-83	17-03	65-76	17-31	68
69	66-95	16-69	66-88	16-98	66-80	17-28	66-73	17-57	69
70	67-92	16-93	67-85	17-23	67-77	17-53	67-69	17-82	70
71	68-89	17-18	68-82	17-48	68-74	17-78	68-66	18-08	71
72	69-86	17-42	69-78	17-72	69-71	18-03	69-63	18-33	72
73	70-83	17-66	70-75	17-97	70-67	18-28	70-59	18-59	73
74	71-80	17-90	71-72	18-22	71-64	18-53	71-56	18-84	74
75	72-77	18-14	72-69	18-46	72-61	18-78	72-53	19-10	75
76	73-74	18-39	73-66	18-71	73-58	19-03	73-50	19-35	76
77	74-71	18-63	74-63	18-95	74-55	19-28	74-46	19-60	77
78	75-68	18-87	75-60	19-20	75-52	19-53	75-43	19-86	78
79	76-65	19-11	76-57	19-46	76-48	19-78	76-40	20-11	79
80	77-62	19-35	77-54	19-69	77-45	20-03	77-36	20-37	80
81	78-59	19-60	78-51	19-94	78-42	20-28	78-33	20-62	81
82	79-56	19-84	79-48	20-18	79-39	20-53	79-30	20-88	82
83	80-53	20-08	80-45	20-43	80-36	20-78	80-26	21-13	83
84	81-50	20-32	81-42	20-68	81-32	21-03	81-23	21-39	84
85	82-48	20-56	82-38	20-92	82-29	21-28	82-20	21-64	85
86	83-45	20-81	83-35	21-17	83-26	21-53	83-17	21-90	86
87	84-42	21-05	84-32	21-42	84-23	21-78	84-13	22-15	87
88	85-39	21-29	85-29	21-66	85-20	22-03	85-10	22-41	88
89	86-36	21-53	86-26	21-91	86-17	22-28	86-07	22-66	89
90	87-33	21-77	87-23	22-15	87-13	22-53	87-03	22-91	90
91	88-30	22-01	88-20	22-40	88-10	22-78	88-00	23-17	91
92	89-27	22-26	89-17	22-65	89-07	23-04	88-97	23-42	92
93	90-24	22-50	90-14	22-89	90-04	23-29	89-94	23-68	93
94	91-21	22-74	91-11	23-14	91-01	23-54	90-90	23-93	94
95	92-18	22-98	92-08	23-38	91-97	23-79	91-87	24-19	95
96	93-15	23-22	93-05	23-63	92-94	24-04	92-84	24-44	96
97	94-12	23-47	94-02	23-88	93-91	24-29	93-80	24-70	97
98	95-09	23-71	94-98	24-12	94-88	24-54	94-77	24-95	98
99	96-06	23-95	95-95	24-37	95-85	24-79	95-74	25-21	99
100	97-03	24-19	96-92	24-62	96-81	25-04	96-70	25-46	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	76 Deg.		75¾ Deg.		75½ Deg.		75¼ Deg.		

Distance.	15 Deg.		15¼ Deg.		15½ Deg.		15¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-37	0-26	0-36	0-26	0-36	0-27	0-34	0-27	1
2	1-33	0-52	1-33	0-53	1-33	0-53	1-32	0-54	2
3	2-30	0-78	2-30	0-79	2-30	0-80	2-29	0-81	3
4	3-36	1-04	3-36	1-05	3-35	1-07	3-35	1-09	4
5	4-33	1-23	4-32	1-32	4-32	1-34	4-31	1-36	5
6	5-30	1-55	5-29	1-58	5-28	1-60	5-27	1-63	6
7	6-26	1-81	6-25	1-84	6-25	1-87	6-24	1-90	7
8	7-23	2-07	7-22	2-10	7-21	2-14	7-20	2-17	8
9	8-19	2-33	8-18	2-37	8-17	2-41	8-16	2-44	9
10	9-16	2-59	9-15	2-63	9-14	2-67	9-12	2-71	10
11	10-13	2-85	10-11	2-89	10-10	2-94	10-09	2-99	11
12	11-09	3-11	11-08	3-16	11-06	3-21	11-05	3-26	12
13	12-06	3-36	12-04	3-42	12-03	3-47	12-01	3-53	13
14	13-02	3-62	13-01	3-68	13-00	3-74	13-00	3-80	14
15	14-00	3-88	14-00	3-95	14-00	4-01	14-00	4-07	15
16	15-00	4-14	15-00	4-21	15-00	4-28	15-00	4-34	16
17	16-00	4-40	16-00	4-47	16-00	4-54	16-00	4-61	17
18	17-00	4-66	17-00	4-73	17-00	4-81	17-00	4-89	18
19	18-00	4-92	18-00	5-00	18-00	5-08	18-00	5-16	19
20	19-00	5-18	19-00	5-26	19-00	5-34	19-00	5-43	20
21	20-00	5-44	20-00	5-52	20-00	5-61	20-00	5-70	21
22	21-00	5-69	21-00	5-79	21-00	5-88	21-00	5-97	22
23	22-00	5-95	22-00	6-05	22-00	6-15	22-00	6-24	23
24	23-00	6-21	23-00	6-31	23-00	6-41	23-00	6-51	24
25	24-00	6-47	24-00	6-58	24-00	6-68	24-00	6-79	25
26	25-00	6-73	25-00	6-84	25-00	6-95	25-00	7-06	26
27	26-00	6-99	26-00	7-10	26-00	7-22	26-00	7-33	27
28	27-00	7-25	27-00	7-36	27-00	7-48	27-00	7-60	28
29	28-00	7-51	28-00	7-63	28-00	7-75	28-00	7-87	29
30	29-00	7-76	29-00	7-89	29-00	8-02	29-00	8-14	30
31	30-00	8-02	30-00	8-15	30-00	8-28	30-00	8-41	31
32	30-01	8-28	30-01	8-42	30-01	8-55	30-01	8-69	32
33	31-00	8-54	31-00	8-68	31-00	8-82	31-00	8-96	33
34	32-00	8-80	32-00	8-94	32-00	9-09	32-00	9-23	34
35	33-00	9-06	33-00	9-21	33-00	9-35	33-00	9-50	35
36	34-00	9-32	34-00	9-47	34-00	9-62	34-00	9-77	36
37	35-00	9-58	35-00	9-73	35-00	9-89	35-00	10-04	37
38	36-00	9-84	36-00	10-00	36-00	10-16	36-00	10-31	38
39	37-00	10-09	37-00	10-26	37-00	10-42	37-00	10-59	39
40	38-00	10-35	38-00	10-52	38-00	10-69	38-00	10-86	40
41	39-00	10-61	39-00	10-78	39-00	10-96	39-00	11-13	41
42	40-00	10-87	40-00	11-05	40-00	11-22	40-00	11-40	42
43	41-00	11-13	41-00	11-31	41-00	11-40	41-00	11-67	43
44	42-00	11-39	42-00	11-57	42-00	11-76	42-00	11-94	44
45	43-00	11-65	43-00	11-84	43-00	12-03	43-00	12-21	45
46	44-00	11-91	44-00	12-10	44-00	12-20	44-00	12-49	46
47	45-00	12-16	45-00	12-36	45-00	12-56	45-00	12-76	47
48	46-00	12-42	46-00	12-63	46-00	12-83	46-00	13-03	48
49	47-00	12-68	47-00	12-89	47-00	13-09	47-00	13-30	49
50	48-00	12-94	48-00	13-15	48-00	13-36	48-00	13-57	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	75 Deg.		74¾ Deg.		74½ Deg.		74¼ Deg.		

TRAVERSE TABLE.

Distance.	15 Deg.		15¼ Deg.		15½ Deg.		15¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	49-26	13-20	49-20	13-41	49-15	13-63	49-09	13-84	51
52	50-23	13-46	50-17	13-68	50-11	13-90	50-05	14-11	52
53	51-19	13-72	51-13	13-94	51-07	14-16	51-01	14-39	53
54	52-16	13-98	52-10	14-20	52-04	14-43	51-97	14-66	54
55	53-13	14-24	53-06	14-47	53-00	14-70	52-94	14-93	55
56	54-09	14-49	54-03	14-73	53-96	14-97	53-90	15-20	56
57	55-06	14-75	54-99	14-99	54-93	15-23	54-86	15-47	57
58	56-02	15-01	55-96	15-26	55-89	15-50	55-82	15-74	58
59	56-99	15-27	56-92	15-52	56-85	15-77	56-78	16-01	59
60	57-96	15-53	57-89	15-78	57-82	16-03	57-75	16-29	60
61	58-02	15-79	58-85	16-04	58-78	16-30	58-71	16-56	61
62	59-89	16-05	59-82	16-31	59-75	16-57	59-67	16-83	62
63	60-85	16-31	60-78	16-57	60-71	16-84	60-63	17-10	63
64	61-82	16-56	61-75	16-83	61-67	17-10	61-60	17-37	64
65	62-79	16-82	62-71	17-10	62-64	17-37	62-56	17-64	65
66	63-75	17-08	63-68	17-36	63-60	17-64	63-52	17-92	66
67	64-72	17-34	64-64	17-62	64-56	17-90	64-48	18-19	67
68	65-68	17-60	65-61	17-89	65-53	18-17	65-45	18-46	68
69	66-65	17-86	66-57	18-15	66-49	18-44	66-41	18-73	69
70	67-61	18-12	67-54	18-41	67-45	18-71	67-37	19-00	70
71	68-58	18-38	68-50	18-68	68-42	18-97	68-33	19-27	71
72	69-55	18-63	69-46	18-94	69-38	19-24	69-30	19-54	72
73	70-51	18-89	70-43	19-20	70-36	19-51	70-26	19-82	73
74	71-48	19-15	71-39	19-46	71-31	19-78	71-22	20-09	74
75	72-44	19-41	72-36	19-73	72-27	20-04	72-18	20-36	75
76	73-41	19-67	73-32	19-99	73-24	20-31	73-15	20-63	76
77	74-38	19-93	74-29	20-25	74-20	20-58	74-11	20-90	77
78	75-34	20-19	75-25	20-52	75-16	20-84	75-07	21-17	78
79	76-31	20-45	76-22	20-78	76-13	21-11	76-03	21-44	79
80	77-27	20-71	77-18	21-04	77-09	21-38	77-00	21-72	80
81	78-24	20-96	78-15	21-31	78-05	21-65	77-96	21-99	81
82	79-21	21-22	79-11	21-57	79-02	21-91	78-92	22-26	82
83	80-17	21-48	80-08	21-83	79-08	22-18	79-88	22-53	83
84	81-14	21-74	81-04	22-09	80-94	22-45	80-85	22-80	84
85	82-10	22-00	82-01	22-36	81-91	22-72	81-81	23-07	85
86	83-07	22-26	82-97	22-62	82-87	22-98	82-77	23-34	86
87	84-04	22-52	83-94	22-88	83-84	23-25	83-73	23-62	87
88	85-00	22-78	84-90	23-15	84-80	23-52	84-70	23-89	88
89	85-97	23-03	85-87	23-41	85-76	23-78	85-66	24-16	89
90	86-93	23-29	86-83	23-67	86-73	24-05	86-62	24-43	90
91	87-90	23-55	87-80	23-94	87-69	24-32	87-58	24-70	91
92	88-87	23-81	88-76	24-20	88-65	24-59	88-55	24-97	92
93	89-83	24-07	89-73	24-46	89-62	24-85	89-51	25-24	93
94	90-80	24-33	90-69	24-72	90-58	25-12	90-47	25-52	94
95	91-76	24-59	91-65	24-99	91-54	25-39	91-43	25-79	95
96	92-73	24-85	92-62	25-25	92-51	25-65	92-40	26-06	96
97	93-69	25-11	93-58	25-51	93-47	25-92	93-36	26-33	97
98	94-66	25-36	94-55	25-78	94-44	26-19	94-32	26-60	98
99	95-63	25-62	95-51	26-04	95-40	26-46	95-28	26-87	99
100	96-59	25-88	96-48	26-30	96-36	26-72	96-25	27-14	100
Distance.	75 Deg.		74¾ Deg.		74½ Deg.		74¼ Deg.		Distance.
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	

Distance.	16 Deg.		16¼ Deg.		16½ Deg.		16¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-96	0-28	0-96	0-28	0-96	0-28	0-96	0-28	1
2	1-92	0-55	1-92	0-56	1-92	0-57	1-92	0-58	2
3	2-88	0-83	2-88	0-84	2-88	0-85	2-87	0-86	3
4	3-85	1-10	3-84	1-12	3-84	1-14	3-83	1-15	4
5	4-81	1-38	4-80	1-40	4-79	1-42	4-79	1-44	5
6	5-77	1-65	5-76	1-68	5-75	1-70	5-75	1-73	6
7	6-73	1-93	6-72	1-96	6-71	1-99	6-70	2-02	7
8	7-69	2-21	7-68	2-24	7-67	2-27	7-66	2-31	8
9	8-65	2-48	8-64	2-52	8-63	2-56	8-62	2-59	9
10	9-61	2-76	9-60	2-80	9-59	2-84	9-58	2-88	10
11	10-57	3-03	10-56	3-08	10-55	3-12	10-53	3-17	11
12	11-54	3-31	11-52	3-36	11-51	3-41	11-49	3-46	12
13	12-50	3-58	12-48	3-64	12-46	3-69	12-45	3-75	13
14	13-46	3-86	13-44	3-92	13-42	3-98	13-41	4-03	14
15	14-42	4-13	14-40	4-20	14-38	4-26	14-36	4-32	15
16	15-38	4-41	15-36	4-48	15-34	4-54	15-32	4-61	16
17	16-34	4-69	16-32	4-76	16-30	4-83	16-28	4-90	17
18	17-30	4-96	17-28	5-04	17-26	5-11	17-24	5-19	18
19	18-26	5-24	18-24	5-32	18-22	5-40	18-19	5-48	19
20	19-23	5-51	19-20	5-60	19-18	5-68	19-15	5-76	20
21	20-19	5-79	20-16	5-88	20-14	5-96	20-11	6-05	21
22	21-15	6-06	21-12	6-16	21-09	6-25	21-07	6-34	22
23	22-11	6-34	22-08	6-44	22-06	6-53	22-02	6-63	23
24	23-07	6-62	23-04	6-72	23-01	6-82	22-98	6-92	24
25	24-03	6-89	24-00	7-00	23-97	7-10	23-94	7-20	25
26	24-99	7-17	24-96	7-28	24-93	7-38	24-90	7-49	26
27	25-95	7-44	25-92	7-56	25-89	7-67	25-85	7-78	27
28	26-92	7-72	26-88	7-84	26-85	7-95	26-81	8-07	28
29	27-88	7-99	27-84	8-11	27-81	8-24	27-77	8-36	29
30	28-84	8-27	28-80	8-39	28-76	8-52	28-73	8-65	30
31	29-80	8-54	29-76	8-67	29-72	8-80	29-68	8-93	31
32	30-76	8-82	30-72	8-95	30-68	9-09	30-64	9-22	32
33	31-72	9-10	31-68	9-23	31-64	9-37	31-60	9-51	33
34	32-68	9-37	32-64	9-51	32-60	9-66	32-56	9-80	34
35	33-64	9-65	33-60	9-79	33-56	9-94	33-51	10-09	35
36	34-61	9-92	34-56	10-07	34-52	10-22	34-47	10-38	36
37	35-57	10-20	35-52	10-35	35-48	10-51	35-43	10-66	37
38	36-53	10-47	36-48	10-63	36-44	10-79	36-39	10-95	38
39	37-49	10-75	37-44	10-91	37-39	11-08	37-35	11-24	39
40	38-45	11-03	38-40	11-19	38-35	11-36	38-30	11-53	40
41	39-41	11-30	39-36	11-47	39-31	11-64	39-26	11-82	41
42	40-37	11-58	40-32	11-75	40-27	11-93	40-22	12-10	42
43	41-33	11-85	41-28	12-03	41-23	12-21	41-18	12-39	43
44	42-30	12-13	42-24	12-31	42-19	12-50	42-13	12-68	44
45	43-26	12-40	43-20	12-59	43-15	12-78	43-09	12-97	45
46	44-22	12-68	44-16	12-87	44-11	13-06	44-05	13-26	46
47	45-18	12-95	45-12	13-15	45-06	13-35	45-01	13-55	47
48	46-14	13-23	46-08	13-43	46-02	13-63	45-56	13-83	48
49	47-10	13-51	47-04	13-71	46-98	13-92	46-92	14-12	49
50	48-06	13-78	48-00	13-99	47-94	14-20	47-88	14-41	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	74 Deg.		73¾ Deg.		73½ Deg.		73¼ Deg.		

Distance.	16 Deg.		16¼ Deg.		16½ Deg.		16¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	49-02	14-06	48-36	14-27	48-30	14-48	48-84	14-70	51
52	49-39	14-33	49-92	14-55	49-86	14-77	49-79	14-99	52
53	50-35	14-61	50-88	14-83	50-82	15-05	50-75	15-27	53
54	51-91	14-88	51-84	15-11	51-78	15-34	51-71	15-56	54
55	52-87	15-16	52-80	15-39	52-74	15-62	52-67	15-85	55
56	53-83	15-44	53-76	15-67	53-69	15-90	53-62	16-14	56
57	54-79	15-71	54-72	15-95	54-65	16-19	54-58	16-43	57
58	55-75	15-99	55-68	16-23	55-61	16-47	55-54	16-72	58
59	56-71	16-26	56-64	16-51	56-57	16-76	56-50	17-00	59
60	57-68	16-54	57-60	16-79	57-53	17-04	57-45	17-29	60
61	58-64	16-81	58-56	17-07	58-49	17-32	58-41	17-58	61
62	59-60	17-09	59-52	17-35	59-45	17-61	59-37	17-87	62
63	60-56	17-37	60-48	17-63	60-41	17-89	60-33	18-16	63
64	61-52	17-64	61-44	17-91	61-36	18-18	61-28	18-44	64
65	62-48	17-92	62-40	18-19	62-32	18-46	62-24	18-73	65
66	63-44	18-19	63-36	18-47	63-28	18-74	63-20	19-02	66
67	64-40	18-47	64-32	18-75	64-24	19-03	64-16	19-31	67
68	65-37	18-74	65-28	19-03	65-20	19-31	65-11	19-60	68
69	66-33	19-02	66-24	19-31	66-16	19-60	66-07	19-89	69
70	67-29	19-29	67-20	19-59	67-12	19-88	67-03	20-17	70
71	68-25	19-57	68-16	19-87	68-08	20-17	67-99	20-46	71
72	69-21	19-85	69-12	20-15	69-03	20-45	68-95	20-75	72
73	70-17	20-12	70-08	20-43	69-99	20-73	69-90	21-04	73
74	71-13	20-40	71-04	20-71	70-95	21-02	70-86	21-33	74
75	72-09	20-67	72-00	20-99	71-91	21-30	71-82	21-61	75
76	73-06	20-95	72-96	21-27	72-87	21-59	72-75	21-90	76
77	74-02	21-22	73-92	21-55	73-83	22-17	73-73	22-19	77
78	74-98	21-50	74-88	21-83	74-79	22-15	74-69	22-48	78
79	75-94	21-78	75-84	22-11	75-75	22-44	75-65	22-77	79
80	76-90	22-05	76-80	22-39	76-71	22-72	76-61	23-06	80
81	77-86	22-33	77-76	22-67	77-66	23-01	77-56	23-34	81
82	78-82	22-60	78-72	22-95	78-62	23-29	78-52	23-63	82
83	79-78	22-88	79-68	23-23	79-58	23-57	79-48	23-92	83
84	80-75	23-15	80-64	23-51	80-54	23-86	80-44	24-21	84
85	81-71	23-43	81-60	23-79	81-50	24-14	81-39	24-50	85
86	82-67	23-70	82-56	24-07	82-46	24-43	82-35	24-78	86
87	83-63	23-98	83-52	24-35	83-42	24-71	83-31	25-07	87
88	84-59	24-26	84-48	24-62	84-38	24-99	84-27	25-36	88
89	85-55	24-53	85-44	24-90	85-33	25-28	85-22	25-65	89
90	86-51	24-81	86-40	25-18	86-29	25-56	86-18	25-94	90
91	87-47	25-08	87-36	25-46	87-25	25-85	87-14	26-23	91
92	88-44	25-36	88-32	25-74	88-21	26-13	88-10	26-51	92
93	89-40	25-63	89-28	26-02	89-17	26-41	89-05	26-80	93
94	90-36	25-91	90-24	26-30	90-13	26-70	90-01	27-09	94
95	91-32	26-19	91-20	26-58	91-09	26-98	90-97	27-38	95
96	92-28	26-46	92-16	26-86	92-05	27-27	91-93	27-67	96
97	93-24	26-74	93-12	27-14	93-01	27-55	92-88	27-95	97
98	94-20	27-01	94-08	27-42	93-96	27-83	93-84	28-24	98
99	95-16	27-29	95-04	27-70	94-92	28-12	94-80	28-53	99
100	96-13	27-56	96-00	27-98	95-88	28-40	95-76	28-82	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	74 Deg.		73¾ Deg.		73½ Deg.		73¼ Deg.		

Distance.	17 Deg.		17¼ Deg.		17½ Deg.		17¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-36	0-23	0-35	0-30	0-35	0-30	0-35	0-31	1
2	1-91	0-58	1-91	0-59	1-91	0-60	1-90	0-61	2
3	2-87	0-88	2-87	0-89	2-86	0-90	2-86	0-91	3
4	3-83	1-17	3-82	1-19	3-81	1-20	3-81	1-22	4
5	4-78	1-46	4-78	1-48	4-77	1-50	4-76	1-52	5
6	5-74	1-75	5-73	1-78	5-72	1-80	5-71	1-83	6
7	6-69	2-05	6-69	2-08	6-68	2-10	6-67	2-13	7
8	7-65	2-34	7-64	2-37	7-63	2-41	7-62	2-44	8
9	8-61	2-63	8-60	2-67	8-58	2-71	8-57	2-74	9
10	9-56	2-92	9-55	2-97	9-54	3-01	9-52	3-05	10
11	10-52	3-22	10-51	3-26	10-49	3-31	10-48	3-35	11
12	11-48	3-51	11-46	3-56	11-44	3-61	11-43	3-66	12
13	12-43	3-80	12-42	3-85	12-40	3-91	12-38	3-96	13
14	13-39	4-09	13-37	4-15	13-35	4-21	13-33	4-27	14
15	14-34	4-39	14-33	4-45	14-31	4-51	14-29	4-57	15
16	15-30	4-68	15-28	4-74	15-26	4-81	15-24	4-88	16
17	16-26	4-97	16-24	5-04	16-21	5-11	16-19	5-18	17
18	17-21	5-26	17-19	5-34	17-17	5-41	17-14	5-49	18
19	18-17	5-56	18-15	5-63	18-12	5-71	18-10	5-79	19
20	19-13	6-25	19-10	6-33	19-07	6-01	19-05	6-10	20
21	20-08	6-54	20-06	6-42	20-03	6-31	20-00	6-40	21
22	21-04	7-23	21-01	7-31	20-98	6-62	20-95	6-71	22
23	21-99	7-52	21-97	7-60	21-94	6-92	21-91	7-01	23
24	22-95	8-21	22-92	8-29	22-89	7-22	22-86	7-32	24
25	23-91	8-50	23-88	8-58	23-84	7-52	23-81	7-62	25
26	24-86	9-19	24-83	9-27	24-80	7-82	24-76	7-93	26
27	25-82	9-48	25-79	9-56	25-75	8-12	25-71	8-23	27
28	26-78	10-17	26-74	10-25	26-70	8-42	26-67	8-54	28
29	27-73	10-46	27-70	10-54	27-66	8-72	27-62	8-84	29
30	28-69	11-15	28-65	11-23	28-61	9-02	28-57	9-15	30
31	29-65	11-44	29-61	11-52	29-57	9-32	29-52	9-45	31
32	30-60	12-13	30-56	12-21	30-52	9-62	30-48	9-76	32
33	31-56	12-42	31-52	12-50	31-47	9-92	31-43	10-06	33
34	32-51	13-11	32-47	13-19	32-43	10-22	32-38	10-37	34
35	33-47	13-40	33-43	13-28	33-38	10-52	33-33	10-67	35
36	34-43	14-09	34-38	13-57	34-33	10-83	34-29	10-98	36
37	35-38	14-38	35-34	14-06	35-29	11-13	35-24	11-28	37
38	36-34	15-07	36-29	14-35	36-24	11-43	36-19	11-58	38
39	37-30	15-36	37-25	15-04	37-19	11-73	37-14	11-89	39
40	38-25	16-05	38-20	15-33	38-15	12-03	38-10	12-19	40
41	39-21	16-34	39-16	16-02	39-10	12-33	39-05	12-50	41
42	40-16	17-03	40-11	16-71	40-06	12-63	40-00	12-80	42
43	41-12	17-32	41-07	16-40	41-01	12-93	40-95	13-11	43
44	42-08	18-01	42-02	17-09	41-96	13-23	41-91	13-41	44
45	43-03	18-30	42-98	17-38	42-92	13-53	42-86	13-72	45
46	43-99	19-00	43-93	18-07	43-87	13-83	43-81	14-02	46
47	44-95	19-30	44-89	18-36	44-82	14-13	44-76	14-33	47
48	45-90	20-00	45-84	19-05	45-78	14-43	45-71	14-63	48
49	46-86	20-30	46-80	19-34	46-73	14-73	46-67	14-94	49
50	47-82	21-00	47-75	20-03	47-69	15-04	47-62	15-24	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	73 Deg.		72¾ Deg.		72½ Deg.		72¼ Deg.		

Distance.	17 Deg.		17¼ Deg.		17½ Deg.		17¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	43:77	14:91	48:71	15:12	48:04	15:34	48:57	15:55	51
52	49:73	15:20	49:06	15:42	49:59	15:04	49:52	15:85	52
53	50:68	15:50	50:62	15:72	50:55	15:94	50:48	16:16	53
54	51:64	15:79	51:57	16:01	51:50	16:24	51:43	16:46	54
55	52:60	16:08	52:53	16:31	52:45	16:54	52:38	16:77	55
56	53:55	16:37	53:43	16:61	53:41	16:84	53:33	17:07	56
57	54:51	16:67	54:44	16:90	54:36	17:14	54:29	17:38	57
58	55:47	16:96	55:39	17:20	55:32	17:44	55:24	17:68	58
59	56:42	17:25	56:35	17:50	56:27	17:74	56:10	17:99	59
60	57:38	17:54	57:30	17:79	57:22	18:04	57:14	18:29	60
61	58:33	17:83	58:26	18:09	58:18	18:34	58:10	18:60	61
62	59:29	18:13	59:21	18:39	59:13	18:64	59:05	18:90	62
63	60:25	18:42	60:17	18:68	60:08	18:94	60:00	19:21	63
64	61:20	18:71	61:12	18:98	61:04	19:25	60:95	19:51	64
65	62:16	19:00	62:08	19:28	61:99	19:55	61:91	19:82	65
66	63:12	19:30	63:03	19:57	62:95	19:85	62:86	20:12	66
67	64:07	19:59	63:99	19:87	63:90	20:15	63:81	20:43	67
68	65:03	19:88	64:94	20:16	64:85	20:45	64:76	20:73	68
69	65:99	20:17	65:90	20:46	65:81	20:75	65:72	21:04	69
70	66:94	20:47	66:85	20:76	66:76	21:05	66:67	21:34	70
71	67:90	20:76	67:81	21:05	67:71	21:35	67:62	21:65	71
72	68:85	21:05	68:76	21:35	68:67	21:65	68:57	21:95	72
73	69:81	21:34	69:72	21:65	69:62	21:95	69:52	22:26	73
74	70:77	21:64	70:67	21:94	70:58	22:25	70:48	22:56	74
75	71:72	21:93	71:63	22:24	71:53	22:55	71:43	22:86	75
76	72:68	22:22	72:58	22:54	72:48	22:85	72:38	23:17	76
77	73:64	22:51	73:54	22:83	73:44	23:15	73:33	23:47	77
78	74:59	22:80	74:49	23:13	74:39	23:46	74:29	23:78	78
79	75:55	23:10	75:45	23:43	75:34	23:76	75:24	24:08	79
80	76:50	23:39	76:40	23:72	76:30	24:06	76:19	24:39	80
81	77:46	23:68	77:36	24:02	77:25	24:36	77:14	24:69	81
82	78:42	23:97	78:31	24:32	78:20	24:66	78:10	25:00	82
83	79:37	24:27	79:27	24:61	79:16	25:96	79:05	25:30	83
84	80:33	24:56	80:22	24:91	80:11	25:26	80:00	25:61	84
85	81:29	24:85	81:18	25:21	81:07	25:56	80:95	25:91	85
86	82:24	25:14	82:13	25:50	82:02	25:86	81:91	26:22	86
87	83:20	25:44	83:03	25:80	82:97	26:16	82:86	26:52	87
88	84:15	25:73	84:04	26:10	83:93	26:46	83:81	26:83	88
89	85:11	26:02	85:00	26:39	84:88	26:76	84:76	27:13	89
90	86:07	26:31	85:95	26:69	85:83	27:06	85:72	27:44	90
91	87:02	26:61	86:91	26:99	86:79	27:36	86:67	27:74	91
92	87:98	26:90	87:86	27:28	87:74	27:66	87:62	28:05	92
93	88:94	27:19	88:82	27:58	88:70	27:97	88:57	28:35	93
94	89:89	27:48	89:77	27:87	89:65	28:27	89:53	28:66	94
95	90:85	27:78	90:73	28:17	90:60	28:57	90:48	28:96	95
96	91:81	28:07	91:68	28:47	91:56	28:87	91:43	29:27	96
97	92:76	28:36	92:64	28:76	92:51	29:17	92:38	29:57	97
98	93:72	28:65	93:59	29:06	93:46	29:47	93:33	29:88	98
99	94:67	28:34	94:55	29:36	94:42	29:77	94:29	30:18	99
100	95:63	29:24	95:50	29:65	95:37	30:07	95:24	30:49	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	73 Deg.		72¾ Deg.		72½ Deg.		72¼ Deg.		

Distance.	18 Deg.		18¼ Deg.		18½ Deg.		18¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-95	0-31	0-35	0-31	0-95	0-52	0-95	0-32	1
2	1-90	0-62	1-30	0-63	1-90	0-63	1-89	0-64	2
3	2-85	0-93	2-85	0-94	2-84	0-95	2-84	0-96	3
4	3-80	1-24	3-80	1-25	3-79	1-27	3-79	1-29	4
5	4-76	1-55	4-75	1-57	4-74	1-59	4-73	1-61	5
6	5-71	1-85	5-70	1-88	5-69	1-90	5-68	1-93	6
7	6-66	2-16	6-65	2-19	6-64	2-22	6-63	2-25	7
8	7-61	2-47	7-60	2-51	7-59	2-54	7-58	2-57	8
9	8-56	2-78	8-55	2-82	8-53	2-86	8-52	2-89	9
10	9-51	3-09	9-50	3-13	9-48	3-17	9-47	3-21	10
11	10-46	3-40	10-45	3-44	10-43	3-49	10-42	3-54	11
12	11-41	3-71	11-40	3-76	11-38	3-81	11-36	3-86	12
13	12-36	4-02	12-35	4-07	12-33	4-12	12-31	4-18	13
14	13-31	4-33	13-30	4-38	13-28	4-44	13-26	4-50	14
15	14-27	4-64	14-25	4-70	14-22	4-76	14-20	4-82	15
16	15-22	4-94	15-20	5-01	15-17	5-08	15-15	5-14	16
17	16-17	5-25	16-14	5-32	16-12	5-39	16-10	5-46	17
18	17-12	5-56	17-09	5-64	17-07	5-71	17-04	5-79	18
19	18-07	5-87	18-04	5-95	18-02	6-03	17-99	6-11	19
20	19-02	6-18	18-99	6-26	18-97	6-35	18-94	6-43	20
21	19-97	6-49	19-94	6-58	19-91	6-66	19-89	6-75	21
22	20-92	6-80	20-89	6-89	20-86	6-98	20-83	7-07	22
23	21-87	7-11	21-84	7-20	21-81	7-30	21-78	7-39	23
24	22-83	7-42	22-79	7-52	22-76	7-62	22-73	7-71	24
25	23-78	7-73	23-74	7-83	23-71	7-93	23-67	8-04	25
26	24-73	8-03	24-69	8-14	24-66	8-25	24-62	8-36	26
27	25-68	8-34	25-64	8-46	25-60	8-57	25-57	8-68	27
28	26-63	8-65	26-59	8-77	26-55	8-88	26-51	9-00	28
29	27-58	8-96	27-54	9-08	27-50	9-20	27-46	9-32	29
30	28-53	9-27	28-49	9-39	28-45	9-52	28-41	9-64	30
31	29-48	9-58	29-44	9-71	29-40	9-84	29-35	9-96	31
32	30-43	9-89	30-39	10-02	30-35	10-15	30-30	10-29	32
33	31-38	10-20	31-34	10-33	31-29	10-47	31-25	10-61	33
34	32-34	10-51	32-29	10-65	32-24	10-79	32-20	10-93	34
35	33-29	10-82	33-24	10-96	33-19	11-11	33-14	11-25	35
36	34-24	11-12	34-19	11-27	34-14	11-42	34-09	11-57	36
37	35-19	11-43	35-14	11-59	35-09	11-74	35-04	11-89	37
38	36-14	11-74	36-09	11-90	36-04	12-06	35-98	12-21	38
39	37-09	12-05	37-04	12-21	36-98	12-37	36-93	12-54	39
40	38-04	12-36	37-99	12-53	37-93	12-69	37-88	12-86	40
41	38-99	12-67	38-94	12-84	38-88	13-01	38-82	13-18	41
42	39-94	12-98	39-89	13-15	39-83	13-33	39-77	13-50	42
43	40-90	13-29	40-84	13-47	40-78	13-64	40-72	13-82	43
44	41-85	13-60	41-79	13-78	41-73	13-96	41-66	14-14	44
45	42-80	13-91	42-74	14-09	42-67	14-28	42-61	14-46	45
46	43-75	14-21	43-69	14-41	43-62	14-60	43-56	14-79	46
47	44-70	14-52	44-64	14-72	44-57	14-91	44-51	15-11	47
48	45-65	14-83	45-59	15-03	45-52	15-23	45-45	15-43	48
49	46-60	15-14	46-54	15-35	46-47	15-55	46-40	15-75	49
50	47-55	15-45	47-48	15-66	47-42	15-87	47-35	16-07	50
Distance.	72 Deg.		71¾ Deg.		71½ Deg.		71¼ Deg.		Distance.
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	

TRAVERSE TABLE.

Distance.	18 Deg.		18¼ Deg.		18½ Deg.		18¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	48-50	15-76	48-43	15-97	48-36	16-18	48-29	16-39	51
52	49-45	16-07	49-38	16-28	49-31	16-50	49-24	16-71	52
53	50-41	16-38	50-33	16-60	50-26	16-82	50-19	17-04	53
54	51-36	16-69	51-28	16-91	51-21	17-13	51-13	17-36	54
55	52-31	17-00	52-23	17-22	52-16	17-45	52-08	17-68	55
56	53-26	17-30	53-18	17-54	53-11	17-77	53-03	18-00	56
57	54-21	17-61	54-13	17-85	54-05	18-09	53-98	18-32	57
58	55-16	17-92	55-08	18-16	55-00	18-40	54-92	18-64	58
59	56-11	18-23	56-03	18-48	55-95	18-72	55-87	18-96	59
60	57-06	18-54	56-98	18-79	56-90	19-04	56-82	19-29	60
61	58-01	18-85	57-03	19-10	57-85	19-36	57-76	19-61	61
62	58-97	19-16	58-88	19-42	58-80	19-67	58-71	19-93	62
63	59-92	19-47	59-83	19-73	59-74	19-99	59-66	20-25	63
64	60-87	19-78	60-78	20-04	60-69	20-31	60-60	20-57	64
65	61-82	20-09	61-73	20-36	61-64	20-62	61-55	20-89	65
66	62-77	20-40	62-68	20-67	62-59	20-94	62-50	21-22	66
67	63-72	20-70	63-63	20-98	63-54	21-26	63-44	21-54	67
68	64-67	21-01	64-58	21-30	64-49	21-58	64-39	21-86	68
69	65-62	21-32	65-53	21-61	65-43	21-89	65-34	22-18	69
70	66-57	21-63	66-48	21-92	66-38	22-21	66-29	22-50	70
71	67-53	21-94	67-43	22-23	67-33	22-53	67-23	22-82	71
72	68-48	22-25	68-38	22-55	68-28	22-85	68-18	23-14	72
73	69-43	22-56	69-33	22-86	69-23	23-16	69-13	23-47	73
74	70-38	22-87	70-28	23-17	70-18	23-48	70-07	23-79	74
75	71-33	23-18	71-23	23-49	71-12	23-80	71-02	24-11	75
76	72-28	23-49	72-18	23-80	72-07	24-12	71-97	24-43	76
77	73-23	23-79	73-13	24-11	73-02	24-43	72-91	24-75	77
78	74-18	24-10	74-08	24-43	73-97	24-75	73-86	25-07	78
79	75-13	24-41	75-03	24-74	74-92	25-07	74-81	25-39	79
80	76-08	24-72	75-98	25-05	75-87	25-38	75-75	25-72	80
81	77-04	25-03	76-93	25-37	76-81	25-70	76-70	26-04	81
82	77-99	25-34	77-88	25-68	77-76	26-02	77-65	26-36	82
83	78-94	25-65	78-83	25-99	78-71	26-34	78-60	26-68	83
84	79-89	25-96	79-77	26-31	79-66	26-65	79-54	27-00	84
85	80-84	26-27	80-72	26-62	80-61	26-97	80-49	27-32	85
86	81-79	26-58	81-67	26-93	81-56	27-29	81-44	27-64	86
87	82-74	26-88	82-62	27-25	82-50	27-61	82-38	27-97	87
88	83-69	27-19	83-57	27-56	83-45	27-92	83-33	28-29	88
89	84-64	27-50	84-52	27-87	84-40	28-24	84-28	28-61	89
90	85-60	27-81	85-47	28-18	85-35	28-56	85-22	28-93	90
91	86-55	28-12	86-42	28-50	86-30	28-87	86-17	29-25	91
92	87-50	28-43	87-37	28-81	87-25	29-19	87-12	29-57	92
93	88-45	28-74	88-32	29-12	88-19	29-51	88-06	29-89	93
94	89-40	29-05	89-27	29-44	89-14	29-83	89-01	30-22	94
95	90-35	29-36	90-22	29-75	90-09	30-14	89-96	30-54	95
96	91-30	29-67	91-17	30-06	91-04	30-46	90-91	30-86	96
97	92-25	29-97	92-12	30-38	91-99	30-78	91-85	31-18	97
98	93-20	30-28	93-07	30-69	92-94	31-10	92-80	31-50	98
99	94-15	30-59	94-02	31-00	93-88	31-41	93-75	31-82	99
100	95-11	30-90	94-97	31-32	94-83	31-73	94-69	32-14	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	72 Deg.		71¾ Deg.		71½ Deg.		71¼ Deg.		

Distance.	19 Deg.		19¼ Deg.		19½ Deg.		19¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-35	0-33	0-34	0-33	0-34	0-33	0-34	0-34	1
2	1-89	0-35	1-89	0-36	1-89	0-37	1-88	0-38	2
3	2-34	0-38	2-83	0-39	2-83	1-00	2-82	1-01	3
4	3-78	1-30	3-78	1-32	3-77	1-34	3-76	1-35	4
5	4-73	1-63	4-72	1-65	4-71	1-67	4-71	1-69	5
6	5-67	1-35	5-66	1-38	5-66	2-00	5-65	2-03	6
7	6-62	2-28	6-61	2-31	6-60	2-34	6-59	2-37	7
8	7-56	2-60	7-55	2-64	7-54	2-67	7-53	2-70	8
9	8-51	2-93	8-50	2-97	8-48	3-00	8-47	3-04	9
10	9-46	3-26	9-44	3-30	9-43	3-34	9-41	3-38	10
11	10-40	3-58	10-38	3-63	10-37	3-67	10-35	3-72	11
12	11-35	3-91	11-33	3-96	11-31	4-01	11-29	4-06	12
13	12-29	4-23	12-27	4-29	12-25	4-34	12-24	4-39	13
14	13-24	4-56	13-22	4-62	13-20	4-67	13-18	4-73	14
15	14-18	4-88	14-16	4-95	14-14	5-01	14-12	5-07	15
16	15-13	5-21	15-11	5-28	15-08	5-34	15-06	5-41	16
17	16-07	5-53	16-05	5-60	16-02	5-67	16-00	5-74	17
18	17-02	5-86	16-99	5-93	16-97	6-01	16-94	6-08	18
19	17-96	6-19	17-94	6-26	17-91	6-34	17-88	6-42	19
20	18-91	6-51	18-88	6-59	18-85	6-68	18-82	6-76	20
21	19-86	6-84	19-83	6-92	19-80	7-01	19-76	7-10	21
22	20-80	7-16	20-77	7-25	20-74	7-34	20-71	7-43	22
23	21-75	7-49	21-71	7-58	21-68	7-68	21-65	7-77	23
24	22-69	7-81	22-66	7-91	22-62	8-01	22-59	8-11	24
25	23-64	8-14	23-60	8-24	23-57	8-35	23-53	8-45	25
26	24-58	8-46	24-55	8-57	24-51	8-68	24-47	8-79	26
27	25-53	8-79	25-49	8-90	25-45	9-01	25-41	9-12	27
28	26-47	9-12	26-43	9-23	26-39	9-35	26-35	9-46	28
29	27-42	9-44	27-38	9-56	27-34	9-68	27-29	9-80	29
30	28-37	9-77	28-32	9-89	28-28	10-01	28-24	10-14	30
31	29-31	10-09	29-27	10-22	29-22	10-35	29-18	10-48	31
32	30-26	10-42	30-21	10-55	30-16	10-68	30-12	10-81	32
33	31-20	10-74	31-15	10-88	31-11	11-02	31-06	11-15	33
34	32-15	11-07	32-10	11-21	32-05	11-35	32-00	11-49	34
35	33-09	11-39	33-04	11-54	32-59	11-68	32-54	11-83	35
36	34-04	11-72	33-59	11-87	33-54	12-02	33-88	12-17	36
37	34-98	12-05	34-93	12-20	34-88	12-35	34-82	12-50	37
38	35-93	12-37	35-88	12-53	35-82	12-68	35-76	12-84	38
39	36-88	12-70	36-82	12-86	36-76	13-02	36-71	13-18	39
40	37-82	13-02	37-76	13-19	37-71	13-35	37-65	13-52	40
41	38-77	13-35	38-71	13-52	38-65	13-69	38-59	13-85	41
42	39-71	13-67	39-65	13-85	39-59	14-02	39-53	14-19	42
43	40-66	14-00	40-60	14-18	40-53	14-35	40-47	14-53	43
44	41-60	14-32	41-54	14-51	41-48	14-69	41-41	14-87	44
45	42-55	14-65	42-48	14-84	42-42	15-02	42-35	15-21	45
46	43-49	14-98	43-43	15-17	43-36	15-36	43-29	15-54	46
47	44-44	15-30	44-37	15-50	44-30	15-69	44-24	15-88	47
48	45-38	15-63	45-32	15-83	45-25	16-02	45-18	16-22	48
49	46-33	15-95	46-26	16-15	46-19	16-36	46-12	16-56	49
50	47-28	16-28	47-20	16-48	47-13	16-69	47-06	16-90	50
Distance	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	71 Deg.		70¾ Deg.		70½ Deg.		70¼ Deg.		

Distance.	19 Deg.		19¼ Deg.		19½ Deg.		19¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	48-22	16-60	48-15	16-81	48-07	17-02	48-00	17-23	51
52	49-17	16-93	49-09	17-14	49-02	17-36	48-94	17-37	52
53	50-11	17-26	50-04	17-47	49-96	17-69	49-88	17-91	53
54	51-06	17-58	50-98	17-80	50-90	18-03	50-82	18-25	54
55	52-00	17-91	51-92	18-13	51-85	18-36	51-76	18-59	55
56	52-95	18-23	52-87	18-46	52-79	18-69	52-71	18-92	56
57	53-89	18-56	53-81	18-79	53-73	19-03	53-65	19-26	57
58	54-84	18-88	54-76	19-12	54-67	19-36	54-59	19-60	58
59	55-79	19-21	55-70	19-45	55-62	19-69	55-53	19-94	59
60	56-73	19-53	56-65	19-78	56-56	20-03	56-47	20-27	60
61	57-68	19-86	57-59	20-11	57-50	20-36	57-41	20-61	61
62	58-62	20-19	58-53	20-44	58-44	20-70	58-35	20-95	62
63	59-57	20-51	59-48	20-77	59-39	21-03	59-29	21-29	63
64	60-51	20-84	60-42	21-10	60-33	21-36	60-24	21-63	64
65	61-46	21-16	61-37	21-43	61-27	21-70	61-18	21-96	65
66	62-40	21-49	62-31	21-76	62-21	22-03	62-12	22-30	66
67	63-35	21-81	63-25	22-09	63-16	22-37	63-06	22-64	67
68	64-30	22-14	64-20	22-42	64-10	22-70	64-00	22-98	68
69	65-24	22-46	65-14	22-75	65-04	23-03	64-94	23-32	69
70	66-19	22-79	66-09	23-08	65-98	23-37	65-88	23-65	70
71	67-13	23-12	67-03	23-41	66-93	23-70	66-82	23-99	71
72	68-08	23-44	67-97	23-74	67-87	24-03	67-76	24-33	72
73	69-02	23-77	68-92	24-07	68-81	24-37	68-71	24-67	73
74	69-97	24-09	69-86	24-40	69-76	24-70	69-65	25-01	74
75	70-91	24-42	70-81	24-73	70-70	25-04	70-59	25-34	75
76	71-86	24-74	71-75	25-06	71-64	25-37	71-53	25-68	76
77	72-80	25-07	72-69	25-39	72-58	25-70	72-47	26-02	77
78	73-75	25-39	73-64	25-72	73-53	26-04	73-41	26-36	78
79	74-70	25-72	74-58	26-05	74-47	26-37	74-35	26-70	79
80	75-64	26-05	75-53	26-38	75-41	26-70	75-29	27-03	80
81	76-59	26-37	76-47	26-70	76-35	27-04	76-24	27-37	81
82	77-53	26-70	77-42	27-03	77-30	27-37	77-18	27-71	82
83	78-48	27-02	78-36	27-36	78-24	27-71	78-12	28-05	83
84	79-42	27-35	79-30	27-69	79-18	28-04	79-06	28-39	84
85	80-37	27-67	80-25	28-02	80-12	28-37	80-00	28-72	85
86	81-31	28-00	81-19	28-35	81-07	28-71	80-94	29-06	86
87	82-26	28-32	82-14	28-68	82-01	29-04	81-88	29-40	87
88	83-21	28-65	83-08	29-01	82-95	29-37	82-82	29-74	88
89	84-15	28-98	84-02	29-34	83-90	29-71	83-76	30-07	89
90	85-10	29-30	84-97	29-67	84-84	30-04	84-71	30-41	90
91	86-04	29-63	85-91	30-00	85-78	30-38	85-65	30-75	91
92	86-99	29-95	86-86	30-33	86-72	30-71	86-59	31-09	92
93	87-93	30-28	87-80	30-66	87-67	31-04	87-53	31-43	93
94	88-88	30-60	88-74	30-99	88-61	31-38	88-47	31-76	94
95	89-82	30-33	89-69	31-32	89-55	31-71	89-41	32-10	95
96	90-77	31-25	90-63	31-65	90-49	32-05	90-35	32-44	96
97	91-72	31-58	91-58	31-98	91-44	32-38	91-29	32-78	97
98	92-66	31-91	92-52	32-31	92-38	32-71	92-24	33-12	98
99	93-61	32-23	93-46	32-64	93-32	33-05	93-18	33-45	99
100	94-55	32-56	94-41	32-97	94-26	33-38	94-12	33-79	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	71 Deg.		70¾ Deg.		70½ Deg.		70¼ Deg.		

Distance.	20 Deg.		20¼ Deg.		20½ Deg.		20¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-94	0-34	0-94	0-35	0-94	0-35	0-94	0-35	1
2	1-88	0-68	1-88	0-69	1-87	0-70	1-87	0-71	2
3	2-82	1-03	2-81	1-04	2-81	1-05	2-81	1-06	3
4	3-76	1-37	3-75	1-38	3-75	1-40	3-74	1-42	4
5	4-70	1-71	4-69	1-73	4-68	1-75	4-68	1-77	5
6	5-64	2-05	5-63	2-08	5-62	2-10	5-61	2-13	6
7	6-58	2-39	6-57	2-42	6-56	2-45	6-55	2-48	7
8	7-52	2-74	7-51	2-77	7-49	2-80	7-48	2-83	8
9	8-46	3-08	8-44	3-12	8-43	3-15	8-42	3-19	9
10	9-40	3-42	9-38	3-46	9-37	3-50	9-35	3-54	10
11	10-34	3-76	10-32	3-81	10-30	3-85	10-29	3-90	11
12	11-28	4-10	11-26	4-15	11-24	4-20	11-22	4-25	12
13	12-22	4-45	12-20	4-50	12-18	4-55	12-16	4-61	13
14	13-16	4-79	13-13	4-85	13-11	4-90	13-09	4-96	14
15	14-10	5-13	14-07	5-19	14-05	5-25	14-03	5-31	15
16	15-04	5-47	15-01	5-54	14-99	5-60	14-96	5-67	16
17	15-97	5-81	15-95	5-88	15-92	5-95	15-90	6-02	17
18	16-91	6-16	16-89	6-23	16-86	6-30	16-83	6-38	18
19	17-85	6-50	17-83	6-58	17-80	6-65	17-77	6-73	19
20	18-79	6-84	18-76	6-92	18-73	7-00	18-70	7-09	20
21	19-73	7-18	19-70	7-27	19-67	7-35	19-64	7-44	21
22	20-67	7-52	20-64	7-61	20-61	7-70	20-57	7-79	22
23	21-61	7-87	21-58	7-96	21-54	8-05	21-51	8-15	23
24	22-55	8-21	22-52	8-31	22-48	8-40	22-44	8-50	24
25	23-49	8-55	23-45	8-65	23-42	8-76	23-38	8-86	25
26	24-43	8-89	24-39	9-00	24-35	9-11	24-31	9-21	26
27	25-37	9-23	25-33	9-35	25-29	9-46	25-25	9-57	27
28	26-31	9-58	26-27	9-49	26-23	9-81	26-18	9-92	28
29	27-25	9-92	27-21	10-04	27-16	10-16	27-12	10-27	29
30	28-19	10-26	28-15	10-38	28-10	10-51	28-05	10-63	30
31	29-13	10-60	29-08	10-73	29-04	10-86	28-99	10-98	31
32	30-07	10-94	30-02	11-08	29-97	11-21	29-92	11-34	32
33	31-01	11-29	30-96	11-42	30-91	11-56	30-86	11-69	33
34	31-95	11-63	31-90	11-77	31-85	11-91	31-79	12-05	34
35	32-89	11-97	32-84	12-11	32-78	12-26	32-73	12-40	35
36	33-83	12-31	33-77	12-46	33-72	12-61	33-66	12-75	36
37	34-77	12-65	34-71	12-81	34-66	12-96	34-60	13-11	37
38	35-71	13-00	35-65	13-15	35-59	13-31	35-54	13-46	38
39	36-65	13-34	36-59	13-50	36-53	13-66	36-47	13-82	39
40	37-59	13-68	37-53	13-84	37-47	14-01	37-41	14-17	40
41	38-53	14-02	38-47	14-19	38-40	14-36	38-34	14-53	41
42	39-47	14-36	39-40	14-54	39-34	14-71	39-28	14-88	42
43	40-41	14-71	40-34	14-88	40-28	15-06	40-21	15-23	43
44	41-35	15-05	41-28	15-23	41-21	15-41	41-15	15-59	44
45	42-29	15-39	42-22	15-58	42-15	15-76	42-08	15-94	45
46	43-23	15-73	43-16	15-92	43-09	16-11	43-02	16-30	46
47	44-17	16-07	44-09	16-27	44-02	16-46	43-95	16-65	47
48	45-11	16-42	45-03	16-61	44-96	16-81	44-89	17-01	48
49	46-04	16-76	45-97	16-96	45-90	17-16	45-82	17-36	49
50	46-98	17-10	46-91	17-31	46-83	17-51	46-76	17-71	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	70 Deg.		69¾ Deg.		69½ Deg.		69¼ Deg.		

Distance.	20 Deg.		20¼ Deg.		20½ Deg.		20¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	47-02	17-44	47-55	17-65	47-77	17-86	47-69	18-07	51
52	48-56	17-79	48-79	18-00	48-71	18-21	48-63	18-42	52
53	49-80	18-13	49-72	18-34	49-64	18-56	49-56	18-78	53
54	50-74	18-47	50-66	18-69	50-58	18-91	50-50	19-13	54
55	51-68	18-81	51-60	19-04	51-52	19-26	51-43	19-49	55
56	52-62	19-15	52-54	19-38	52-45	19-61	52-37	19-84	56
57	53-56	19-50	53-48	19-73	53-39	19-96	53-30	20-19	57
58	54-50	19-84	54-42	20-07	54-33	20-31	54-24	20-55	58
59	55-44	20-18	55-35	20-42	55-26	20-66	55-17	20-90	59
60	56-38	20-52	56-29	20-77	56-20	21-01	56-11	21-26	60
61	57-32	20-86	57-23	21-11	57-14	21-36	57-04	21-61	61
62	58-26	21-21	58-17	21-46	58-07	21-71	57-98	21-97	62
63	59-20	21-55	59-11	21-81	59-01	22-06	58-91	22-32	63
64	60-14	21-89	60-04	22-15	59-95	22-41	59-85	22-67	64
65	61-08	22-23	60-98	22-50	60-88	22-76	60-78	23-03	65
66	62-02	22-57	61-92	22-84	61-82	23-11	61-72	23-38	66
67	62-96	22-92	62-86	23-19	62-76	23-46	62-65	23-74	67
68	63-30	23-26	63-80	23-54	63-69	23-81	63-59	24-09	68
69	64-84	23-60	64-74	23-88	64-63	24-16	64-52	24-45	69
70	65-78	23-94	65-67	24-23	65-57	24-51	65-46	24-80	70
71	66-72	24-28	66-61	24-57	66-50	24-86	66-39	25-15	71
72	67-66	24-63	67-55	24-92	67-44	25-21	67-33	25-51	72
73	68-60	24-97	68-49	25-27	68-38	25-57	68-26	25-86	73
74	69-54	25-31	69-43	25-61	69-31	25-92	69-20	26-22	74
75	70-48	25-65	70-36	25-96	70-25	26-27	70-14	26-57	75
76	71-42	25-99	71-30	26-30	71-19	26-62	71-07	26-93	76
77	72-36	26-34	72-24	26-65	72-12	26-97	72-01	27-28	77
78	73-30	26-68	73-18	27-00	73-06	27-32	72-94	27-63	78
79	74-24	27-02	74-12	27-34	74-00	27-67	73-88	27-99	79
80	75-18	27-36	75-06	27-69	74-93	28-02	74-81	28-34	80
81	76-12	27-70	75-99	28-04	75-87	28-37	75-75	28-70	81
82	77-05	28-05	76-93	28-38	76-81	28-72	76-68	29-05	82
83	77-99	28-39	77-87	28-73	77-74	29-07	77-62	29-41	83
84	78-93	28-73	78-81	29-07	78-68	29-42	78-55	29-76	84
85	79-87	29-07	79-75	29-42	79-62	29-77	79-49	30-11	85
86	80-81	29-41	80-68	29-77	80-55	30-12	80-42	30-47	86
87	81-75	29-76	81-62	30-11	81-49	30-47	81-36	30-82	87
88	82-69	30-10	82-56	30-46	82-43	30-82	82-29	31-18	88
89	83-63	30-44	83-50	30-80	83-36	31-17	83-23	31-53	89
90	84-57	30-78	84-44	31-15	84-30	31-52	84-16	31-89	90
91	85-51	31-12	85-38	31-50	85-24	31-87	85-10	32-24	91
92	86-45	31-47	86-31	31-84	86-17	32-22	86-03	32-59	92
93	87-39	31-81	87-25	32-19	87-11	32-57	86-97	32-95	93
94	88-33	32-15	88-19	32-54	88-05	32-92	87-90	33-30	94
95	89-27	32-49	89-13	32-88	88-98	33-27	88-84	33-66	95
96	90-21	32-83	90-07	33-23	89-92	33-62	89-77	34-01	96
97	91-15	33-18	91-00	33-57	90-86	33-97	90-71	34-37	97
98	92-09	33-52	91-94	33-92	91-79	34-32	91-64	34-72	98
99	93-03	33-86	92-88	34-27	92-73	34-67	92-58	35-07	99
100	93-97	34-20	93-82	34-61	93-67	35-02	93-51	35-43	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	70 Deg.		69¼ Deg.		69½ Deg.		69¾ Deg.		

TRAVERSE TABLE.

Distance.	21 Deg.		21¼ Deg.		21½ Deg.		21¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-93	0-36	0-93	0-36	0-93	0-37	0-93	0-37	1
2	1-87	0-72	1-86	0-72	1-86	0-73	1-86	0-74	2
3	2-80	1-08	2-80	1-09	2-79	1-10	2-79	1-11	3
4	3-73	1-43	3-73	1-45	3-72	1-47	3-72	1-48	4
5	4-67	1-79	4-65	1-81	4-65	1-83	4-64	1-85	5
6	5-60	2-15	5-59	2-17	5-58	2-20	5-57	2-22	6
7	6-54	2-51	6-52	2-54	6-51	2-57	6-50	2-59	7
8	7-47	2-87	7-46	2-90	7-44	2-93	7-43	2-96	8
9	8-40	3-23	8-39	3-23	8-37	3-30	8-36	3-34	9
10	9-34	3-58	9-32	3-62	9-30	3-67	9-29	3-71	10
11	10-27	3-94	10-25	3-99	10-23	4-03	10-22	4-08	11
12	11-20	4-30	11-18	4-35	11-17	4-40	11-15	4-45	12
13	12-14	4-66	12-12	4-71	12-10	4-76	12-07	4-82	13
14	13-07	5-02	13-05	5-07	13-03	5-13	13-00	5-19	14
15	14-00	5-38	13-98	5-44	13-96	5-50	13-93	5-56	15
16	14-94	5-73	14-91	5-80	14-89	5-86	14-86	5-93	16
17	15-87	6-09	15-84	6-16	15-82	6-23	15-79	6-30	17
18	16-80	6-45	16-78	6-52	16-75	6-60	16-72	6-67	18
19	17-74	6-81	17-71	6-89	17-68	6-96	17-65	7-04	19
20	18-67	7-17	18-64	7-25	18-61	7-33	18-58	7-41	20
21	19-61	7-53	19-57	7-61	19-54	7-70	19-50	7-78	21
22	20-54	7-88	20-50	7-97	20-47	8-06	20-43	8-15	22
23	21-47	8-24	21-44	8-34	21-40	8-43	21-36	8-52	23
24	22-41	8-60	22-37	8-70	22-33	8-80	22-29	8-89	24
25	23-34	8-96	23-30	9-06	23-26	9-16	23-22	9-26	25
26	24-27	9-32	24-23	9-42	24-19	9-53	24-15	9-63	26
27	25-21	9-68	25-16	9-79	25-12	9-90	25-08	10-01	27
28	26-14	10-03	26-10	10-15	26-05	10-26	26-01	10-38	28
29	27-07	10-39	27-03	10-51	26-98	10-63	26-94	10-75	29
30	28-01	10-75	27-96	10-87	27-91	11-00	27-86	11-12	30
31	28-94	11-11	28-89	11-24	28-84	11-36	28-79	11-49	31
32	29-87	11-47	29-82	11-60	29-77	11-73	29-72	11-86	32
33	30-81	11-83	30-76	11-96	30-70	12-09	30-65	12-23	33
34	31-74	12-18	31-69	12-32	31-63	12-46	31-58	12-60	34
35	32-68	12-54	32-62	12-69	32-55	12-83	32-51	12-97	35
36	33-61	12-90	33-55	13-05	33-50	13-19	33-44	13-34	36
37	34-54	13-26	34-48	13-41	34-43	13-56	34-37	13-71	37
38	35-48	13-62	35-42	13-77	35-36	13-93	35-29	14-08	38
39	36-41	13-98	36-35	14-14	36-29	14-29	36-22	14-45	39
40	37-34	14-33	37-28	14-50	37-22	14-66	37-15	14-82	40
41	38-28	14-69	38-21	14-86	38-15	15-03	38-08	15-19	41
42	39-21	15-05	39-14	15-22	39-08	15-39	39-01	15-56	42
43	40-14	15-41	40-08	15-58	40-01	15-76	39-94	15-93	43
44	41-08	15-77	41-01	15-95	40-94	16-13	40-87	16-30	44
45	42-01	16-13	41-94	16-31	41-87	16-49	41-80	16-68	45
46	42-94	16-48	42-87	16-67	42-80	16-85	42-73	17-05	46
47	43-88	16-84	43-80	17-03	43-73	17-23	43-65	17-42	47
48	44-81	17-20	44-74	17-40	44-66	17-59	44-58	17-79	48
49	45-75	17-56	45-67	17-76	45-59	17-96	45-51	18-16	49
50	46-68	17-92	46-60	18-12	46-52	18-33	46-44	18-53	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	69 Deg.		68¾ Deg.		68½ Deg.		68¼ Deg.		

Distance.	21 Deg.		21¼ Deg.		21½ Deg.		21¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	47-61	18-28	47-53	18-48	47-45	18-69	47-37	18-90	51
52	48-55	18-54	48-46	18-55	48-38	19-06	48-30	19-27	52
53	48-48	18-59	48-40	19-21	48-31	19-42	48-23	19-64	53
54	50-41	19-35	50-33	19-57	50-24	19-79	50-16	20-01	54
55	51-55	19-71	51-26	19-33	51-17	20-16	51-08	20-38	55
56	52-28	20-07	52-19	20-50	52-10	20-52	52-01	20-75	56
57	53-21	20-43	53-12	20-66	53-05	20-89	52-54	21-12	57
58	54-15	20-79	54-06	21-02	53-98	21-26	53-87	21-49	58
59	55-08	21-14	54-99	21-58	54-89	21-62	54-80	21-86	59
60	56-01	21-50	55-92	21-75	55-83	21-99	55-73	22-23	60
61	56-95	21-86	56-85	22-11	56-76	22-36	56-66	22-00	61
62	57-88	22-22	57-78	22-47	57-69	22-72	57-59	22-67	62
63	58-82	22-58	58-72	22-83	58-62	23-09	58-52	23-35	63
64	59-75	22-94	59-65	23-20	59-55	23-46	59-44	23-72	64
65	60-68	23-29	60-58	23-56	60-48	23-82	60-37	24-09	65
66	61-62	23-65	61-51	23-92	61-41	24-19	61-30	24-46	66
67	62-54	24-01	62-44	24-28	62-34	24-56	62-23	24-83	67
68	63-48	24-37	63-38	24-65	63-27	24-92	63-16	25-20	68
69	64-42	24-73	64-31	25-01	64-20	25-29	64-09	25-57	69
70	65-35	25-09	65-24	25-37	65-13	25-66	65-02	25-94	70
71	66-28	25-44	66-17	25-73	66-06	26-02	65-95	26-31	71
72	67-22	25-80	67-10	26-10	66-99	26-39	66-87	26-68	72
73	68-15	26-16	68-04	26-46	67-92	26-75	67-80	27-05	73
74	69-08	26-52	68-97	26-82	68-85	27-12	68-73	27-42	74
75	70-02	26-88	69-90	27-18	69-78	27-49	69-66	27-79	75
76	70-95	27-24	70-83	27-55	70-71	27-85	70-59	28-16	76
77	71-89	27-59	71-76	27-91	71-64	28-22	71-52	28-53	77
78	72-82	27-95	72-70	28-27	72-57	28-59	72-45	28-90	78
79	73-75	28-31	73-63	28-63	73-50	28-95	73-38	29-27	79
80	74-69	28-67	74-56	29-00	74-43	29-32	74-30	29-64	80
81	75-62	29-03	75-49	29-36	75-36	29-69	75-23	30-02	81
82	76-55	29-39	76-42	29-72	76-29	30-05	76-16	30-39	82
83	77-49	29-74	77-36	30-08	77-22	30-42	77-09	30-76	83
84	78-42	30-10	78-29	30-44	78-16	30-79	78-02	31-13	84
85	79-35	30-46	79-22	30-81	79-09	31-15	78-95	31-50	85
86	80-29	30-82	80-15	31-17	80-02	31-52	79-88	31-87	86
87	81-22	31-18	81-08	31-53	80-55	31-89	80-81	32-24	87
88	82-16	31-54	82-02	31-89	81-48	32-25	81-74	32-61	88
89	83-09	31-89	82-95	32-26	82-41	32-62	82-66	32-98	89
90	84-02	32-25	83-88	32-62	83-34	32-99	83-59	33-35	90
91	84-96	32-61	84-81	32-98	84-27	33-35	84-52	33-72	91
92	85-89	32-97	85-74	33-34	85-20	33-72	85-45	34-09	92
93	86-82	33-33	86-68	33-71	86-13	34-08	86-38	34-46	93
94	87-75	33-69	87-61	34-07	87-06	34-45	87-31	34-83	94
95	88-69	34-04	88-54	34-43	87-99	34-82	88-24	35-20	95
96	89-62	34-40	89-47	34-79	88-92	35-18	89-17	35-57	96
97	90-55	34-76	90-40	35-16	90-25	35-55	90-09	35-94	97
98	91-49	35-12	91-34	35-52	91-18	35-92	91-02	36-31	98
99	92-42	35-48	92-27	35-88	92-11	36-28	91-95	36-69	99
100	93-35	35-84	93-20	36-24	93-04	36-65	92-88	37-06	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	69 Deg.		68¾ Deg.		68½ Deg.		68¼ Deg.		

Distance.	22 Deg.		22¼ Deg.		22½ Deg.		22¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-35	0-37	0-33	0-38	0-32	0-38	0-32	0-39	1
2	1-85	0-75	1-85	0-76	1-85	0-77	1-84	0-77	2
3	2-78	1-12	2-78	1-14	2-77	1-15	2-77	1-16	3
4	3-71	1-50	3-70	1-51	3-70	1-53	3-69	1-55	4
5	4-64	1-87	4-63	1-89	4-62	1-91	4-61	1-93	5
6	5-56	2-25	5-55	2-27	5-54	2-30	5-53	2-32	6
7	6-49	2-62	6-48	2-65	6-47	2-68	6-46	2-71	7
8	7-42	3-00	7-40	3-03	7-39	3-06	7-38	3-09	8
9	8-34	3-37	8-33	3-41	8-31	3-44	8-30	3-48	9
10	9-27	3-75	9-26	3-79	9-24	3-83	9-22	3-87	10
11	10-20	4-12	10-18	4-17	10-16	4-21	10-14	4-25	11
12	11-13	4-50	11-11	4-54	11-09	4-59	11-07	4-64	12
13	12-05	4-87	12-03	4-92	12-01	4-97	11-99	5-03	13
14	12-98	5-24	12-96	5-30	12-93	5-36	12-91	5-41	14
15	13-91	5-62	13-88	5-68	13-86	5-74	13-83	5-80	15
16	14-83	5-99	14-81	6-06	14-78	6-12	14-76	6-19	16
17	15-76	6-37	15-73	6-44	15-71	6-51	15-68	6-57	17
18	16-69	6-74	16-66	6-82	16-63	6-89	16-60	6-96	18
19	17-62	7-12	17-59	7-19	17-55	7-27	17-52	7-35	19
20	18-54	7-49	18-51	7-57	18-48	7-65	18-44	7-73	20
21	19-47	7-87	19-44	7-95	19-40	8-04	19-37	8-12	21
22	20-40	8-24	20-36	8-33	20-33	8-42	20-29	8-51	22
23	21-33	8-62	21-29	8-71	21-25	8-80	21-21	8-89	23
24	22-25	8-99	22-21	9-09	22-17	9-18	22-13	9-28	24
25	23-18	9-37	23-14	9-47	23-10	9-57	23-05	9-67	25
26	24-11	9-74	24-06	9-84	24-02	9-95	23-98	10-05	26
27	25-03	10-11	24-99	10-22	24-94	10-33	24-90	10-44	27
28	25-96	10-49	25-92	10-60	25-87	10-72	25-82	10-83	28
29	26-89	10-86	26-84	10-98	26-79	11-10	26-74	11-21	29
30	27-82	11-24	27-77	11-36	27-72	11-48	27-67	11-60	30
31	28-74	11-61	28-69	11-74	28-64	11-86	28-59	11-99	31
32	29-67	11-99	29-62	12-12	29-56	12-25	29-51	12-37	32
33	30-60	12-36	30-54	12-50	30-49	12-63	30-43	12-76	33
34	31-52	12-74	31-47	12-87	31-41	13-01	31-35	13-15	34
35	32-45	13-11	32-39	13-25	32-34	13-39	32-28	13-53	35
36	33-38	13-49	33-32	13-63	33-26	13-78	33-20	13-92	36
37	34-31	13-86	34-24	14-01	34-18	14-16	34-12	14-31	37
38	35-23	14-24	35-17	14-39	35-11	14-54	35-04	14-70	38
39	36-16	14-61	36-10	14-77	36-03	14-92	35-97	15-08	39
40	37-09	14-98	37-02	15-15	36-96	15-31	36-89	15-47	40
41	38-01	15-36	37-95	15-52	37-88	15-69	37-81	15-86	41
42	38-94	15-73	38-87	15-90	38-80	16-07	38-73	16-24	42
43	39-87	16-11	39-80	16-28	39-73	16-46	39-65	16-63	43
44	40-80	16-48	40-72	16-66	40-65	16-84	40-58	17-02	44
45	41-72	16-86	41-65	17-04	41-57	17-22	41-50	17-40	45
46	42-65	17-23	42-57	17-42	42-50	17-60	42-42	17-79	46
47	43-58	17-61	43-50	17-80	43-42	17-99	43-34	18-18	47
48	44-50	17-98	44-43	18-18	44-35	18-37	44-27	18-56	48
49	45-43	18-36	45-35	18-55	45-27	18-75	45-19	18-95	49
50	46-36	18-73	46-28	18-93	46-19	19-13	46-11	19-34	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	68 Deg.		67¾ Deg.		67½ Deg.		67¼ Deg.		

Distance.	22 Deg.		22¼ Deg.		22½ Deg.		22¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	47-29	19-10	47-20	19-31	47-12	19-52	47-03	19-72	51
52	48-21	19-48	48-13	19-09	48-04	19-90	47-95	20-11	52
53	49-14	19-85	49-05	20-07	48-97	20-28	48-88	20-50	53
54	50-07	20-23	49-98	20-45	49-89	20-66	49-80	20-88	54
55	51-00	20-60	50-90	20-83	50-81	21-05	50-72	21-27	55
56	51-92	20-98	51-83	21-20	51-74	21-43	51-64	21-66	56
57	52-85	21-35	52-76	21-58	52-68	21-81	52-57	22-04	57
58	53-78	21-73	53-68	21-96	53-59	22-20	53-49	22-43	58
59	54-70	22-10	54-61	22-34	54-51	22-58	54-41	22-82	59
60	55-63	22-48	55-53	22-72	55-43	22-96	55-33	23-20	60
61	56-56	22-85	56-47	23-10	56-36	23-34	56-25	23-59	61
62	57-49	23-23	57-38	23-48	57-28	23-73	57-18	24-36	62
63	58-41	23-60	58-31	23-85	58-20	24-11	58-10	24-96	63
64	59-34	23-97	59-23	24-23	59-13	24-49	59-02	24-75	64
65	60-27	24-35	60-16	24-61	60-05	24-87	59-94	25-14	65
66	61-19	24-72	61-09	24-99	60-98	25-26	60-87	25-52	66
67	62-12	25-10	62-01	25-37	61-90	25-64	61-79	26-91	67
68	63-05	25-47	62-94	25-75	62-82	26-02	62-71	26-30	68
69	63-98	25-85	63-86	26-13	63-75	26-41	63-63	26-68	69
70	64-90	26-22	64-79	26-51	64-67	26-79	64-56	27-07	70
71	65-83	26-60	65-71	26-88	65-60	27-17	65-48	27-46	71
72	66-76	26-97	66-64	27-26	66-52	27-55	66-40	27-84	72
73	67-68	27-35	67-56	27-64	67-44	27-94	67-32	28-23	73
74	68-61	27-72	68-49	28-02	68-37	28-32	68-24	28-62	74
75	69-54	28-10	69-42	28-40	69-29	28-70	69-17	29-00	75
76	70-47	28-47	70-34	28-78	70-21	29-08	70-09	29-39	76
77	71-39	28-84	71-27	29-16	71-14	29-47	71-01	29-78	77
78	72-32	29-22	72-19	29-53	72-06	29-85	71-93	30-16	78
79	73-25	29-59	73-12	29-91	72-99	30-23	72-85	30-55	79
80	74-17	29-97	74-04	30-29	73-91	30-61	73-78	30-94	80
81	75-10	30-34	74-97	30-67	74-83	31-00	74-70	31-32	81
82	76-03	30-72	75-89	31-05	75-76	31-38	75-62	31-71	82
83	76-96	31-09	76-82	31-43	76-68	31-76	76-54	32-10	83
84	77-88	31-47	77-75	31-81	77-61	32-15	77-46	32-48	84
85	78-81	31-84	78-67	32-19	78-53	32-53	78-39	32-87	85
86	79-74	32-22	79-60	32-56	79-45	32-91	79-31	33-26	86
87	80-66	32-59	80-52	32-94	80-38	33-29	80-23	33-64	87
88	81-59	32-97	81-45	33-32	81-30	33-68	81-15	34-03	88
89	82-52	33-34	82-37	33-70	82-23	34-06	82-08	34-42	89
90	83-45	33-71	83-30	34-08	83-15	34-44	83-00	34-80	90
91	84-37	34-09	84-22	34-46	84-07	34-82	83-92	35-19	91
92	85-30	34-46	85-15	34-84	85-00	35-21	84-84	35-58	92
93	86-23	34-84	86-08	35-21	85-92	35-59	85-76	35-96	93
94	87-16	35-21	87-00	35-59	86-84	35-97	86-69	36-35	94
95	88-08	35-59	87-93	35-97	87-77	36-35	87-61	36-74	95
96	89-01	35-96	88-85	36-35	88-69	36-74	88-53	37-12	96
97	89-94	36-34	89-78	36-73	89-62	37-12	89-45	37-51	97
98	90-86	36-71	90-70	37-11	90-54	37-50	90-38	37-90	98
99	91-79	37-09	91-63	37-49	91-46	37-89	91-30	38-28	99
100	92-72	37-46	92-55	37-86	92-38	38-27	92-22	38-67	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	68 Deg.		67¾ Deg.		67½ Deg.		67¼ Deg.		

Distance.	23 Deg.		23¼ Deg.		23½ Deg.		23¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-92	0-39	0-92	0-39	0-92	0-40	0-92	0-40	1
2	1-84	0-78	1-84	0-79	1-83	0-80	1-83	0-81	2
3	2-76	1-17	2-76	1-18	2-75	1-20	2-75	1-21	3
4	3-68	1-56	3-68	1-58	3-67	1-59	3-66	1-61	4
5	4-60	1-95	4-59	1-97	4-59	1-99	4-58	2-01	5
6	5-52	2-34	5-51	2-37	5-50	2-39	5-49	2-42	6
7	6-44	2-74	6-43	2-76	6-42	2-79	6-41	2-82	7
8	7-36	3-13	7-35	3-16	7-34	3-19	7-32	3-22	8
9	8-28	3-52	8-27	3-55	8-25	3-59	8-24	3-62	9
10	9-20	3-91	9-19	3-95	9-17	3-99	9-15	4-03	10
11	10-13	4-30	10-11	4-34	10-09	4-39	10-07	4-43	11
12	11-05	4-69	11-03	4-74	11-00	4-78	10-98	4-83	12
13	11-97	5-08	11-94	5-13	11-92	5-18	11-90	5-24	13
14	12-89	5-47	12-86	5-53	12-84	5-58	12-81	5-64	14
15	13-81	5-86	13-78	5-92	13-76	5-98	13-73	6-04	15
16	14-73	6-25	14-70	6-32	14-67	6-38	14-64	6-44	16
17	15-65	6-64	15-62	6-71	15-59	6-78	15-56	6-85	17
18	16-57	7-03	16-54	7-11	16-51	7-18	16-48	7-25	18
19	17-49	7-42	17-46	7-50	17-42	7-58	17-39	7-66	19
20	18-41	7-81	18-38	7-89	18-34	7-97	18-31	8-05	20
21	19-33	8-21	19-29	8-29	19-26	8-37	19-22	8-46	21
22	20-25	8-60	20-21	8-68	20-18	8-77	20-14	8-86	22
23	21-17	8-99	21-13	9-08	21-09	9-17	21-05	9-26	23
24	22-09	9-38	22-05	9-47	22-01	9-57	21-97	9-67	24
25	23-01	9-77	22-97	9-87	22-93	9-97	22-88	10-07	25
26	23-93	10-16	23-89	10-26	23-84	10-37	23-80	10-47	26
27	24-85	10-55	24-81	10-66	24-76	10-77	24-71	10-87	27
28	25-77	10-94	25-73	11-05	25-68	11-16	25-63	11-28	28
29	26-69	11-33	26-64	11-45	26-59	11-56	26-54	11-68	29
30	27-62	11-72	27-56	11-84	27-51	11-96	27-46	12-08	30
31	28-54	12-11	28-48	12-24	28-43	12-36	28-37	12-49	31
32	29-46	12-50	29-40	12-33	29-35	12-76	29-29	12-89	32
33	30-38	12-89	30-32	13-03	30-26	13-16	30-21	13-29	33
34	31-30	13-28	31-24	13-42	31-18	13-56	31-12	13-69	34
35	32-22	13-68	32-16	13-82	32-10	13-96	32-04	14-10	35
36	33-14	14-07	33-08	14-21	33-01	14-35	32-95	14-50	36
37	34-06	14-46	34-00	14-61	33-93	14-75	33-87	14-90	37
38	34-98	14-85	34-91	15-00	34-85	15-15	34-78	15-30	38
39	35-90	15-24	35-83	15-39	35-77	15-55	35-70	15-71	39
40	36-82	15-63	36-75	15-79	36-68	15-95	36-61	16-11	40
41	37-74	16-02	37-67	16-18	37-60	16-35	37-53	16-51	41
42	38-66	16-41	38-59	16-58	38-52	16-75	38-44	16-92	42
43	39-58	16-80	39-51	16-97	39-43	17-15	39-36	17-32	43
44	40-50	17-19	40-43	17-37	40-35	17-54	40-27	17-72	44
45	41-42	17-58	41-35	17-76	41-27	17-94	41-19	18-12	45
46	42-34	17-97	42-26	18-16	42-18	18-34	42-10	18-53	46
47	43-26	18-36	43-18	18-55	43-10	18-74	43-02	18-93	47
48	44-18	18-76	44-10	18-95	44-02	19-14	43-93	19-33	48
49	45-10	19-15	45-02	19-34	44-94	19-54	44-85	19-73	49
50	46-03	19-54	45-94	19-74	45-85	19-94	45-77	20-14	50
Distance.	Dep.		Dep.		Dep.		Dep.		Distance.
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	
	67 Deg.		66¾ Deg.		66½ Deg.		66¼ Deg.		

TRAVERSE TABLE.

Distance.	23 Deg.		23¼ Deg.		23½ Deg.		23¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	46-35	19-93	46-86	20-13	46-77	20-34	46-68	20-54	51
52	47-87	20-32	47-78	20-53	47-69	20-73	47-60	20-94	52
53	48-79	20-71	48-70	20-92	48-60	21-13	48-51	21-35	53
54	49-71	21-10	49-61	21-32	49-52	21-53	49-43	21-75	54
55	50-63	21-49	50-53	21-71	50-44	21-93	50-34	22-15	55
56	51-55	21-88	51-45	22-11	51-35	22-33	51-26	22-55	56
57	52-47	22-27	52-37	22-50	52-27	22-73	52-17	22-96	57
58	53-39	22-66	53-29	22-90	53-19	23-13	53-09	23-36	58
59	54-31	23-05	54-21	23-29	54-11	23-53	54-00	23-76	59
60	55-23	23-44	55-13	23-68	55-02	23-92	54-92	24-16	60
61	56-15	23-83	56-05	24-08	55-94	24-32	55-83	24-57	61
62	57-07	24-23	56-97	24-47	56-86	24-72	56-75	24-97	62
63	57-99	24-62	57-88	24-87	57-77	25-12	57-66	25-37	63
64	58-91	25-01	58-80	25-26	58-69	25-52	58-58	25-78	64
65	59-83	25-40	59-72	25-66	59-61	25-92	59-50	26-18	65
66	60-75	25-79	60-64	26-05	60-53	26-32	60-41	26-53	66
67	61-67	26-18	61-56	26-45	61-44	26-72	61-33	26-98	67
68	62-59	26-57	62-48	26-84	62-36	27-11	62-24	27-39	68
69	63-51	26-96	63-40	27-24	63-28	27-51	63-16	27-79	69
70	64-44	27-35	64-32	27-63	64-19	27-91	64-07	28-19	70
71	65-36	27-74	65-23	28-03	65-11	28-31	64-99	28-59	71
72	66-28	28-13	66-15	28-42	66-03	28-71	65-90	29-00	72
73	67-20	28-52	67-07	28-82	66-95	29-11	66-82	29-40	73
74	68-12	28-91	67-99	29-21	67-86	29-51	67-73	29-80	74
75	69-04	29-30	68-91	29-61	68-78	29-91	68-65	30-21	75
76	69-96	29-70	69-83	30-01	69-79	30-30	69-66	30-61	76
77	70-88	30-09	70-75	30-40	70-61	30-70	70-48	31-01	77
78	71-80	30-48	71-67	30-79	71-53	31-10	71-39	31-41	78
79	72-72	30-87	72-53	31-18	72-45	31-50	72-31	31-82	79
80	73-64	31-26	73-50	31-58	73-35	31-90	73-22	32-22	80
81	74-56	31-65	74-42	31-97	74-28	32-30	74-14	32-62	81
82	75-48	32-04	75-34	32-37	75-20	32-70	75-06	33-03	82
83	76-40	32-43	76-26	32-76	76-12	33-10	75-97	33-43	83
84	77-32	32-82	77-18	33-16	77-03	33-49	76-89	33-83	84
85	78-24	33-21	78-10	33-55	77-95	33-89	77-80	34-23	85
86	79-16	33-60	79-02	33-95	78-87	34-29	78-72	34-64	86
87	80-08	33-99	79-93	34-34	79-78	34-69	79-63	35-04	87
88	81-00	34-38	80-85	34-74	80-70	35-09	80-55	35-44	88
89	81-92	34-78	81-77	35-13	81-62	35-49	81-46	35-84	89
90	82-85	35-17	82-69	35-53	82-54	35-89	82-38	36-25	90
91	83-77	35-56	83-61	35-92	83-45	36-29	83-29	36-65	91
92	84-69	35-95	84-53	36-32	84-37	36-68	84-21	37-05	92
93	85-61	36-34	85-45	36-71	85-29	37-08	85-12	37-46	93
94	86-53	36-73	86-37	37-11	86-20	37-48	86-04	37-86	94
95	87-45	37-12	87-29	37-50	87-12	37-88	86-95	38-26	95
96	88-37	37-51	88-20	37-90	88-04	38-28	87-87	38-66	96
97	89-29	37-90	89-12	38-29	88-95	38-68	88-79	39-07	97
98	90-21	38-29	90-04	38-68	89-87	39-08	89-70	39-47	98
99	91-13	38-68	90-96	39-08	90-79	39-48	90-62	39-87	99
100	92-05	39-07	91-88	39-47	91-71	39-87	91-53	40-27	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	67 Deg.		67¼ Deg.		67½ Deg.		67¾ Deg.		

Distance.	24 Deg.		24¼ Deg.		24½ Deg.		24¾ Deg.		Distance
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-91	0-41	0-91	0-41	0-91	0-41	0-91	0-42	1
2	1-83	0-81	1-82	0-82	1-82	0-83	1-82	0-84	2
3	2-74	1-22	2-74	1-23	2-73	1-24	2-72	1-26	3
4	3-65	1-63	3-65	1-64	3-64	1-66	3-63	1-67	4
5	4-57	2-03	4-56	2-05	4-55	2-07	4-54	2-09	5
6	5-48	2-44	5-47	2-46	5-46	2-49	5-45	2-51	6
7	6-39	2-85	6-38	2-87	6-37	2-90	6-36	2-93	7
8	7-31	3-25	7-29	3-29	7-28	3-32	7-27	3-35	8
9	8-22	3-66	8-21	3-70	8-19	3-73	8-17	3-77	9
10	9-14	4-07	9-12	4-11	9-10	4-15	9-08	4-19	10
11	10-05	4-47	10-03	4-52	10-01	4-56	9-99	4-61	11
12	10-96	4-88	10-94	4-93	10-92	4-98	10-90	5-02	12
13	11-88	5-29	11-85	5-34	11-83	5-39	11-81	5-44	13
14	12-79	5-69	12-76	5-75	12-74	5-81	12-71	5-86	14
15	13-70	6-10	13-68	6-16	13-65	6-22	13-62	6-28	15
16	14-62	6-51	14-59	6-57	14-56	6-64	14-53	6-70	16
17	15-53	6-92	15-50	6-98	15-47	7-05	15-44	7-12	17
18	16-44	7-32	16-41	7-39	16-38	7-46	16-35	7-54	18
19	17-36	7-73	17-32	7-80	17-29	7-88	17-25	7-95	19
20	18-27	8-13	18-24	8-21	18-20	8-29	18-16	8-37	20
21	19-18	8-54	19-15	8-63	19-11	8-71	19-07	8-79	21
22	20-10	8-95	20-06	9-04	20-02	9-12	19-98	9-21	22
23	21-01	9-35	20-97	9-45	20-93	9-54	20-89	9-63	23
24	21-93	9-76	21-88	9-86	21-84	9-95	21-80	10-05	24
25	22-84	10-17	22-79	10-27	22-75	10-37	22-70	10-47	25
26	23-75	10-58	23-71	10-68	23-66	10-78	23-61	10-89	26
27	24-67	10-98	24-62	11-09	24-57	11-20	24-52	11-30	27
28	25-58	11-39	25-53	11-50	25-48	11-61	25-43	11-72	28
29	26-49	11-80	26-44	11-91	26-39	12-03	26-34	12-14	29
30	27-41	12-20	27-35	12-32	27-30	12-44	27-24	12-56	30
31	28-32	12-61	28-26	12-73	28-21	12-86	28-15	12-98	31
32	29-23	13-02	29-18	13-14	29-12	13-27	29-06	13-40	32
33	30-15	13-42	30-09	13-55	30-03	13-68	29-97	13-82	33
34	31-06	13-83	31-00	13-96	30-94	14-10	30-88	14-23	34
35	31-97	14-24	31-91	14-38	31-85	14-51	31-78	14-65	35
36	32-89	14-64	32-82	14-79	32-76	14-93	32-69	15-07	36
37	33-80	15-05	33-74	15-20	33-67	15-34	33-60	15-49	37
38	34-71	15-45	34-65	15-61	34-58	15-76	34-51	15-91	38
39	35-63	15-86	35-56	16-02	35-49	16-17	35-42	16-33	39
40	36-54	16-27	36-47	16-43	36-40	16-59	36-33	16-75	40
41	37-46	16-68	37-38	16-84	37-31	17-00	37-23	17-16	41
42	38-37	17-08	38-29	17-25	38-22	17-42	38-14	17-58	42
43	39-28	17-49	39-21	17-66	39-13	17-83	39-05	18-00	43
44	40-20	17-90	40-12	18-07	40-12	18-25	39-96	18-42	44
45	41-11	18-30	41-03	18-48	40-95	18-66	40-87	18-84	45
46	42-02	18-71	41-94	18-89	41-86	19-08	41-77	19-23	46
47	42-94	19-12	42-85	19-30	42-77	19-49	42-68	19-68	47
48	43-85	19-52	43-76	19-71	43-68	19-91	43-59	20-10	48
49	44-76	19-93	44-68	20-13	44-59	20-32	44-50	20-51	49
50	45-68	20-34	45-59	20-54	45-50	20-73	45-41	20-93	50
Distance	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance
	66 Deg.		65¾ Deg.		65½ Deg.		65¼ Deg.		

Distance.	24 Deg.		24¼ Deg.		24½ Deg.		24¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	46:59	20:74	46:50	20:05	46:41	21:15	46:32	21:35	51
52	47:50	21:15	47:41	21:36	47:32	21:56	47:22	21:77	52
53	48:42	21:56	48:32	21:77	48:23	21:98	48:13	22:19	53
54	49:33	21:96	49:24	22:18	49:14	22:39	49:04	22:61	54
55	50:24	22:37	50:15	22:59	50:05	22:81	49:95	23:03	55
56	51:16	22:78	51:06	23:00	50:96	23:22	50:86	23:44	56
57	52:07	23:18	51:97	23:41	51:87	23:64	51:76	23:86	57
58	52:99	23:59	52:88	23:82	52:78	24:05	52:67	24:28	58
59	53:90	24:00	53:79	24:23	53:69	24:47	53:58	24:70	59
60	54:81	24:40	54:71	24:64	54:60	24:88	54:49	25:12	60
61	55:73	24:81	55:62	25:05	55:51	25:30	55:40	25:54	61
62	56:64	25:22	56:53	25:46	56:42	25:71	56:30	25:96	62
63	57:55	25:62	57:44	25:88	57:33	26:13	57:21	26:38	63
64	58:47	26:03	58:35	26:29	58:24	26:54	58:12	26:79	64
65	59:38	26:44	59:26	26:70	59:15	26:96	59:03	27:21	65
66	60:29	26:84	60:18	27:11	60:06	27:37	59:94	27:63	66
67	61:21	27:25	61:09	27:52	60:97	27:78	60:85	28:05	67
68	62:12	27:66	62:00	27:93	61:88	28:20	61:75	28:47	68
69	63:03	28:06	62:91	28:34	62:79	28:61	62:66	28:89	69
70	63:95	28:47	63:82	28:75	63:70	29:03	63:67	29:31	70
71	64:86	28:88	64:74	29:16	64:61	29:44	64:48	29:72	71
72	65:78	29:28	65:65	29:57	65:52	29:86	65:39	30:14	72
73	66:69	29:69	66:56	29:98	66:43	30:27	66:29	30:56	73
74	67:60	30:10	67:47	30:39	67:34	30:69	67:20	30:98	74
75	68:52	30:51	68:38	30:80	68:25	31:10	68:11	31:40	75
76	69:43	30:91	69:29	31:21	69:16	31:52	69:02	31:82	76
77	70:34	31:32	70:21	31:63	70:07	31:93	69:93	32:24	77
78	71:26	31:73	71:12	32:04	70:98	32:35	70:84	32:66	78
79	72:17	32:13	72:03	32:45	71:89	32:76	71:74	33:07	79
80	73:08	32:54	72:94	32:86	72:80	33:18	72:65	33:49	80
81	74:00	32:95	73:85	33:27	73:71	33:59	73:56	33:91	81
82	74:91	33:35	74:76	33:68	74:62	34:00	74:47	34:33	82
83	75:82	33:76	75:68	34:09	75:53	34:42	75:38	34:75	83
84	76:74	34:17	76:59	34:50	76:44	34:83	76:28	35:17	84
85	77:65	34:57	77:50	34:91	77:35	35:25	77:19	35:59	85
86	78:56	34:98	78:41	35:32	78:26	35:66	78:10	36:00	86
87	79:48	35:39	79:32	35:73	79:17	36:08	79:01	36:42	87
88	80:39	35:79	80:24	36:14	80:08	36:49	79:92	36:84	88
89	81:31	36:20	81:15	36:55	80:99	36:91	80:82	37:26	89
90	82:22	36:61	82:06	36:96	81:90	37:32	81:73	37:68	90
91	83:13	37:01	82:97	37:38	82:81	37:74	82:64	38:10	91
92	84:05	37:42	83:88	37:79	83:72	38:15	83:55	38:52	92
93	84:96	37:83	84:79	38:20	84:63	38:57	84:46	38:94	93
94	85:87	38:23	85:71	38:61	85:54	38:98	85:37	39:35	94
95	86:79	38:64	86:62	39:02	86:45	39:40	86:27	39:77	95
96	87:70	39:05	87:53	39:43	87:36	39:81	87:18	40:19	96
97	88:61	39:45	88:44	39:84	88:27	40:23	88:09	40:61	97
98	89:53	39:86	89:35	40:25	89:18	40:64	89:00	41:03	98
99	90:44	40:27	90:26	40:66	90:09	41:05	89:91	41:45	99
100	91:35	40:67	91:18	41:07	91:00	41:47	90:81	41:87	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	66 Deg.		65¾ Deg.		65½ Deg.		65¼ Deg.		

Distance.	25 Deg.		25¼ Deg.		25½ Deg.		25¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0:31	0:42	0:30	0:43	0:30	0:43	0:30	0:43	1
2	1:81	0:85	1:81	0:85	1:81	0:86	1:80	0:87	2
3	2:72	1:27	2:71	1:28	2:71	1:29	2:70	1:30	3
4	3:63	1:69	3:62	1:71	3:61	1:72	3:60	1:74	4
5	4:53	2:11	4:52	2:13	4:51	2:15	4:50	2:17	5
6	5:44	2:54	5:43	2:56	5:42	2:58	5:40	2:61	6
7	6:34	2:96	6:33	2:99	6:32	3:01	6:30	3:04	7
8	7:25	3:38	7:24	3:41	7:22	3:44	7:21	3:48	8
9	8:16	3:80	8:14	3:84	8:12	3:87	8:11	3:91	9
10	9:06	4:23	9:04	4:27	9:03	4:31	9:01	4:34	10
11	9:97	4:66	9:95	4:69	9:93	4:74	9:91	4:78	11
12	10:88	5:07	10:85	5:12	10:83	5:17	10:81	5:21	12
13	11:78	5:49	11:76	5:55	11:73	5:60	11:71	5:65	13
14	12:69	5:92	12:66	5:97	12:64	6:03	12:61	6:08	14
15	13:59	6:34	13:57	6:40	13:54	6:46	13:51	6:52	15
16	14:50	6:76	14:47	6:83	14:44	6:89	14:41	6:95	16
17	15:41	7:18	15:38	7:25	15:34	7:32	15:31	7:39	17
18	16:31	7:61	16:28	7:68	16:25	7:75	16:21	7:82	18
19	17:22	8:03	17:18	8:10	17:15	8:18	17:11	8:25	19
20	18:13	8:45	18:09	8:53	18:05	8:61	18:01	8:69	20
21	19:03	8:87	18:99	8:96	18:95	9:04	18:91	9:12	21
22	19:94	9:30	19:90	9:38	19:86	9:47	19:82	9:56	22
23	20:85	9:72	20:80	9:81	20:76	9:90	20:72	9:99	23
24	21:75	10:14	21:71	10:24	21:66	10:33	21:62	10:43	24
25	22:66	10:57	22:61	10:66	22:56	10:76	22:52	10:86	25
26	23:56	10:99	23:52	11:09	23:47	11:19	23:42	11:30	26
27	24:47	11:41	24:42	11:52	24:37	11:32	24:32	11:43	27
28	25:38	11:83	25:32	11:94	25:27	12:05	25:22	12:16	28
29	26:28	12:26	26:23	12:37	26:17	12:48	26:12	12:60	29
30	27:19	12:68	27:13	12:80	27:08	12:92	27:02	13:03	30
31	28:10	13:10	28:04	13:22	27:98	13:35	27:92	13:47	31
32	29:00	13:52	28:94	13:65	28:88	13:78	28:82	13:90	32
33	29:91	13:95	29:85	14:08	29:79	14:21	29:72	14:34	33
34	30:81	14:37	30:75	14:50	30:69	14:64	30:62	14:77	34
35	31:72	14:79	31:66	14:93	31:59	15:07	31:52	15:21	35
36	32:63	15:21	32:56	15:36	32:49	15:50	32:43	15:64	36
37	33:53	15:64	33:46	15:78	33:40	15:93	33:33	16:07	37
38	34:44	16:06	34:37	16:21	34:30	16:36	34:23	16:51	38
39	35:35	16:48	35:27	16:64	35:20	16:79	35:13	16:94	39
40	36:25	16:90	36:18	17:06	36:10	17:22	36:03	17:38	40
41	37:16	17:32	37:08	17:49	37:01	17:65	36:93	17:81	41
42	38:06	17:75	37:99	17:92	37:91	18:08	37:83	18:25	42
43	38:97	18:17	38:89	18:34	38:81	18:51	38:73	18:68	43
44	39:88	18:60	39:80	18:77	39:71	18:94	39:63	19:12	44
45	40:78	19:02	40:70	19:20	40:62	19:37	40:53	19:55	45
46	41:69	19:44	41:60	19:62	41:52	19:80	41:43	19:98	46
47	42:60	19:86	42:51	20:05	42:42	20:23	42:33	20:42	47
48	43:50	20:29	43:41	20:48	43:32	20:66	43:23	20:85	48
49	44:41	20:71	44:32	20:90	44:23	21:10	44:13	21:29	49
50	45:32	21:13	45:22	21:33	45:13	21:53	45:03	21:72	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	65 Deg.		64¾ Deg.		64½ Deg.		64¼ Deg.		

Distance.	25 Deg.		26¼ Deg.		25½ Deg.		25¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	46-22	21-55	46-13	21-75	47-05	21-35	47-24	22-16	51
52	47-13	21-98	47-03	22-18	47-93	22-30	47-83	22-59	52
53	48-03	22-40	47-91	22-61	47-84	22-82	47-74	23-03	53
54	48-94	22-82	48-84	23-03	48-74	23-25	48-64	23-46	54
55	49-85	23-24	49-74	23-46	49-64	23-68	49-54	23-89	55
56	50-75	23-67	50-65	23-89	50-54	24-11	50-44	24-33	56
57	51-66	24-09	51-55	24-31	51-45	24-54	51-34	24-76	57
58	52-57	24-51	52-47	24-74	52-35	24-97	52-24	25-20	58
59	53-47	24-93	53-38	25-17	53-25	25-40	53-14	25-63	59
60	54-38	25-36	54-27	25-59	54-16	25-83	54-04	26-07	60
61	55-28	25-78	55-17	26-02	55-06	26-26	54-94	26-50	61
62	56-19	26-20	56-08	26-45	55-96	26-69	55-84	26-94	62
63	57-10	26-62	56-98	26-87	56-86	27-12	56-74	27-37	63
64	58-00	27-05	57-89	27-30	57-77	27-55	57-64	27-80	64
65	58-91	27-47	58-79	27-73	58-67	27-98	58-55	28-24	65
66	59-82	27-89	59-69	28-15	59-57	28-41	59-45	28-67	66
67	60-72	28-32	60-60	28-58	60-47	28-84	60-35	29-11	67
68	61-63	28-74	61-50	29-01	61-38	29-27	61-25	29-54	68
69	62-54	29-16	62-41	29-43	62-28	29-71	62-15	29-98	69
70	63-44	29-58	63-31	29-86	63-18	30-14	63-05	30-41	70
71	64-35	30-01	64-22	30-29	64-08	30-57	63-95	30-85	71
72	65-25	30-43	65-12	30-71	64-99	31-00	64-85	31-28	72
73	66-16	30-85	66-03	31-14	65-89	31-43	65-75	31-71	73
74	67-07	31-27	66-93	31-57	66-79	31-86	66-65	32-15	74
75	67-97	31-70	67-83	31-99	67-69	32-29	67-55	32-58	75
76	68-88	32-12	68-74	32-42	68-60	32-72	68-45	33-02	76
77	69-79	32-54	69-64	32-85	69-50	33-15	69-35	33-45	77
78	70-69	32-96	70-55	33-27	70-40	33-58	70-25	33-89	78
79	71-60	33-39	71-45	33-70	71-30	34-01	71-16	34-32	79
80	72-50	33-81	72-36	34-13	72-21	34-44	72-06	34-76	80
81	73-41	34-23	73-26	34-55	73-11	34-87	72-96	35-19	81
82	74-32	34-65	74-17	34-98	74-01	35-30	73-86	35-62	82
83	75-22	35-08	75-07	35-41	74-91	35-73	74-76	36-06	83
84	76-13	35-50	75-97	35-83	75-82	36-16	75-66	36-49	84
85	77-04	35-92	76-88	36-26	76-72	36-59	76-56	36-93	85
86	77-94	36-35	77-78	36-68	77-62	37-02	77-46	37-36	86
87	78-85	36-77	78-69	37-11	78-52	37-45	78-36	37-80	87
88	79-76	37-19	79-59	37-54	79-43	37-88	79-26	38-23	88
89	80-66	37-61	80-50	37-96	80-33	38-32	80-16	38-67	89
90	81-57	38-04	81-40	38-39	81-23	38-75	81-06	39-10	90
91	82-47	38-46	82-31	38-82	82-14	39-18	81-96	39-53	91
92	83-38	38-88	83-21	39-24	83-04	39-61	82-86	39-97	92
93	84-29	39-30	84-11	39-67	83-94	40-04	83-76	40-40	93
94	85-19	39-73	85-02	40-10	84-84	40-47	84-67	40-84	94
95	86-10	40-15	85-92	40-52	85-75	40-90	85-57	41-27	95
96	87-01	40-57	86-83	40-95	86-65	41-33	86-47	41-71	96
97	87-91	40-99	87-73	41-38	87-55	41-76	87-37	42-14	97
98	88-82	41-42	88-64	41-80	88-45	42-19	88-27	42-58	98
99	89-72	41-84	89-54	42-23	89-36	42-62	89-17	43-01	99
100	90-63	42-26	90-45	42-66	90-26	43-05	90-07	43-44	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	65 Deg.		64¼ Deg.		64½ Deg.		64¾ Deg.		

Distance.	26 Deg.		26¼ Deg.		26½ Deg.		26¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-90	0-44	0-90	0-44	0-89	0-45	0-89	0-45	1
2	1-80	0-58	1-79	0-58	1-79	0-59	1-79	0-90	2
3	2-70	1-32	2-69	1-33	2-68	1-34	2-68	1-35	3
4	3-60	1-75	3-59	1-77	3-58	1-78	3-57	1-80	4
5	4-49	2-19	4-48	2-21	4-47	2-23	4-46	2-25	5
6	5-39	2-63	5-38	2-65	5-37	2-68	5-36	2-70	6
7	6-29	3-07	6-28	3-10	6-26	3-12	6-25	3-15	7
8	7-19	3-51	7-17	3-54	7-16	3-57	7-14	3-60	8
9	8-09	3-95	8-07	3-98	8-05	4-02	8-04	4-05	9
10	8-99	4-38	8-97	4-42	8-95	4-46	8-93	4-50	10
11	9-89	4-82	9-87	4-87	9-84	4-91	9-82	4-95	11
12	10-79	5-26	10-76	5-31	10-74	5-35	10-72	5-40	12
13	11-68	5-70	11-66	5-75	11-63	5-80	11-61	5-85	13
14	12-58	6-14	12-56	6-19	12-53	6-25	12-50	6-30	14
15	13-48	6-58	13-45	6-63	13-42	6-69	13-39	6-75	15
16	14-38	7-01	14-35	7-08	14-32	7-14	14-29	7-20	16
17	15-28	7-45	15-25	7-52	15-21	7-59	15-18	7-65	17
18	16-18	7-89	16-14	7-96	16-11	8-03	16-07	8-10	18
19	17-08	8-33	17-04	8-40	17-00	8-48	16-97	8-55	19
20	17-98	8-77	17-94	8-85	17-90	8-92	17-86	9-00	20
21	18-87	9-21	18-83	9-29	18-79	9-37	18-75	9-45	21
22	19-77	9-64	19-73	9-73	19-69	9-82	19-65	9-90	22
23	20-67	10-08	20-63	10-17	20-58	10-26	20-54	10-35	23
24	21-57	10-52	21-52	10-61	21-48	10-71	21-43	10-80	24
25	22-47	10-96	22-42	11-06	22-37	11-15	22-32	11-25	25
26	23-37	11-40	23-32	11-50	23-27	11-60	23-22	11-70	26
27	24-27	11-84	24-22	11-94	24-16	12-05	24-11	12-15	27
28	25-17	12-27	25-11	12-38	25-06	12-49	25-00	12-60	28
29	26-06	12-71	26-01	12-83	25-95	12-94	25-90	13-05	29
30	26-96	13-15	26-91	13-27	26-85	13-39	26-79	13-50	30
31	27-86	13-59	27-80	13-71	27-74	13-83	27-68	13-95	31
32	28-76	14-03	28-70	14-15	28-64	14-28	28-58	14-40	32
33	29-66	14-47	29-60	14-60	29-53	14-72	29-47	14-85	33
34	30-56	14-90	30-49	15-04	30-43	15-17	30-36	15-30	34
35	31-46	15-34	31-39	15-48	31-32	15-62	31-25	15-75	35
36	32-36	15-78	32-29	15-92	32-22	16-06	32-15	16-20	36
37	33-26	16-22	33-18	16-36	33-11	16-51	33-04	16-35	37
38	34-15	16-66	34-08	16-81	34-01	16-96	33-93	17-10	38
39	35-05	17-10	34-98	17-25	34-90	17-40	34-83	17-55	39
40	35-95	17-53	35-87	17-69	35-80	17-85	35-72	18-00	40
41	36-85	17-97	36-77	18-13	36-69	18-29	36-61	18-45	41
42	37-75	18-41	37-67	18-58	37-59	18-74	37-51	18-90	42
43	38-65	18-85	38-57	19-02	38-48	19-19	38-40	19-35	43
44	39-55	19-29	39-46	19-46	39-38	19-63	39-29	19-80	44
45	40-45	19-73	40-36	19-90	40-27	20-08	40-18	20-25	45
46	41-34	20-17	41-26	20-35	41-17	20-53	41-08	20-70	46
47	42-24	20-60	42-15	20-79	42-06	20-97	41-97	21-15	47
48	43-14	21-04	43-05	21-23	42-96	21-42	42-86	21-60	48
49	44-04	21-48	43-95	21-67	43-85	21-86	43-76	22-05	49
50	44-94	21-92	44-84	22-11	44-75	22-31	44-65	22-50	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	64 Deg.		63¼ Deg.		63½ Deg.		63¾ Deg.		

Distance.	26 Deg.		26¼ Deg.		26½ Deg.		26¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	45°84	22°56	45°74	22°56	45°64	22°76	45°54	22°96	51
52	45°74	22°80	45°64	23°00	45°54	22°96	45°43	23°11	52
53	45°64	23°23	45°53	23°14	45°43	23°05	45°33	23°35	53
54	45°53	23°07	45°43	23°38	45°33	24°00	45°22	24°31	54
55	45°43	24°11	45°33	24°33	45°22	24°54	45°11	24°76	55
56	50°33	24°55	50°22	24°77	50°12	24°99	50°01	25°21	56
57	51°23	24°99	51°12	25°21	51°01	25°43	50°00	25°66	57
58	52°13	25°43	52°02	25°65	51°91	25°88	51°79	26°11	58
59	53°03	25°86	52°92	26°09	52°80	26°33	52°69	26°56	59
60	53°93	26°30	53°81	26°54	53°70	26°77	53°58	27°01	60
61	54°83	26°74	54°71	26°98	54°60	27°22	54°47	27°46	61
62	55°73	27°18	55°61	27°42	55°49	27°66	55°36	27°91	62
63	56°62	27°62	56°50	27°86	56°38	28°11	56°26	28°36	63
64	57°52	28°06	57°40	28°31	57°28	28°56	57°15	28°81	64
65	58°42	28°49	58°30	28°75	58°17	29°00	58°04	29°26	65
66	59°32	28°93	59°19	29°19	59°07	29°45	58°94	29°71	66
67	60°22	29°37	60°09	29°63	59°56	29°90	59°83	30°16	67
68	61°12	29°81	60°99	30°08	60°86	30°34	60°72	30°61	68
69	62°02	30°25	61°88	30°52	61°75	30°79	61°62	31°06	69
70	62°92	30°69	62°78	30°96	62°65	31°23	62°51	31°51	70
71	63°81	31°12	63°68	31°40	63°54	31°68	63°40	31°96	71
72	64°71	31°56	64°57	31°84	64°44	32°13	64°29	32°41	72
73	65°61	32°00	65°47	32°29	65°33	32°57	65°19	32°86	73
74	66°51	32°44	66°37	32°73	66°23	33°02	66°08	33°31	74
75	67°41	32°88	67°27	33°17	67°12	33°46	66°97	33°76	75
76	68°31	33°32	68°16	33°61	68°01	33°91	67°87	34°21	76
77	69°21	33°75	69°06	34°06	68°91	34°36	68°76	34°66	77
78	70°11	34°19	69°96	34°50	69°80	34°80	69°65	35°11	78
79	71°00	34°63	70°85	34°94	70°70	35°25	70°55	35°56	79
80	71°90	35°07	71°75	35°38	71°60	35°70	71°44	36°01	80
81	72°80	35°51	72°65	35°83	72°49	36°14	72°33	36°46	81
82	73°70	35°95	73°54	36°27	73°38	36°59	73°22	36°91	82
83	74°60	36°38	74°44	36°71	74°28	37°03	74°12	37°36	83
84	75°50	36°82	75°34	37°15	75°17	37°48	75°01	37°81	84
85	76°40	37°26	76°23	37°59	76°07	37°93	75°90	38°26	85
86	77°30	37°70	77°13	38°04	76°96	38°37	76°80	38°71	86
87	78°20	38°14	78°03	38°48	77°86	38°82	77°69	39°16	87
88	79°09	38°58	78°92	38°92	78°75	39°27	78°58	39°61	88
89	79°99	39°01	79°82	39°36	79°65	39°71	79°48	40°06	89
90	80°89	39°45	80°72	39°81	80°54	40°16	80°37	40°51	90
91	81°79	39°89	81°62	40°25	81°44	40°60	81°26	40°96	91
92	82°69	40°33	82°51	40°69	82°33	41°05	82°15	41°41	92
93	83°59	40°77	83°41	41°13	83°23	41°50	83°05	41°86	93
94	84°49	41°21	84°31	41°58	84°12	41°94	83°91	42°31	94
95	85°39	41°65	85°20	42°02	85°02	42°39	84°83	42°76	95
96	86°28	42°08	86°10	42°46	85°91	42°83	85°73	43°21	96
97	87°18	42°52	87°01	42°90	86°81	43°28	86°62	43°66	97
98	88°08	42°96	87°89	43°34	87°70	43°73	87°51	44°11	98
99	88°98	43°40	88°79	43°79	88°60	44°17	88°40	44°56	99
100	89°88	43°84	89°69	44°23	89°49	44°62	89°30	45°01	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	64 Deg.		63¾ Deg.		63½ Deg.		63¼ Deg.		

Distance.	27 Deg.		27¼ Deg.		27½ Deg.		27¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-83	0-45	0-83	0-46	0-89	0-46	0-88	0-47	1
2	1-77	0-91	1-78	0-92	1-77	0-52	1-77	0-53	2
3	2-68	1-36	2-67	1-37	2-66	1-39	2-65	1-40	3
4	3-56	1-82	3-56	1-83	3-55	1-85	3-54	1-86	4
5	4-45	2-27	4-45	2-29	4-44	2-31	4-42	2-33	5
6	5-35	2-72	5-33	2-75	5-32	2-77	5-31	2-79	6
7	6-24	3-18	6-22	3-21	6-21	3-23	6-19	3-26	7
8	7-13	3-63	7-11	3-66	7-10	3-69	7-08	3-72	8
9	8-02	4-09	8-00	4-12	7-98	4-16	7-96	4-19	9
10	8-91	4-54	8-89	4-58	8-87	4-62	8-85	4-66	10
11	9-80	4-99	9-78	5-04	9-76	5-08	9-73	5-12	11
12	10-69	5-45	10-67	5-49	10-64	5-54	10-62	5-59	12
13	11-58	5-90	11-56	5-95	11-53	6-00	11-50	6-05	13
14	12-47	6-36	12-45	6-41	12-42	6-46	12-39	6-52	14
15	13-37	6-81	13-34	6-87	13-31	6-93	13-27	6-98	15
16	14-26	7-26	14-22	7-33	14-19	7-39	14-16	7-45	16
17	15-15	7-72	15-11	7-78	15-08	7-85	15-04	7-92	17
18	16-04	8-17	16-00	8-24	15-97	8-31	15-93	8-38	18
19	16-93	8-63	16-89	8-70	16-85	8-77	16-81	8-85	19
20	17-82	9-08	17-78	9-16	17-74	9-23	17-70	9-31	20
21	18-71	9-53	18-67	9-62	18-63	9-70	18-58	9-78	21
22	19-60	9-99	19-56	10-07	19-51	10-16	19-47	10-24	22
23	20-49	10-44	20-45	10-53	20-40	10-62	20-35	10-71	23
24	21-38	10-90	21-34	10-99	21-29	11-08	21-24	11-17	24
25	22-28	11-35	22-23	11-45	22-18	11-54	22-12	11-64	25
26	23-17	11-80	23-11	11-90	23-06	12-01	23-01	12-11	26
27	24-06	12-26	24-00	12-36	23-95	12-47	23-89	12-57	27
28	24-95	12-71	24-89	12-82	24-84	12-93	24-78	13-04	28
29	25-84	13-17	25-78	13-28	25-72	13-39	25-66	13-50	29
30	26-73	13-62	26-67	13-74	26-61	13-85	26-55	13-97	30
31	27-62	14-07	27-56	14-19	27-50	14-31	27-43	14-43	31
32	28-51	14-53	28-45	14-65	28-38	14-78	28-32	14-90	32
33	29-40	14-98	29-34	15-11	29-27	15-24	29-20	15-37	33
34	30-29	15-44	30-23	15-57	30-16	15-70	30-09	15-83	34
35	31-19	15-89	31-12	16-03	31-05	16-16	30-97	16-30	35
36	32-08	16-34	32-20	16-48	31-93	16-62	31-86	16-76	36
37	32-97	16-80	32-80	16-94	32-82	17-08	32-74	17-23	37
38	33-86	17-25	33-78	17-40	33-71	17-55	33-63	17-69	38
39	34-75	17-71	34-67	17-86	34-59	18-01	34-51	18-16	39
40	35-64	18-16	35-56	18-31	35-48	18-47	35-40	18-62	40
41	36-53	18-61	36-45	18-77	36-37	18-93	36-28	19-09	41
42	37-42	19-07	37-34	19-23	37-25	19-39	37-17	19-56	42
43	38-31	19-52	38-23	19-69	38-14	19-86	38-05	20-02	43
44	39-20	19-98	39-12	20-15	39-03	20-32	38-94	20-49	44
45	40-10	20-43	40-01	20-60	39-92	20-78	39-82	20-95	45
46	41-00	20-88	40-89	21-06	40-80	21-24	40-71	21-42	46
47	41-88	21-34	41-78	21-52	41-69	21-70	41-59	21-88	47
48	42-77	21-79	42-67	21-98	42-58	22-16	42-48	22-35	48
49	43-66	22-25	43-56	22-44	43-46	22-63	43-36	22-82	49
50	44-55	22-70	44-45	22-89	44-35	23-09	44-25	23-28	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	63 Deg.		62¾ Deg.		62½ Deg.		62¼ Deg.		

TRAVERSE TABLE.

Distance.	27 Deg.		27¼ Deg.		27½ Deg.		27¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	45-44	23-15	45-34	23-35	45-24	23-55	45-13	23-75	51
52	46-33	23-01	46-23	23-51	46-12	24-01	46-02	24-21	52
53	47-22	22-06	47-12	24-27	47-01	24-47	46-90	24-68	53
54	48-11	24-52	48-01	24-73	47-90	24-93	47-79	25-14	54
55	49-01	24-37	48-90	25-18	48-79	25-40	48-67	25-61	55
56	49-90	25-42	49-78	25-04	49-67	25-86	49-56	26-07	56
57	50-79	25-88	50-67	26-10	50-56	26-32	50-44	26-54	57
58	51-68	26-33	51-56	26-56	51-45	26-78	51-33	27-01	58
59	52-57	26-79	52-45	27-01	52-33	27-24	52-21	27-47	59
60	53-46	27-24	53-34	27-47	53-22	27-70	53-10	27-94	60
61	54-35	27-69	54-23	27-93	54-11	28-17	53-98	28-40	61
62	55-24	28-15	55-12	28-39	54-99	28-63	54-87	28-67	62
63	56-13	28-00	56-01	28-55	55-88	29-09	55-75	29-33	63
64	57-02	29-06	56-90	29-30	56-77	29-55	56-64	29-80	64
65	57-92	29-51	57-79	29-76	57-66	30-01	57-52	30-23	65
66	58-81	29-36	58-68	30-22	58-54	30-48	58-41	30-73	66
67	59-70	30-12	59-56	30-68	59-43	30-94	59-29	31-23	67
68	60-59	30-87	60-45	31-14	60-32	31-40	60-18	31-66	68
69	61-48	31-33	61-34	31-59	61-20	31-86	61-06	32-13	69
70	62-37	31-78	62-23	32-05	62-09	32-32	61-95	32-59	70
71	63-26	32-23	63-12	32-51	62-98	32-78	62-83	33-06	71
72	64-15	32-69	64-01	32-97	63-86	33-25	63-72	33-52	72
73	65-04	33-14	64-90	33-42	64-75	33-71	64-60	33-99	73
74	65-93	33-60	65-79	33-88	65-64	34-17	65-49	34-46	74
75	66-83	34-05	66-68	34-34	66-53	34-63	66-37	34-92	75
76	67-72	34-50	67-57	34-80	67-41	35-09	67-26	35-39	76
77	68-61	34-96	68-45	35-26	68-30	35-55	68-14	35-85	77
78	69-50	35-41	69-34	35-71	69-19	36-02	69-03	36-32	78
79	70-39	35-87	70-23	36-17	70-07	36-48	69-91	36-78	79
80	71-28	36-32	71-12	36-63	70-96	36-94	70-80	37-25	80
81	72-17	36-77	72-01	37-09	71-85	37-40	71-68	37-71	81
82	73-06	37-23	72-90	37-55	72-73	37-86	72-57	38-18	82
83	73-95	37-68	73-79	38-00	73-62	38-33	73-45	38-65	83
84	74-84	38-14	74-68	38-46	74-51	38-79	74-34	39-11	84
85	75-74	38-59	75-57	38-92	75-40	39-25	75-22	39-58	85
86	76-63	39-04	76-46	39-38	76-28	39-71	76-11	40-04	86
87	77-52	39-50	77-34	39-83	77-17	40-17	76-99	40-51	87
88	78-41	39-95	78-23	40-29	78-06	40-63	77-88	40-97	88
89	79-30	40-41	79-12	40-75	78-94	41-10	78-76	41-44	89
90	80-19	40-86	80-01	41-21	79-83	41-56	79-65	41-91	90
91	81-08	41-31	80-90	41-67	80-72	42-02	80-53	42-37	91
92	81-97	41-77	81-79	42-12	81-60	42-48	81-42	42-84	92
93	82-86	42-22	82-68	42-58	82-49	42-94	82-30	43-30	93
94	83-75	42-68	83-57	43-04	83-38	43-40	83-19	43-77	94
95	84-65	43-13	84-46	43-50	84-27	43-87	84-07	44-23	95
96	85-54	43-58	85-35	43-96	85-15	44-33	84-96	44-70	96
97	86-43	44-04	86-23	44-41	86-04	44-79	85-84	45-16	97
98	87-32	44-49	87-12	44-87	86-93	45-25	86-73	45-63	98
99	88-21	44-95	88-01	45-33	87-81	45-71	87-61	46-10	99
100	89-10	45-40	88-90	45-79	88-70	46-17	88-50	46-56	100
Distance.	63 Deg.		62¾ Deg.		62½ Deg.		62¼ Deg.		Distance.
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	

TRAVERSE TABLE.

Distance.	28 Deg.		28¼ Deg.		28½ Deg.		28¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0.88	0.47	0.88	0.47	0.88	0.48	0.88	0.48	1
2	1.77	0.94	1.76	0.95	1.76	0.95	1.75	0.96	2
3	2.65	1.41	2.64	1.42	2.64	1.43	2.63	1.44	3
4	3.53	1.88	3.52	1.89	3.52	1.91	3.51	1.92	4
5	4.41	2.35	4.40	2.37	4.39	2.39	4.38	2.40	5
6	5.30	2.82	5.29	2.84	5.27	2.86	5.26	2.89	6
7	6.18	3.29	6.17	3.31	6.15	3.34	6.14	3.37	7
8	7.06	3.76	7.05	3.79	7.03	3.82	7.01	3.85	8
9	7.95	4.23	7.93	4.26	7.91	4.29	7.89	4.33	9
10	8.83	4.69	8.81	4.73	8.79	4.77	8.77	4.81	10
11	9.71	5.16	9.69	5.21	9.67	5.25	9.64	5.29	11
12	10.60	5.63	10.57	5.68	10.55	5.73	10.52	5.77	12
13	11.48	6.10	11.45	6.15	11.42	6.20	11.40	6.25	13
14	12.36	6.57	12.33	6.63	12.30	6.68	12.27	6.73	14
15	13.24	7.04	13.21	7.10	13.18	7.16	13.15	7.21	15
16	14.13	7.51	14.09	7.57	14.06	7.63	14.03	7.70	16
17	15.01	7.98	14.98	8.05	14.94	8.11	14.90	8.18	17
18	15.89	8.45	15.86	8.52	15.82	8.59	15.78	8.66	18
19	16.78	8.92	16.74	8.99	16.70	9.07	16.66	9.14	19
20	17.66	9.39	17.62	9.47	17.58	9.54	17.53	9.62	20
21	18.54	9.86	18.50	9.94	18.46	10.02	18.41	10.10	21
22	19.42	10.33	19.38	10.41	19.33	10.50	19.29	10.58	22
23	20.31	10.80	20.26	10.89	20.21	10.97	20.16	11.06	23
24	21.19	11.27	21.14	11.36	21.09	11.45	21.04	11.54	24
25	22.07	11.74	22.02	11.83	21.97	11.93	21.92	12.02	25
26	22.96	12.21	22.90	12.31	22.85	12.41	22.79	12.51	26
27	23.84	12.68	23.78	12.76	23.73	12.88	23.67	12.99	27
28	24.72	13.15	24.66	13.25	24.61	13.36	24.55	13.47	28
29	25.61	13.61	25.55	13.73	25.49	13.84	25.43	13.95	29
30	26.49	14.08	26.43	14.20	26.36	14.31	26.30	14.43	30
31	27.37	14.55	27.31	14.67	27.24	14.79	27.18	14.91	31
32	28.25	15.02	28.19	15.15	28.12	15.27	28.06	15.39	32
33	29.14	15.49	29.07	15.62	29.00	15.75	28.93	15.87	33
34	30.02	15.96	29.95	16.09	29.88	16.22	29.81	16.35	34
35	30.90	16.43	30.83	16.57	30.76	16.70	30.69	16.83	35
36	31.79	16.90	31.71	17.04	31.64	17.18	31.56	17.32	36
37	32.67	17.37	32.59	17.51	32.52	17.65	32.44	17.80	37
38	33.55	17.84	33.47	17.99	33.39	18.13	33.32	18.28	38
39	34.43	18.31	34.35	18.46	34.27	18.61	34.19	18.76	39
40	35.32	18.78	35.24	18.93	35.15	19.09	35.07	19.24	40
41	36.20	19.25	36.12	19.41	36.03	19.56	35.95	19.72	41
42	37.08	19.72	37.00	19.88	36.91	20.04	36.82	20.20	42
43	37.97	20.19	37.88	20.35	37.79	20.52	37.70	20.68	43
44	38.85	20.66	38.76	20.83	38.67	20.99	38.58	21.16	44
45	39.73	21.13	39.64	21.30	39.55	21.47	39.45	21.64	45
46	40.62	21.60	40.52	21.77	40.43	21.95	40.33	22.13	46
47	41.50	22.07	41.40	22.25	41.30	22.43	41.21	22.61	47
48	42.38	22.53	42.28	22.72	42.18	22.90	42.08	23.09	48
49	43.26	23.00	43.16	23.19	43.06	23.38	42.96	23.57	49
50	44.15	23.47	44.04	23.67	43.94	23.86	43.84	24.05	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	62 Deg.		61¾ Deg.		61½ Deg.		61¼ Deg.		

TRAVERSE TABLE.

Distance.	28 Deg.		28¼ Deg.		28½ Deg.		28¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	45-03	23-24	44-03	24-14	44-82	24-34	44-71	24-53	51
52	45-01	24-41	45-81	24-61	45-70	24-81	45-59	25-01	52
53	46-80	24-88	46-69	25-09	46-58	25-29	46-47	25-49	53
54	47-68	25-35	47-57	25-56	47-46	25-77	47-34	25-97	54
55	48-56	25-82	48-45	26-03	48-33	26-24	48-22	26-45	55
56	49-45	26-29	49-33	26-51	49-21	26-72	49-10	26-94	56
57	50-33	26-76	50-21	26-98	50-09	27-20	49-97	27-42	57
58	51-21	27-23	51-09	27-45	50-97	27-68	50-85	27-90	58
59	52-09	27-70	51-97	27-93	51-85	28-15	51-73	28-38	59
60	52-98	28-17	52-85	28-40	52-73	28-63	52-60	28-86	60
61	53-86	28-64	53-73	28-87	53-61	29-11	53-48	29-34	61
62	54-74	29-11	54-62	29-35	54-49	29-58	54-36	29-82	62
63	55-63	29-58	55-50	29-82	55-37	30-06	55-23	30-30	63
64	56-51	30-05	56-38	30-29	56-24	30-54	56-11	30-78	64
65	57-39	30-52	57-26	30-77	57-12	31-02	56-99	31-26	65
66	58-27	30-99	58-14	31-24	58-00	31-49	57-86	31-75	66
67	59-16	31-45	59-02	31-71	58-88	31-97	58-74	32-23	67
68	60-04	31-92	59-90	32-19	59-76	32-45	59-62	32-71	68
69	60-92	32-39	60-78	32-66	60-64	32-92	60-49	33-19	69
70	61-81	32-86	61-66	33-13	61-52	33-40	61-37	33-67	70
71	62-69	33-33	62-54	33-61	62-40	33-88	62-25	34-15	71
72	63-57	33-80	63-42	34-08	63-27	34-36	63-12	34-63	72
73	64-46	34-27	64-30	34-55	64-15	34-83	64-00	35-11	73
74	65-34	34-74	65-19	35-03	65-03	35-31	64-88	35-59	74
75	66-22	35-21	66-07	35-50	65-91	35-79	65-75	36-07	75
76	67-10	35-68	66-95	35-97	66-79	36-26	66-63	36-56	76
77	67-99	36-15	67-83	36-45	67-67	36-74	67-51	37-04	77
78	68-87	36-62	68-71	36-92	68-55	37-22	68-38	37-52	78
79	69-75	37-09	69-59	37-39	69-43	37-70	69-26	38-00	79
80	70-64	37-56	70-47	37-87	70-31	38-17	70-14	38-48	80
81	71-52	38-03	71-35	38-34	71-18	38-65	71-01	38-96	81
82	72-40	38-50	72-23	38-81	72-06	39-13	71-89	39-44	82
83	73-28	38-97	73-11	39-29	72-94	39-60	72-77	39-92	83
84	74-17	39-44	73-99	39-76	73-82	40-08	73-64	40-40	84
85	75-05	39-91	74-88	40-23	74-70	40-56	74-52	40-88	85
86	75-93	40-37	75-76	40-71	75-58	41-04	75-40	41-36	86
87	76-82	40-84	76-64	41-18	76-46	41-51	76-28	41-85	87
88	77-70	41-31	77-52	41-65	77-34	41-99	77-15	42-33	88
89	78-58	41-78	78-40	42-13	78-21	42-47	78-03	42-81	89
90	79-47	42-25	79-28	42-60	79-09	42-94	78-91	43-29	90
91	80-35	42-72	80-16	43-07	79-97	43-42	79-78	43-77	91
92	81-23	43-19	81-04	43-55	80-85	43-90	80-66	44-25	92
93	82-11	43-66	81-92	44-02	81-73	44-38	81-54	44-73	93
94	83-00	44-13	82-80	44-49	82-61	44-85	82-41	45-21	94
95	83-88	44-60	83-68	44-97	83-49	45-33	83-29	45-69	95
96	84-76	45-07	84-57	45-44	84-37	45-81	84-17	46-17	96
97	85-65	45-54	85-45	45-91	85-25	46-28	85-04	46-66	97
98	86-53	46-01	86-33	46-39	86-12	46-76	85-92	47-14	98
99	87-41	46-48	87-21	46-86	87-00	47-24	86-80	47-62	99
100	88-29	46-95	88-09	47-33	87-88	47-72	87-67	48-10	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	62 Deg.		61¾ Deg.		61½ Deg.		61¼ Deg.		

Distance.	29 Deg.		29¼ Deg.		29½ Deg.		29¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0·87	0·48	0·87	0·49	0·87	0·49	0·87	0·50	1
2	1·75	0·97	1·74	0·98	1·74	0·98	1·74	0·99	2
3	2·62	1·45	2·62	1·47	2·61	1·48	2·60	1·49	3
4	3·50	1·94	3·49	1·95	3·48	1·97	3·47	1·98	4
5	4·37	2·42	4·36	2·44	4·35	2·46	4·34	2·48	5
6	5·25	2·91	5·23	2·93	5·22	2·95	5·21	2·98	6
7	6·12	3·39	6·11	3·42	6·09	3·45	6·08	3·47	7
8	7·00	3·88	6·98	3·91	6·96	3·94	6·95	3·97	8
9	7·87	4·36	7·85	4·40	7·83	4·43	7·81	4·47	9
10	8·75	4·85	8·72	4·89	8·70	4·92	8·68	4·96	10
11	9·62	5·33	9·60	5·37	9·57	5·42	9·55	5·46	11
12	10·50	5·82	10·47	5·86	10·44	5·91	10·42	5·95	12
13	11·37	6·30	11·34	6·35	11·31	6·40	11·29	6·45	13
14	12·24	6·79	12·21	6·84	12·18	6·89	12·15	6·95	14
15	13·12	7·27	13·09	7·33	13·06	7·39	13·02	7·44	15
16	13·99	7·76	13·96	7·82	13·93	7·88	13·89	7·94	16
17	14·87	8·24	14·83	8·31	14·80	8·37	14·76	8·44	17
18	15·74	8·73	15·70	8·80	15·67	8·86	15·63	8·93	18
19	16·62	9·21	16·58	9·28	16·54	9·36	16·50	9·43	19
20	17·49	9·70	17·45	9·77	17·41	9·85	17·36	9·92	20
21	18·37	10·18	18·32	10·26	18·28	10·34	18·23	10·42	21
22	19·24	10·67	19·19	10·75	19·15	10·83	19·10	10·92	22
23	20·12	11·15	20·07	11·24	20·02	11·33	19·97	11·41	23
24	20·99	11·64	20·94	11·73	20·89	11·82	20·84	11·91	24
25	21·87	12·12	21·81	12·22	21·76	12·31	21·70	12·41	25
26	22·74	12·60	22·68	12·70	22·63	12·80	22·57	12·90	26
27	23·61	13·09	23·56	13·19	23·50	13·30	23·44	13·40	27
28	24·49	13·57	24·43	13·68	24·37	13·79	24·31	13·89	28
29	25·36	14·06	25·30	14·17	25·24	14·28	25·18	14·39	29
30	26·24	14·54	26·17	14·66	26·11	14·77	26·05	14·89	30
31	27·11	15·03	27·05	15·15	26·98	15·27	26·91	15·38	31
32	27·99	15·51	27·92	15·64	27·85	15·76	27·78	15·88	32
33	28·86	16·00	28·79	16·12	28·72	16·25	28·65	16·38	33
34	29·74	16·48	29·66	16·61	29·59	16·74	29·52	16·87	34
35	30·61	16·97	30·54	17·10	30·46	17·23	30·39	17·37	35
36	31·49	17·45	31·41	17·59	31·33	17·73	31·26	17·96	36
37	32·36	17·94	32·28	18·08	32·20	18·22	32·12	18·36	37
38	33·24	18·42	33·15	18·57	33·07	18·71	32·99	18·86	38
39	34·11	18·91	34·03	19·06	33·94	19·20	33·86	19·35	39
40	34·98	19·39	34·90	19·54	34·81	19·70	34·73	19·85	40
41	35·86	19·88	35·77	20·03	35·68	20·19	35·60	20·34	41
42	36·73	20·36	36·64	20·52	36·55	20·68	36·46	20·84	42
43	37·61	20·85	37·52	21·01	37·43	21·17	37·33	21·34	43
44	38·48	21·33	38·39	21·50	38·30	21·67	38·20	21·83	44
45	39·36	21·82	39·23	21·99	39·17	22·16	39·07	22·33	45
46	40·23	22·30	40·13	22·48	40·04	22·65	39·94	22·83	46
47	41·11	22·79	41·01	22·97	40·91	23·14	40·81	23·32	47
48	41·98	23·27	41·88	23·45	41·78	23·63	41·67	23·82	48
49	42·86	23·76	42·75	23·94	42·65	24·13	42·54	24·31	49
50	43·73	24·24	43·62	24·43	43·52	24·62	43·41	24·81	50
Distance.	61 Deg.		60¾ Deg.		60½ Deg.		60¼ Deg.		Distance.
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	

TRAVERSE TABLE.

Distance.	29 Deg.		29¼ Deg.		29½ Deg.		29¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	41:61	24:73	41:50	24:92	44:39	25:11	44:28	25:31	51
52	45:48	25:21	45:37	25:41	45:26	25:61	45:15	25:80	52
53	46:35	25:09	46:24	25:90	46:13	26:10	46:01	26:30	53
54	47:23	26:18	47:11	26:39	47:00	26:59	46:88	26:80	54
55	48:10	26:06	47:99	26:87	47:87	27:08	47:75	27:29	55
56	48:98	27:15	48:86	27:36	48:74	27:58	48:62	27:79	56
57	49:85	27:03	49:73	27:85	49:61	28:07	49:49	28:28	57
58	50:73	28:12	50:60	28:34	50:48	28:56	50:36	28:78	58
59	51:60	28:00	51:48	28:83	51:35	29:05	51:22	29:28	59
60	52:48	29:09	52:35	29:32	52:22	29:55	52:09	29:77	60
61	53:35	29:57	53:22	29:81	53:09	30:04	52:96	30:27	61
62	54:23	30:06	54:09	30:29	53:96	30:53	53:83	30:77	62
63	55:10	30:54	54:97	30:78	54:83	31:02	54:70	31:26	63
64	55:98	31:03	55:84	31:27	55:70	31:52	55:56	31:76	64
65	56:85	31:51	56:71	31:76	56:57	32:01	56:43	32:25	65
66	57:72	32:00	57:58	32:25	57:44	32:50	57:30	32:75	66
67	58:60	32:48	58:46	32:74	58:31	32:99	58:17	33:25	67
68	59:47	32:97	59:33	33:23	59:18	33:48	59:04	33:74	68
69	60:35	33:45	60:20	33:71	60:05	33:98	59:91	34:24	69
70	61:22	33:94	61:07	34:20	60:92	34:47	60:77	34:74	70
71	62:10	34:42	61:95	34:69	61:80	34:96	61:64	35:23	71
72	62:97	34:91	62:82	35:18	62:67	35:45	62:51	35:73	72
73	63:85	35:39	63:69	35:67	63:54	35:95	63:38	36:22	73
74	64:72	35:88	64:56	36:16	64:41	36:44	64:25	36:72	74
75	65:60	36:36	65:44	36:65	65:28	36:93	65:11	37:22	75
76	66:47	36:85	66:31	37:14	66:15	37:42	65:98	37:71	76
77	67:35	37:33	67:18	37:62	67:02	37:92	66:85	38:21	77
78	68:22	37:82	68:05	38:11	67:89	38:41	67:72	38:70	78
79	69:09	38:30	68:93	38:60	68:76	38:90	68:59	39:20	79
80	69:97	38:78	69:80	39:09	69:63	39:39	69:46	39:70	80
81	70:84	39:27	70:67	39:58	70:50	39:89	70:32	40:19	81
82	71:72	39:75	71:54	40:07	71:37	40:38	71:19	40:69	82
83	72:59	40:24	72:42	40:56	72:24	40:87	72:06	41:19	83
84	73:47	40:72	73:29	41:04	73:11	41:36	72:93	41:68	84
85	74:34	41:21	74:16	41:53	73:98	41:86	73:80	42:18	85
86	75:22	41:69	75:03	42:02	74:85	42:35	74:67	42:67	86
87	76:09	42:18	75:91	42:51	75:72	42:84	75:53	43:17	87
88	76:97	42:66	76:78	43:00	76:59	43:33	76:40	43:67	88
89	77:84	43:15	77:65	43:49	77:46	43:83	77:27	44:16	89
90	78:72	43:63	78:52	43:98	78:33	44:32	78:14	44:66	90
91	79:59	44:12	79:40	44:46	79:20	44:81	79:01	45:16	91
92	80:46	44:60	80:27	44:95	80:07	45:30	79:87	45:65	92
93	81:34	45:09	81:14	45:44	80:94	45:80	80:74	46:15	93
94	82:21	45:57	82:01	45:93	81:81	46:29	81:61	46:64	94
95	83:09	46:06	82:89	46:42	82:68	46:78	82:48	47:14	95
96	83:96	46:54	83:76	46:91	83:55	47:27	83:35	47:64	96
97	84:84	47:03	84:63	47:40	84:42	47:77	84:22	48:13	97
98	85:71	47:51	85:50	47:88	85:29	48:26	85:08	48:63	98
99	86:59	48:00	86:38	48:37	86:17	48:75	85:95	49:13	99
100	87:46	48:48	87:25	48:86	87:04	49:24	86:82	49:62	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	61 Deg.		60¾ Deg.		60½ Deg.		60¼ Deg.		

TRAVERSE TABLE.

Distance.	30 Deg.		30 $\frac{1}{4}$ Deg.		30 $\frac{1}{2}$ Deg.		30 $\frac{3}{4}$ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-87	0-50	0-86	0-50	0-86	0-51	0-86	0-51	1
2	1-73	1-00	1-73	1-01	1-72	1-02	1-72	1-02	2
3	2-60	1-50	2-59	1-51	2-58	1-52	2-58	1-53	3
4	3-46	2-00	3-46	2-02	3-45	2-03	3-44	2-05	4
5	4-33	2-50	4-32	2-52	4-31	2-54	4-30	2-56	5
6	5-20	3-00	5-18	3-02	5-17	3-05	5-16	3-07	6
7	6-06	3-50	6-06	3-53	6-03	3-55	6-02	3-58	7
8	6-93	4-00	6-91	4-03	6-89	4-06	6-88	4-09	8
9	7-79	4-50	7-77	4-53	7-75	4-57	7-73	4-60	9
10	8-66	5-00	8-64	5-04	8-62	5-08	8-60	5-11	10
11	9-53	5-50	9-50	5-54	9-48	5-58	9-45	5-62	11
12	10-39	6-00	10-37	6-05	10-34	6-09	10-31	6-14	12
13	11-26	6-50	11-23	6-55	11-20	6-60	11-17	6-65	13
14	12-12	7-00	12-09	7-05	12-06	7-11	12-03	7-16	14
15	12-99	7-50	12-96	7-56	12-92	7-61	12-89	7-67	15
16	13-86	8-00	13-82	8-06	13-79	8-12	13-75	8-18	16
17	14-72	8-50	14-69	8-56	14-65	8-63	14-61	8-69	17
18	15-59	9-00	15-55	9-07	15-51	9-14	15-47	9-20	18
19	16-45	9-50	16-41	9-57	16-37	9-64	16-33	9-71	19
20	17-32	10-00	17-28	10-08	17-23	10-15	17-19	10-23	20
21	18-19	10-50	18-14	10-58	18-09	10-66	18-05	10-74	21
22	19-05	11-00	19-00	11-08	18-96	11-17	18-91	11-25	22
23	19-92	11-50	19-87	11-50	19-82	11-67	19-77	11-76	23
24	20-78	12-00	20-73	12-09	20-68	12-18	20-63	12-27	24
25	21-65	12-50	21-60	12-59	21-54	12-69	21-49	12-78	25
26	22-52	13-00	22-46	13-10	22-40	13-20	22-34	13-29	26
27	23-38	13-50	23-32	13-60	23-26	13-70	23-20	13-80	27
28	24-25	14-00	24-19	14-11	24-13	14-21	24-06	14-32	28
29	25-11	14-50	25-05	14-61	24-99	14-72	24-92	14-83	29
30	25-98	15-00	25-92	15-11	25-85	15-23	25-78	15-34	30
31	26-85	15-50	26-78	15-62	26-71	15-73	26-64	15-85	31
32	27-71	16-00	27-64	16-12	27-57	16-24	27-50	16-36	32
33	28-58	16-50	28-51	16-62	28-43	16-75	28-36	16-87	33
34	29-44	17-00	29-37	17-13	29-30	17-26	29-22	17-38	34
35	30-31	17-50	30-23	17-63	30-16	17-76	30-08	17-90	35
36	31-18	18-00	31-10	18-14	31-02	18-27	30-94	18-41	36
37	32-04	18-50	31-96	18-64	31-88	18-78	31-80	18-92	37
38	32-91	19-00	32-83	19-14	32-74	19-29	32-66	19-43	38
39	33-77	19-50	33-69	19-65	33-60	19-79	33-52	19-94	39
40	34-64	20-00	34-55	20-15	34-47	20-30	34-38	20-45	40
41	35-51	20-50	35-42	20-65	35-33	20-81	35-24	20-96	41
42	36-37	21-00	36-28	21-16	36-19	21-32	36-10	21-47	42
43	37-24	21-50	37-14	21-66	37-05	21-82	36-95	21-99	43
44	38-11	22-00	38-01	22-17	37-91	22-33	37-81	22-50	44
45	38-97	22-50	38-87	22-67	38-77	22-84	38-67	23-01	45
46	39-84	23-00	39-74	23-17	39-63	23-35	39-53	23-52	46
47	40-70	23-50	40-60	23-68	40-50	23-85	40-39	24-03	47
48	41-57	24-00	41-46	24-18	41-36	24-36	41-25	24-54	48
49	42-44	24-50	42-33	24-68	42-22	24-87	42-11	25-05	49
50	43-30	25-00	43-19	25-19	43-08	25-38	42-97	25-56	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	60 Deg.		59 $\frac{1}{4}$ Deg.		59 $\frac{1}{2}$ Deg.		59 $\frac{3}{4}$ Deg.		

TRAVERSE TABLE.

Distance.	30 Deg.		30¼ Deg.		30½ Deg.		30¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	44-17	25-50	44-06	25-69	43-94	25-88	43-83	26-08	51
52	45-03	26-10	44-92	26-20	44-80	26-39	44-69	26-59	52
53	45-90	26-50	45-78	26-70	45-67	26-90	45-55	27-10	53
54	46-77	27-00	46-65	27-20	46-53	27-41	46-41	27-61	54
55	47-63	27-50	47-51	27-71	47-39	27-91	47-27	28-12	55
56	48-50	28-00	48-37	28-21	48-25	28-42	48-13	28-63	56
57	49-36	28-50	49-24	28-72	49-11	28-93	48-99	29-14	57
58	50-23	29-00	50-10	28-22	49-97	29-44	49-85	29-65	58
59	51-10	29-50	50-97	29-72	50-84	29-94	50-70	30-17	59
60	51-96	30-00	51-83	30-23	51-70	30-45	51-56	30-68	60
61	52-83	30-50	52-69	30-73	52-56	30-96	52-42	31-19	61
62	53-69	31-00	53-56	31-23	53-42	31-47	53-28	31-70	62
63	54-56	31-50	54-42	31-74	54-28	31-97	54-14	32-21	63
64	55-43	32-00	55-29	32-24	55-14	32-48	55-00	32-72	64
65	56-29	32-50	56-15	32-75	56-01	32-99	55-86	33-23	65
66	57-16	33-00	57-01	33-25	56-87	33-50	56-72	33-75	66
67	58-02	33-50	57-88	33-75	57-73	34-01	57-58	34-26	67
68	58-89	34-00	58-74	34-26	58-59	34-51	58-44	34-77	68
69	59-76	34-50	59-60	34-76	59-45	35-02	59-30	35-28	69
70	60-62	35-00	60-47	35-26	60-31	35-53	60-16	35-79	70
71	61-49	35-50	61-33	35-77	61-18	36-04	61-02	36-30	71
72	62-35	36-00	62-20	36-27	62-04	36-54	61-88	36-81	72
73	63-22	36-50	63-06	36-78	62-90	37-05	62-74	37-32	73
74	64-09	37-00	63-92	37-28	63-76	37-56	63-60	37-84	74
75	64-95	37-50	64-79	37-78	64-62	38-07	64-46	38-35	75
76	65-82	38-00	65-65	38-29	65-48	38-57	65-31	38-86	76
77	66-68	38-50	66-52	38-79	66-35	39-08	66-17	39-37	77
78	67-55	39-00	67-38	39-29	67-21	39-59	67-03	39-88	78
79	68-42	39-50	68-24	39-80	68-07	40-10	67-89	40-39	79
80	69-28	40-00	69-11	40-30	68-93	40-60	68-75	40-90	80
81	70-15	40-50	69-97	40-81	69-79	41-11	69-61	41-41	81
82	71-01	41-00	70-83	41-31	70-65	41-62	70-47	41-98	82
83	71-88	41-50	71-70	41-81	71-52	42-13	71-33	42-44	83
84	72-75	42-00	72-56	42-32	72-38	42-63	72-19	42-95	84
85	73-61	42-50	73-43	42-82	73-24	43-14	73-05	43-46	85
86	74-48	43-00	74-29	43-32	74-10	43-65	73-91	43-97	86
87	75-34	43-50	75-15	43-83	74-96	44-16	74-77	44-48	87
88	76-21	44-00	76-02	44-33	75-82	44-66	75-63	44-99	88
89	77-08	44-50	76-88	44-84	76-68	45-17	76-49	45-51	89
90	77-94	45-00	77-75	45-34	77-55	45-68	77-35	46-02	90
91	78-81	45-50	78-61	45-84	78-41	46-19	78-21	46-53	91
92	79-67	46-00	79-47	46-35	79-27	46-69	79-07	47-04	92
93	80-54	46-50	80-34	46-85	80-13	47-20	79-92	47-55	93
94	81-41	47-00	81-20	47-35	80-99	47-71	80-78	48-06	94
95	82-27	47-50	82-06	47-86	81-85	48-22	81-64	48-57	95
96	83-14	48-00	82-93	48-36	82-72	48-72	82-50	49-08	96
97	84-00	48-50	83-79	48-87	83-58	49-23	83-36	49-60	97
98	84-87	49-00	84-66	49-37	84-44	49-74	84-22	50-11	98
99	85-74	49-50	85-52	49-87	85-30	50-25	85-08	50-62	99
100	86-60	50-00	86-38	50-38	86-16	50-75	85-94	51-13	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	60 Deg.		59¾ Deg.		59½ Deg.		59¼ Deg.		

Distance.	31 Deg.		31¼ Deg.		31½ Deg.		31¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-86	0-51	0-85	0-52	0-85	0-52	0-85	0-53	1
2	1-71	1-03	1-71	1-04	1-71	1-04	1-70	1-05	2
3	2-57	1-55	2-55	1-55	2-56	1-57	2-55	1-58	3
4	3-43	2-06	3-42	2-08	3-41	2-09	3-40	2-10	4
5	4-29	2-58	4-27	2-59	4-26	2-61	4-25	2-63	5
6	5-14	3-09	5-13	3-11	5-12	3-13	5-10	3-16	6
7	6-00	3-61	5-98	3-63	5-97	3-66	5-95	3-68	7
8	6-86	4-12	6-84	4-15	6-82	4-18	6-80	4-21	8
9	7-71	4-64	7-69	4-67	7-67	4-70	7-65	4-74	9
10	8-57	5-15	8-55	5-19	8-53	5-22	8-50	5-26	10
11	9-43	5-67	9-40	5-71	9-38	5-75	9-35	5-79	11
12	10-29	6-18	10-25	6-23	10-23	6-27	10-20	6-31	12
13	11-14	6-70	11-11	6-74	11-08	6-79	11-05	6-84	13
14	12-00	7-21	11-97	7-26	11-94	7-31	11-90	7-37	14
15	12-86	7-73	12-82	7-78	12-79	7-84	12-76	7-89	15
16	13-71	8-24	13-68	8-30	13-64	8-36	13-61	8-42	16
17	14-57	8-76	14-53	8-82	14-49	8-88	14-46	8-95	17
18	15-43	9-27	15-39	9-34	15-35	9-40	15-31	9-47	18
19	16-29	9-79	16-24	9-86	16-20	9-93	16-16	10-00	19
20	17-14	10-30	17-10	10-38	17-05	10-45	17-01	10-52	20
21	18-00	10-82	17-95	10-89	17-91	10-97	17-86	11-05	21
22	18-86	11-33	18-81	11-41	18-76	11-49	18-71	11-58	22
23	19-71	11-85	19-66	11-93	19-61	12-02	19-56	12-10	23
24	20-57	12-36	20-52	12-45	20-46	12-54	20-41	12-63	24
25	21-43	12-88	21-37	12-97	21-32	13-06	21-26	13-16	25
26	22-29	13-39	22-23	13-49	22-17	13-58	22-11	13-68	26
27	23-14	13-91	23-08	14-01	23-02	14-11	22-96	14-21	27
28	24-00	14-42	23-94	14-53	23-87	14-63	23-81	14-73	28
29	24-86	14-94	24-79	15-04	24-73	15-15	24-66	15-26	29
30	25-71	15-45	25-65	15-56	25-58	15-67	25-51	15-79	30
31	26-57	15-97	26-50	16-08	26-43	16-20	26-36	16-31	31
32	27-43	16-48	27-36	16-60	27-28	16-72	27-21	16-84	32
33	28-29	17-00	28-21	17-12	28-14	17-24	28-06	17-37	33
34	29-14	17-51	29-07	17-64	28-99	17-76	28-91	17-89	34
35	30-00	18-03	29-92	18-16	29-84	18-29	29-76	18-42	35
36	30-86	18-54	30-78	18-68	30-70	18-81	30-61	18-94	36
37	31-72	19-06	31-63	19-19	31-55	19-33	31-46	19-47	37
38	32-57	19-57	32-49	19-71	32-40	19-85	32-31	20-00	38
39	33-43	20-09	33-34	20-23	33-25	20-38	33-16	20-52	39
40	34-29	20-60	34-20	20-75	34-11	20-90	34-01	21-05	40
41	35-14	21-12	35-05	21-27	34-96	21-42	34-86	21-57	41
42	36-00	21-63	35-91	21-79	35-81	21-94	35-71	22-10	42
43	36-86	22-15	36-76	22-31	36-66	22-47	36-57	22-63	43
44	37-72	22-66	37-62	22-83	37-52	22-99	37-42	23-15	44
45	38-57	23-18	38-47	23-34	38-37	23-51	38-27	23-68	45
46	39-43	23-69	39-33	23-86	39-22	24-03	39-12	24-21	46
47	40-29	24-21	40-18	24-38	40-07	24-56	39-97	24-73	47
48	41-14	24-72	41-04	24-90	40-93	25-08	40-82	25-23	48
49	42-00	25-24	41-89	25-42	41-78	25-60	41-67	25-78	49
50	42-86	25-75	42-75	25-94	42-63	26-12	42-52	26-31	50
Distance.	59 Deg.		58¾ Deg.		58½ Deg.		58¼ Deg.		Distance.
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	

Distance.	31 Deg.		31¼ Deg.		31½ Deg.		31¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	43-72	26-27	43-00	26-46	43-48	26-65	43-37	26-84	51
52	44-57	26-78	44-46	26-98	44-34	27-17	44-22	27-36	52
53	45-43	27-30	45-31	27-49	45-19	27-69	45-07	27-89	53
54	46-29	27-81	46-17	28-01	46-04	28-21	45-92	28-42	54
55	47-14	28-33	47-02	28-53	46-90	28-74	46-77	28-94	55
56	48-00	28-84	47-88	29-05	47-75	29-26	47-62	29-47	56
57	48-86	29-36	48-73	29-57	48-60	29-78	48-47	29-99	57
58	49-72	29-87	49-58	30-09	49-45	30-30	49-32	30-52	58
59	50-57	30-39	50-44	30-61	50-31	30-83	50-17	31-05	59
60	51-43	30-90	51-29	31-13	51-16	31-35	51-02	31-57	60
61	52-29	31-42	52-15	31-65	52-01	31-87	51-87	32-10	61
62	53-14	31-93	53-00	32-16	52-86	32-39	52-72	32-63	62
63	54-00	32-45	53-86	32-68	53-72	32-92	53-57	33-15	63
64	54-86	32-96	54-71	33-20	54-57	33-44	54-42	33-68	64
65	55-72	33-48	55-57	33-72	55-42	33-96	55-27	34-20	65
66	56-57	33-99	56-42	34-24	56-27	34-48	56-12	34-73	66
67	57-43	34-51	57-28	34-76	57-13	35-01	56-98	35-26	67
68	58-29	35-02	58-13	35-28	57-98	35-53	57-82	35-78	68
69	59-14	35-54	58-99	35-80	58-83	36-05	58-67	36-31	69
70	60-00	36-05	59-84	36-31	59-68	36-57	59-52	36-83	70
71	60-86	36-57	60-70	36-83	60-54	37-10	60-37	37-36	71
72	61-72	37-08	61-55	37-35	61-39	37-62	61-23	37-89	72
73	62-57	37-60	62-41	37-87	62-24	38-14	62-08	38-41	73
74	63-43	38-11	63-26	38-39	63-10	38-66	62-93	38-94	74
75	64-29	38-63	64-12	38-91	63-95	39-19	63-78	39-47	75
76	65-14	39-14	64-97	39-43	64-80	39-71	64-63	39-99	76
77	66-00	39-66	65-83	39-95	65-65	40-23	65-48	40-52	77
78	66-86	40-17	66-68	40-46	66-51	40-75	66-33	41-04	78
79	67-72	40-69	67-54	40-98	67-36	41-28	67-18	41-57	79
80	68-57	41-20	68-39	41-50	68-21	41-80	68-03	42-10	80
81	69-43	41-72	69-25	42-02	69-06	42-32	68-88	42-62	81
82	70-29	42-23	70-10	42-54	69-92	42-84	69-73	43-15	82
83	71-14	42-75	70-96	43-06	70-77	43-37	70-58	43-68	83
84	72-00	43-26	71-81	43-58	71-62	43-89	71-43	44-20	84
85	72-86	43-78	72-67	44-10	72-47	44-41	72-28	44-73	85
86	73-72	44-29	73-52	44-61	73-33	44-93	73-13	45-25	86
87	74-57	44-81	74-38	45-13	74-18	45-46	73-98	45-78	87
88	75-43	45-32	75-23	45-65	75-03	45-98	74-83	46-31	88
89	76-29	45-84	76-09	46-17	75-88	46-50	75-68	46-83	89
90	77-15	46-35	76-94	46-69	76-74	47-02	76-53	47-36	90
91	78-00	46-87	77-80	47-21	77-59	47-55	77-38	47-89	91
92	78-86	47-38	78-65	47-73	78-44	48-07	78-23	48-41	92
93	79-72	47-90	79-51	48-25	79-30	48-59	79-08	48-94	93
94	80-57	48-41	80-36	48-76	80-15	49-11	79-93	49-47	94
95	81-43	48-93	81-22	49-28	81-00	49-64	80-78	49-99	95
96	82-29	49-44	82-07	49-80	81-55	50-16	81-63	50-52	96
97	83-15	49-96	82-93	50-32	82-71	50-68	82-48	51-04	97
98	84-00	50-47	83-78	50-84	83-56	51-20	83-33	51-57	98
99	84-86	50-99	84-64	51-36	84-41	51-73	84-18	52-10	99
100	85-72	51-50	85-49	51-88	85-26	52-25	85-04	52-62	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	59 Deg.		58¾ Deg.		58½ Deg.		58¼ Deg.		

Distance.	32 Deg.		32¼ Deg.		32½ Deg.		32¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-85	0-53	0-85	0-53	0-84	0-54	0-84	0-54	1
2	1-70	1-06	1-69	1-07	1-69	1-07	1-68	1-08	2
3	2-54	1-50	2-54	1-00	2-53	1-61	2-52	1-02	3
4	3-39	2-12	3-36	2-13	3-37	2-15	3-36	2-16	4
5	4-24	2-55	4-28	2-67	4-22	2-69	4-21	2-70	5
6	5-09	3-18	5-07	3-20	5-06	3-22	5-05	3-25	6
7	5-94	3-71	5-92	3-74	5-90	3-76	5-89	3-79	7
8	6-78	4-24	6-77	4-27	6-75	4-30	6-73	4-33	8
9	7-63	4-77	7-61	4-80	7-59	4-84	7-57	4-87	9
10	8-48	5-30	8-46	5-34	8-43	5-37	8-41	5-41	10
11	9-33	5-83	9-30	5-87	9-28	5-91	9-25	5-95	11
12	10-18	6-36	10-15	6-40	10-12	6-45	10-09	6-49	12
13	11-02	6-89	10-99	6-94	10-96	6-98	10-93	7-03	13
14	11-87	7-42	11-84	7-47	11-81	7-52	11-77	7-57	14
15	12-72	7-95	12-69	8-00	12-65	8-06	12-62	8-11	15
16	13-57	8-48	13-53	8-54	13-49	8-60	13-46	8-66	16
17	14-42	9-01	14-38	9-07	14-34	9-13	14-30	9-20	17
18	15-26	9-54	15-22	9-61	15-18	9-67	15-14	9-74	18
19	16-11	10-07	16-07	10-14	16-02	10-21	15-98	10-28	19
20	16-96	10-60	16-91	10-67	16-87	10-75	16-82	10-82	20
21	17-81	11-13	17-76	11-21	17-71	11-28	17-66	11-36	21
22	18-66	11-66	18-61	11-74	18-55	11-82	18-50	11-90	22
23	19-51	12-19	19-45	12-27	19-40	12-36	19-34	12-44	23
24	20-35	12-72	20-30	12-81	20-24	12-90	20-18	12-98	24
25	21-20	13-25	21-14	13-34	21-08	13-43	21-03	13-52	25
26	22-05	13-78	21-99	13-87	21-93	13-97	21-87	14-07	26
27	22-90	14-31	22-83	14-41	22-77	14-51	22-71	14-61	27
28	23-75	14-84	23-68	14-94	23-61	15-04	23-55	15-16	28
29	24-59	15-37	24-53	15-47	24-46	15-58	24-39	15-69	29
30	25-44	15-90	25-37	16-01	25-30	16-12	25-23	16-23	30
31	26-29	16-43	26-22	16-54	26-15	16-66	26-07	16-77	31
32	27-14	16-96	27-06	17-08	26-99	17-19	26-91	17-31	32
33	27-99	17-49	27-91	17-61	27-83	17-73	27-75	17-85	33
34	28-83	18-02	28-75	18-14	28-68	18-27	28-60	18-39	34
35	29-68	18-55	29-60	18-68	29-52	18-81	29-44	18-93	35
36	30-53	19-08	30-45	19-21	30-36	19-34	30-28	19-48	36
37	31-38	19-61	31-29	19-74	31-21	19-88	31-12	20-02	37
38	32-23	20-14	32-14	20-28	32-05	20-42	31-96	20-56	38
39	33-07	20-67	32-98	20-81	32-89	20-95	32-80	21-10	39
40	33-92	21-20	33-83	21-34	33-74	21-49	33-64	21-64	40
41	34-77	21-73	34-67	21-88	34-58	22-03	34-48	22-18	41
42	35-62	22-26	35-52	22-41	35-42	22-57	35-32	22-72	42
43	36-47	22-79	36-37	22-95	36-27	23-10	36-16	23-26	43
44	37-31	23-32	37-21	23-48	37-11	23-24	37-01	23-80	44
45	38-16	23-85	38-06	24-01	37-95	24-18	37-85	24-34	45
46	39-01	24-38	38-90	24-55	38-80	24-72	38-69	24-88	46
47	39-86	24-91	39-75	25-08	39-64	25-25	39-53	25-43	47
48	40-71	25-44	40-59	25-61	40-48	25-79	40-37	25-97	48
49	41-55	25-97	41-44	26-15	41-33	26-33	41-21	26-51	49
50	42-40	26-50	42-29	26-68	42-17	26-86	42-05	27-05	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	58 Deg.		57¾ Deg.		57½ Deg.		57¼ Deg.		

Distance.	3 Deg.		3¼ Deg.		3½ Deg.		3¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	43:25	27:03	43:13	27:21	43:01	27:40	42:89	27:59	51
52	44:10	27:56	43:98	27:75	43:86	27:94	43:73	28:13	52
53	44:95	28:09	44:82	28:28	44:70	28:48	44:58	28:67	53
54	45:79	28:62	45:07	28:82	45:54	29:01	45:42	29:21	54
55	46:64	29:15	46:51	29:35	46:39	29:55	46:26	29:75	55
56	47:49	29:68	47:36	29:88	47:23	30:09	47:10	30:29	56
57	48:34	30:21	48:21	30:42	48:07	30:63	47:94	30:84	57
58	49:19	30:74	49:05	30:95	48:92	31:16	48:78	31:38	58
59	50:03	31:27	49:90	31:48	49:76	31:70	49:62	31:92	59
60	50:88	31:80	50:74	32:02	50:60	32:24	50:46	32:46	60
61	51:73	32:33	51:59	32:56	51:45	32:78	51:30	33:00	61
62	52:58	32:85	52:44	33:08	52:29	33:31	52:14	33:54	62
63	53:43	33:38	53:28	33:62	53:13	33:85	52:99	34:08	63
64	54:28	33:91	54:13	34:15	53:98	34:39	53:83	34:62	64
65	55:12	34:44	54:97	34:68	54:82	34:92	54:67	35:16	65
66	55:97	34:97	55:82	35:22	55:66	35:46	55:51	35:70	66
67	56:82	35:50	56:66	35:75	56:51	36:00	56:35	36:25	67
68	57:67	36:03	57:51	36:29	57:35	36:54	57:19	36:79	68
69	58:52	36:56	58:36	36:82	58:19	37:07	58:03	37:33	69
70	59:36	37:09	59:20	37:35	59:04	37:61	58:87	37:87	70
71	60:21	37:62	60:05	37:89	59:88	38:15	59:71	38:41	71
72	61:06	38:15	60:89	38:42	60:72	38:69	60:55	38:95	72
73	61:91	38:68	61:74	38:95	61:57	39:22	61:40	39:49	73
74	62:76	39:21	62:58	39:49	62:41	39:76	62:24	40:03	74
75	63:60	39:74	63:43	40:02	63:25	40:30	63:08	40:57	75
76	64:45	40:27	64:28	40:55	64:10	40:83	63:92	41:11	76
77	65:30	40:80	65:12	41:09	64:94	41:37	64:76	41:65	77
78	66:15	41:33	65:97	41:62	65:78	41:91	65:60	42:20	78
79	67:00	41:86	66:81	42:16	66:63	42:45	66:44	42:74	79
80	67:84	42:39	67:66	42:69	67:47	42:98	67:28	43:28	80
81	68:69	42:92	68:50	43:22	68:31	43:52	68:12	43:82	81
82	69:54	43:45	69:35	43:76	69:16	44:06	68:97	44:36	82
83	70:39	43:98	70:20	44:29	70:00	44:60	69:81	44:90	83
84	71:24	44:51	71:04	44:82	70:84	45:13	70:65	45:44	84
85	72:08	45:04	71:89	45:36	71:69	45:67	71:49	45:98	85
86	72:93	45:57	72:73	45:89	72:53	46:21	72:33	46:52	86
87	73:78	46:10	73:58	46:42	73:38	46:75	73:17	47:06	87
88	74:63	46:63	74:42	46:96	74:22	47:28	74:01	47:61	88
89	75:48	47:16	75:27	47:49	75:06	47:82	74:85	48:15	89
90	76:32	47:69	76:12	48:03	75:91	48:36	75:69	48:69	90
91	77:17	48:22	76:96	48:56	76:75	48:89	76:53	49:23	91
92	78:02	48:75	77:81	49:09	77:59	49:43	77:38	49:77	92
93	78:87	49:28	78:65	49:63	78:44	49:97	78:22	50:31	93
94	79:72	49:81	79:50	50:16	79:28	50:51	79:06	50:85	94
95	80:56	50:34	80:34	50:69	80:12	51:04	79:90	51:39	95
96	81:41	50:87	81:19	51:23	80:97	51:58	80:74	51:93	96
97	82:26	51:40	82:04	51:76	81:81	52:12	81:58	52:47	97
98	83:11	51:93	82:88	52:29	82:65	52:66	82:42	53:02	98
99	83:96	52:46	83:73	52:83	83:50	53:19	83:26	53:56	99
100	84:80	52:99	84:57	53:36	84:34	53:73	84:10	54:10	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	53 Deg.		57¼ Deg.		57½ Deg.		57¾ Deg.		

Distance.	33 Deg.		33¼ Deg.		33½ Deg.		33¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0·84	0·54	0·84	0·55	0·83	0·55	0·83	0·56	1
2	1·68	1·09	1·67	1·10	1·67	1·10	1·66	1·11	2
3	2·52	1·63	2·51	1·64	2·50	1·66	2·49	1·67	3
4	3·35	2·18	3·35	2·19	3·34	2·21	3·33	2·22	4
5	4·19	2·72	4·18	2·74	4·17	2·76	4·16	2·78	5
6	5·03	3·27	5·02	3·29	5·00	3·31	4·99	3·33	6
7	5·87	3·81	5·85	3·84	5·84	3·86	5·82	3·89	7
8	6·71	4·36	6·69	4·39	6·67	4·42	6·65	4·44	8
9	7·55	4·90	7·53	4·93	7·50	4·97	7·48	5·00	9
10	8·39	5·45	8·36	5·48	8·34	5·52	8·31	5·56	10
11	9·23	5·99	9·20	6·03	9·17	6·07	9·15	6·11	11
12	10·06	6·54	10·04	6·58	10·01	6·62	9·98	6·67	12
13	10·90	7·08	10·87	7·13	10·84	7·18	10·81	7·22	13
14	11·74	7·62	11·71	7·68	11·67	7·73	11·64	7·78	14
15	12·58	8·17	12·54	8·22	12·51	8·28	12·47	8·33	15
16	13·42	8·71	13·38	8·77	13·34	8·83	13·30	8·89	16
17	14·26	9·26	14·22	9·32	14·18	9·38	14·13	9·44	17
18	15·10	9·80	15·05	9·87	15·01	9·93	14·97	10·00	18
19	15·93	10·35	15·89	10·42	15·84	10·49	15·80	10·56	19
20	16·77	10·89	16·73	10·97	16·68	11·04	16·63	11·11	20
21	17·61	11·44	17·56	11·51	17·51	11·59	17·46	11·67	21
22	18·45	11·98	18·40	12·06	18·35	12·14	18·29	12·22	22
23	19·29	12·53	19·23	12·61	19·18	12·69	19·12	12·78	23
24	20·13	13·07	20·07	13·16	20·01	13·25	19·96	13·33	24
25	20·97	13·62	20·91	13·71	20·85	13·80	20·79	13·89	25
26	21·81	14·16	21·74	14·26	21·68	14·35	21·62	14·44	26
27	22·64	14·71	22·58	14·80	22·51	14·90	22·45	15·00	27
28	23·48	15·25	23·42	15·35	23·35	15·45	23·28	15·56	28
29	24·32	15·79	24·25	15·90	24·18	16·01	24·11	16·11	29
30	25·16	16·34	25·09	16·45	25·02	16·56	24·94	16·67	30
31	26·00	16·88	25·92	17·00	25·85	17·11	25·78	17·22	31
32	26·84	17·43	26·76	17·55	26·68	17·66	26·61	17·78	32
33	27·68	17·97	27·60	18·09	27·52	18·21	27·44	18·33	33
34	28·51	18·52	28·43	18·64	28·35	18·77	28·27	18·89	34
35	29·35	19·06	29·27	19·19	29·19	19·32	29·10	19·44	35
36	30·19	19·61	30·11	19·74	30·02	19·87	29·93	20·00	36
37	31·03	20·15	30·94	20·29	30·85	20·42	30·76	20·56	37
38	31·87	20·70	31·78	20·84	31·69	20·97	31·60	21·11	38
39	32·71	21·24	32·62	21·38	32·52	21·53	32·43	21·67	39
40	33·55	21·79	33·45	21·93	33·36	22·08	33·26	22·22	40
41	34·39	22·33	34·29	22·48	34·19	22·63	34·09	22·78	41
42	35·22	22·87	35·12	23·03	35·02	23·18	34·92	23·33	42
43	36·06	23·42	35·96	23·58	35·86	23·73	35·75	23·89	43
44	36·90	23·96	36·80	24·12	36·69	24·29	36·58	24·45	44
45	37·74	24·51	37·63	24·67	37·52	24·84	37·42	25·00	45
46	38·58	25·05	38·47	25·22	38·36	25·39	38·25	25·56	46
47	39·42	25·60	39·31	25·77	39·19	25·94	39·08	26·11	47
48	40·26	26·14	40·14	26·32	40·03	26·49	39·91	26·67	48
49	41·09	26·69	40·98	26·87	40·86	27·04	40·74	27·22	49
50	41·93	27·23	41·81	27·41	41·69	27·60	41·57	27·78	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	57 Deg.		56¾ Deg.		56½ Deg.		56¼ Deg.		

Distance.	33 Deg.		33¼ Deg.		33½ Deg.		33¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	42-77	27-78	42-65	27-96	42-53	28-15	42-40	28-33	51
52	43-61	28-32	43-50	28-51	43-36	28-70	43-24	28-89	52
53	44-45	28-87	44-32	29-06	44-20	29-25	44-07	29-45	53
54	45-29	29-41	45-16	29-61	45-03	29-80	44-90	30-00	54
55	46-13	29-96	46-00	30-16	45-50	30-36	44-73	30-56	55
56	46-97	30-50	46-83	30-70	46-70	30-91	46-56	31-11	56
57	47-80	31-04	47-67	31-25	47-53	31-46	47-39	31-67	57
58	48-64	31-59	48-50	31-80	48-37	32-01	48-23	32-22	58
59	49-48	32-13	49-34	32-35	49-20	32-56	49-06	32-78	59
60	50-32	32-08	50-18	32-90	50-03	33-12	49-89	33-33	60
61	51-16	33-22	51-01	33-45	50-87	33-67	50-72	33-89	61
62	52-00	33-77	51-85	33-99	51-70	34-22	51-55	34-45	62
63	52-84	34-31	52-69	34-54	52-53	34-77	52-38	35-00	63
64	53-67	34-86	53-52	35-09	53-37	35-32	53-21	35-56	64
65	54-51	35-40	54-36	35-64	54-20	35-88	54-05	36-11	65
66	55-35	35-95	55-19	36-19	55-04	36-43	54-88	36-67	66
67	56-19	36-49	56-03	36-74	55-87	36-98	55-71	37-22	67
68	57-03	37-04	56-87	37-28	56-70	37-53	56-54	37-78	68
69	57-87	37-58	57-70	37-83	57-54	38-08	57-37	38-33	69
70	58-71	38-12	58-54	38-38	58-37	38-64	58-20	38-89	70
71	59-55	38-67	59-38	38-93	59-21	39-19	59-03	39-45	71
72	60-38	39-21	60-21	39-48	60-04	39-74	59-87	40-00	72
73	61-22	39-76	61-05	40-03	60-87	40-29	60-70	40-56	73
74	62-06	40-30	61-89	40-57	61-71	40-84	61-53	41-11	74
75	62-90	40-85	62-72	41-12	62-54	41-40	62-36	41-67	75
76	63-74	41-39	63-56	41-67	63-38	41-95	63-19	42-22	76
77	64-58	41-94	64-39	42-22	64-21	42-50	64-02	42-78	77
78	65-42	42-48	65-23	42-77	65-04	43-05	64-85	43-33	78
79	66-25	43-03	66-07	43-32	65-88	43-60	65-69	43-89	79
80	67-09	43-57	66-90	43-86	66-71	44-15	66-52	44-45	80
81	67-93	44-12	67-74	44-41	67-54	44-71	67-35	45-00	81
82	68-77	44-66	68-58	44-96	68-38	45-26	68-18	45-56	82
83	69-61	45-20	69-41	45-51	69-21	45-81	69-01	46-11	83
84	70-45	45-75	70-25	46-06	70-05	46-36	69-84	46-67	84
85	71-29	46-29	71-08	46-60	70-88	46-91	70-67	47-22	85
86	72-13	46-84	71-92	47-15	71-71	47-47	71-51	47-78	86
87	72-96	47-38	72-76	47-70	72-55	48-02	72-34	48-33	87
88	73-80	47-93	73-59	48-25	73-38	48-57	73-17	48-89	88
89	74-64	48-47	74-43	48-80	74-22	49-12	74-00	49-45	89
90	75-48	49-02	75-27	49-35	75-05	49-67	74-83	50-00	90
91	76-32	49-56	76-10	49-89	75-88	50-23	75-66	50-56	91
92	77-16	50-11	76-94	50-44	76-72	50-78	76-50	51-11	92
93	78-00	50-65	77-77	50-99	77-55	51-33	77-38	51-67	93
94	78-83	51-20	78-61	51-54	78-39	51-88	78-16	52-22	94
95	79-67	51-74	79-45	52-09	79-22	52-43	78-99	52-78	95
96	80-51	52-29	80-28	52-64	80-05	52-99	79-82	53-33	96
97	81-35	52-83	81-12	53-18	80-89	53-54	80-65	53-89	97
98	82-19	53-37	81-96	53-73	81-72	54-09	81-48	54-45	98
99	83-03	53-92	82-79	54-28	82-55	54-64	82-32	55-00	99
100	83-87	54-46	83-63	54-83	83-39	55-19	83-15	55-56	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	57 Deg.		56¾ Deg.		56½ Deg.		56¼ Deg.		

Distance.	34 Deg.		34¼ Deg.		34½ Deg.		34¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0.83	0.56	0.83	0.56	0.82	0.57	0.82	0.57	1
2	1.66	1.12	1.65	1.13	1.65	1.13	1.64	1.14	2
3	2.49	1.68	2.48	1.69	2.47	1.70	2.46	1.71	3
4	3.32	2.24	3.31	2.25	3.30	2.27	3.29	2.28	4
5	4.15	2.80	4.13	2.81	4.12	2.83	4.11	2.85	5
6	4.97	3.36	4.96	3.38	4.94	3.40	4.93	3.42	6
7	5.80	3.91	5.79	3.94	5.77	3.96	5.75	3.99	7
8	6.63	4.47	6.61	4.50	6.59	4.53	6.57	4.56	8
9	7.46	5.03	7.44	5.07	7.42	5.10	7.39	5.13	9
10	8.29	5.59	8.27	5.63	8.24	5.66	8.22	5.70	10
11	9.12	6.15	9.09	6.19	9.07	6.23	9.04	6.27	11
12	9.95	6.71	9.92	6.75	9.89	6.80	9.86	6.84	12
13	10.78	7.27	10.75	7.32	10.71	7.36	10.68	7.41	13
14	11.61	7.83	11.57	7.88	11.54	7.93	11.50	7.98	14
15	12.44	8.39	12.40	8.44	12.36	8.50	12.32	8.55	15
16	13.27	8.95	13.23	9.00	13.19	9.06	13.15	9.12	16
17	14.09	9.51	14.05	9.57	14.01	9.63	13.97	9.69	17
18	14.92	10.07	14.88	10.13	14.83	10.20	14.79	10.26	18
19	15.75	10.62	15.71	10.69	15.66	10.76	15.61	10.83	19
20	16.58	11.18	16.53	11.26	16.48	11.33	16.43	11.40	20
21	17.41	11.74	17.36	11.82	17.31	11.89	17.25	11.97	21
22	18.24	12.30	18.18	12.38	18.13	12.46	18.08	12.54	22
23	19.07	12.86	19.01	12.94	18.95	13.03	18.90	13.11	23
24	19.90	13.42	19.84	13.51	19.78	13.59	19.72	13.68	24
25	20.73	13.98	20.66	14.07	20.61	14.16	20.54	14.25	25
26	21.55	14.54	21.49	14.63	21.43	14.73	21.36	14.82	26
27	22.38	15.10	22.32	15.20	22.25	15.29	22.18	15.39	27
28	23.21	15.66	23.14	15.76	23.07	15.86	23.01	15.96	28
29	24.04	16.22	23.97	16.32	23.90	16.43	23.83	16.53	29
30	24.87	16.78	24.80	16.88	24.72	16.99	24.65	17.10	30
31	25.70	17.33	25.62	17.45	25.55	17.56	25.47	17.67	31
32	26.53	17.89	26.45	18.01	26.37	18.12	26.29	18.24	32
33	27.36	18.45	27.28	18.57	27.20	18.69	27.11	18.81	33
34	28.19	19.01	28.10	19.14	28.02	19.26	27.94	19.38	34
35	29.02	19.57	28.93	19.70	28.84	19.82	28.76	19.95	35
36	29.85	20.13	29.76	20.26	29.67	20.39	29.58	20.52	36
37	30.67	20.69	30.58	20.82	30.49	20.96	30.40	21.09	37
38	31.50	21.25	31.41	21.39	31.32	21.52	31.22	21.66	38
39	32.33	21.81	32.24	21.95	32.14	22.09	32.04	22.23	39
40	33.16	22.37	33.06	22.51	32.97	22.66	32.87	22.80	40
41	33.99	22.93	33.89	23.07	33.79	23.22	33.69	23.37	41
42	34.82	23.49	34.72	23.64	34.61	23.79	34.51	23.94	42
43	35.65	24.05	35.54	24.20	35.44	24.36	35.35	24.51	43
44	36.48	24.60	36.37	24.76	36.26	24.92	36.15	25.08	44
45	37.31	25.16	37.20	25.33	37.09	25.49	36.97	25.65	45
46	38.14	25.72	38.02	25.89	37.91	26.05	37.80	26.22	46
47	38.96	26.28	38.85	26.45	38.73	26.62	38.62	26.79	47
48	39.79	26.84	39.68	27.01	39.56	27.19	39.44	27.36	48
49	40.62	27.40	40.50	27.58	40.38	27.75	40.26	27.93	49
50	41.45	27.96	41.33	28.14	41.21	28.32	41.08	28.50	50
Distance.	D. p.		D. p.		D. p.		D. p.		Distance.
	56 Deg.		55¾ Deg.		55½ Deg.		55¼ Deg.		

Distance.	34 Deg.		34¼ Deg.		34½ Deg.		34¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	42-28	28-52	42-16	28-70	42-03	28-89	41-90	29-07	51
52	43-11	29-38	42-08	28-27	42-55	29-45	42-73	29-64	52
53	43-94	29-64	43-81	29-83	43-68	30-02	43-55	30-21	53
54	44-77	30-20	44-64	30-39	44-50	30-59	44-37	30-78	54
55	45-60	30-76	45-46	30-95	45-33	31-16	45-19	31-35	55
56	46-43	31-31	46-29	31-52	46-15	31-72	46-01	31-92	56
57	47-26	31-87	47-12	32-08	46-98	32-29	46-83	32-49	57
58	48-08	32-43	47-94	32-64	47-80	32-85	47-66	33-06	58
59	48-91	32-99	48-77	33-21	48-62	33-42	48-48	33-63	59
60	49-74	33-55	49-60	33-77	49-46	33-98	49-30	34-20	60
61	50-57	34-11	50-42	34-33	50-27	34-55	50-12	34-77	61
62	51-40	34-67	51-25	34-59	51-10	35-12	50-94	35-34	62
63	52-23	35-23	52-08	35-46	51-92	35-68	51-76	35-91	63
64	53-06	35-79	52-90	36-02	52-74	36-25	52-59	36-48	64
65	53-89	36-35	53-73	36-58	53-57	36-82	53-41	37-05	65
66	54-72	37-91	54-55	37-15	54-39	37-38	54-23	37-62	66
67	55-55	37-46	55-38	37-71	55-22	37-95	55-05	38-19	67
68	56-37	38-03	56-21	38-27	56-04	38-52	55-87	38-76	68
69	57-20	38-58	57-03	38-83	56-86	39-08	56-69	39-33	69
70	58-03	39-14	57-86	39-40	57-69	39-65	57-52	39-90	70
71	58-86	39-70	58-69	39-96	58-51	40-21	58-34	40-47	71
72	59-69	40-26	59-51	40-52	59-34	40-78	59-16	41-04	72
73	60-52	40-82	60-34	41-08	60-16	41-35	60-98	41-61	73
74	61-35	41-38	61-17	41-65	60-99	41-91	60-80	42-18	74
75	62-18	41-94	61-99	42-21	61-81	42-48	61-62	42-75	75
76	63-1	42-50	62-82	42-77	62-63	43-05	62-45	43-32	76
77	63-84	43-06	63-65	43-34	63-46	43-61	63-27	43-89	77
78	64-66	43-62	64-47	43-90	64-28	44-18	64-09	44-46	78
79	65-49	44-18	65-30	44-46	65-11	44-75	64-91	45-03	79
80	66-32	44-74	66-13	45-02	66-93	45-31	65-73	45-60	80
81	67-15	45-29	66-95	45-59	66-75	45-88	66-55	46-17	81
82	67-8	45-85	67-78	46-15	67-58	46-45	67-37	46-74	82
83	68-81	46-41	68-61	46-71	68-40	47-01	68-20	47-31	83
84	69-64	46-97	69-43	47-28	69-23	47-58	69-02	47-88	84
85	70-47	47-53	70-26	47-84	70-05	48-14	69-84	48-45	85
86	71-30	48-09	71-09	48-40	70-87	48-71	70-66	49-02	86
87	72-13	48-65	71-91	48-96	71-70	49-28	71-48	49-59	87
88	72-96	49-21	72-74	49-53	72-52	49-84	72-30	50-16	88
89	73-78	49-77	73-57	50-09	73-35	50-41	73-13	50-73	89
90	74-61	50-33	74-39	50-65	74-17	50-98	73-95	51-30	90
91	75-44	50-89	75-22	51-22	75-00	51-54	74-77	51-87	91
92	76-27	51-45	76-05	51-78	75-82	52-11	75-59	52-44	92
93	77-10	52-00	76-87	52-34	76-64	52-68	76-41	53-01	93
94	77-93	52-56	77-70	52-90	77-47	53-24	77-23	53-58	94
95	78-76	53-12	78-53	53-47	78-29	53-81	78-06	54-15	95
96	79-59	53-68	79-35	54-03	79-12	54-37	78-88	54-72	96
97	80-42	54-24	80-18	54-59	79-94	54-94	79-70	55-29	97
98	81-25	54-80	81-01	55-15	80-76	55-51	80-52	55-86	98
99	82-07	55-36	81-83	55-72	81-59	56-07	81-34	56-43	99
100	82-90	55-92	82-66	56-28	82-41	56-64	82-16	57-00	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	56 Deg.		55¾ Deg.		55½ Deg.		55¼ Deg.		

Distance.	35 Deg.		35¼ Deg.		35½ Deg.		35¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0·82	0·57	0·82	0·58	0·81	0·58	0·81	0·58	1
2	1·04	1·15	1·03	1·15	1·03	1·16	1·02	1·17	2
3	2·46	1·72	2·45	1·73	2·44	1·74	2·43	1·75	3
4	3·28	2·29	3·27	2·31	3·26	2·32	3·25	2·34	4
5	4·10	2·87	4·08	2·89	4·07	2·90	4·06	2·92	5
6	4·91	3·44	4·90	3·46	4·88	3·48	4·87	3·51	6
7	5·73	4·01	5·72	4·04	5·70	4·06	5·68	4·09	7
8	6·55	4·59	6·53	4·62	6·51	4·65	6·49	4·67	8
9	7·37	5·16	7·35	5·19	7·33	5·23	7·30	5·26	9
10	8·19	5·74	8·17	5·77	8·14	5·81	8·12	5·84	10
11	9·01	6·31	8·98	6·35	8·96	6·39	8·93	6·43	11
12	9·83	6·88	9·80	6·93	9·77	6·97	9·74	7·01	12
13	10·65	7·46	10·62	7·50	10·58	7·55	10·55	7·60	13
14	11·47	8·03	11·43	8·08	11·40	8·13	11·36	8·18	14
15	12·29	8·60	12·25	8·66	12·21	8·71	12·17	8·76	15
16	13·11	9·18	13·07	9·23	13·03	9·29	12·99	9·35	16
17	13·93	9·75	13·88	9·81	13·84	9·87	13·80	9·93	17
18	14·74	10·32	14·70	10·39	14·65	10·45	14·61	10·52	18
19	15·56	10·90	15·52	10·97	15·47	11·03	15·42	11·10	19
20	16·38	11·47	16·33	11·54	16·28	11·61	16·23	11·68	20
21	17·20	12·05	17·15	12·12	17·10	12·19	17·04	12·27	21
22	18·02	12·62	17·97	12·70	17·01	12·78	17·85	12·85	22
23	18·84	13·19	18·78	13·27	18·72	13·36	18·67	13·44	23
24	19·66	13·77	19·60	13·85	19·54	13·94	19·48	14·02	24
25	20·48	14·34	20·42	14·43	20·35	14·52	20·29	14·61	25
26	21·30	14·91	21·23	15·01	21·17	15·10	21·10	15·19	26
27	22·12	15·49	22·05	15·58	21·98	15·68	21·91	15·77	27
28	22·94	16·06	22·87	16·16	22·80	16·26	22·72	16·36	28
29	23·76	16·63	23·68	16·74	23·61	16·84	23·54	16·94	29
30	24·57	17·21	24·50	17·31	24·42	17·42	24·35	17·53	30
31	25·39	17·78	25·32	17·89	25·24	18·00	25·16	18·11	31
32	26·21	18·35	26·13	18·47	26·05	18·58	25·97	18·70	32
33	27·03	18·93	26·95	19·05	26·87	19·16	26·78	19·28	33
34	27·85	19·50	27·77	19·62	27·68	19·74	27·59	19·86	34
35	28·67	20·08	28·58	20·20	28·49	20·32	28·41	20·45	35
36	29·49	20·65	29·40	20·78	29·31	20·91	29·22	21·03	36
37	30·31	21·22	30·22	21·35	30·12	21·49	30·03	21·62	37
38	31·13	21·80	31·03	21·93	30·94	22·07	30·84	22·20	38
39	31·95	22·37	31·85	22·51	31·75	22·65	31·65	22·79	39
40	32·77	22·94	32·67	23·09	32·56	23·23	32·46	23·37	40
41	33·59	23·52	33·48	23·66	33·38	23·81	33·27	23·95	41
42	34·40	24·09	34·30	24·24	34·19	24·39	34·09	24·54	42
43	35·22	24·66	35·12	24·82	35·01	24·97	34·90	25·12	43
44	36·04	25·24	35·93	25·39	35·82	25·55	35·71	25·71	44
45	36·86	25·81	36·75	25·97	36·64	26·13	36·52	26·29	45
46	37·68	26·38	37·57	26·55	37·45	26·71	37·33	26·88	46
47	38·50	26·96	38·38	27·13	38·26	27·29	38·14	27·46	47
48	39·32	27·53	39·20	27·70	39·08	27·87	38·96	28·04	48
49	40·14	28·11	40·02	28·28	39·89	28·45	39·77	28·63	49
50	40·96	28·68	40·83	28·86	40·71	29·04	40·58	29·21	50
Distance.	55 Deg.		55¼ Deg.		55½ Deg.		55¾ Deg.		Distance.
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	

Distance.	35 Deg.		35¼ Deg.		35½ Deg.		35¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	41 78	29 25	41 65	29 43	41 52	29 62	41 39	29 80	51
52	42 60	29 83	42 47	30 01	42 33	30 20	42 20	30 38	52
53	43 42	30 40	43 28	30 59	43 15	30 78	43 01	30 97	53
54	44 23	30 97	44 10	31 17	43 96	31 36	43 82	31 55	54
55	45 05	31 55	44 92	31 74	44 78	31 94	44 64	32 13	55
56	45 87	32 12	45 73	32 32	45 59	32 52	45 45	32 72	56
57	46 69	32 69	46 55	32 90	46 40	33 10	46 26	33 30	57
58	47 51	33 27	47 37	33 47	47 22	33 68	47 07	33 89	58
59	48 33	33 84	48 18	34 05	48 03	34 26	47 88	34 47	59
60	49 15	34 41	49 00	34 63	48 85	34 84	48 69	35 05	60
61	49 97	34 99	49 82	35 21	49 66	35 42	49 51	35 64	61
62	50 79	35 56	50 63	35 78	50 48	36 00	50 32	36 22	62
63	51 61	36 14	51 45	36 36	51 29	36 58	51 13	36 81	63
64	52 43	36 71	52 27	36 94	52 10	37 16	51 94	37 39	64
65	53 24	37 28	53 08	37 51	52 92	37 75	52 75	37 98	65
66	54 06	37 86	53 90	38 09	53 73	38 33	53 56	38 56	66
67	54 88	38 43	54 71	38 67	54 55	38 91	54 38	39 14	67
68	55 70	39 00	55 53	39 25	55 36	39 49	55 19	39 73	68
69	56 52	39 58	56 35	39 82	56 17	40 07	56 00	40 31	69
70	57 34	40 15	57 16	40 40	56 99	40 65	56 81	40 90	70
71	58 16	40 72	57 98	40 98	57 80	41 23	57 62	41 48	71
72	58 98	41 30	58 80	41 55	58 62	41 81	58 43	42 07	72
73	59 80	41 87	59 61	42 13	59 43	42 39	59 24	42 65	73
74	60 62	42 44	60 43	42 71	60 24	42 97	60 06	43 23	74
75	61 44	43 02	61 25	43 29	61 06	43 55	60 88	43 82	75
76	62 26	43 59	62 06	43 86	61 87	44 13	61 68	44 40	76
77	63 07	44 17	62 88	44 44	62 69	44 71	62 49	44 99	77
78	63 89	44 74	63 70	45 02	63 50	45 29	63 30	45 57	78
79	64 71	45 31	64 51	45 59	64 32	45 88	64 11	46 16	79
80	65 53	45 89	65 33	46 17	65 13	46 46	64 93	46 74	80
81	66 35	46 46	66 15	46 75	65 94	47 04	65 74	47 32	81
82	67 17	47 03	66 96	47 33	66 76	47 62	66 55	47 91	82
83	67 99	47 61	67 78	47 90	67 57	48 20	67 36	48 49	83
84	68 81	48 18	68 60	48 48	68 39	48 78	68 17	49 08	84
85	69 63	48 75	69 41	49 06	69 20	49 36	68 98	49 66	85
86	70 45	49 33	70 23	49 63	70 01	49 94	69 80	50 25	86
87	71 27	49 90	71 05	50 21	70 83	50 52	70 61	50 83	87
88	72 09	50 47	71 86	50 79	71 64	51 10	71 42	51 41	88
89	72 90	51 05	72 68	51 37	72 46	51 68	72 23	52 00	89
90	73 72	51 62	73 50	51 94	73 27	52 26	73 04	52 58	90
91	74 54	52 20	74 31	52 52	74 08	52 84	73 85	53 17	91
92	75 36	52 77	75 13	53 10	74 90	53 42	74 66	53 75	92
93	76 18	53 34	75 95	53 67	75 71	54 01	75 48	54 34	93
94	77 00	53 92	76 76	54 25	76 53	54 59	76 29	54 92	94
95	77 82	54 49	77 58	54 83	77 34	55 17	77 10	55 50	95
96	78 64	55 06	78 40	55 41	78 16	55 75	77 91	56 09	96
97	79 46	55 64	79 21	55 98	78 97	56 33	78 72	56 67	97
98	80 28	56 21	80 03	56 56	79 78	56 91	79 53	57 26	98
99	81 10	56 78	80 85	57 14	80 60	57 49	80 35	57 84	99
100	81 92	57 36	81 66	57 71	81 41	58 07	81 16	58 42	100
Distance.	55 Deg.		54¾ Deg.		54½ Deg.		54¼ Deg.		Distance.
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	

Distance.	30 Deg.		36¼ Deg.		36½ Deg.		36¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-81	0-59	0-81	0-59	0-80	0-53	0-80	0-63	1
2	1-62	1-18	1-61	1-18	1-61	1-19	1-60	1-20	2
3	2-43	1-76	2-42	1-77	2-41	1-78	2-40	1-79	3
4	3-24	2-35	3-23	2-37	3-22	2-38	3-20	2-39	4
5	4-05	2-94	4-03	2-96	4-02	2-97	4-01	2-99	5
6	4-85	3-53	4-84	3-55	4-82	3-57	4-81	3-59	6
7	5-66	4-11	5-65	4-14	5-63	4-16	5-61	4-19	7
8	6-47	4-70	6-45	4-73	6-43	4-76	6-41	4-79	8
9	7-28	5-29	7-26	5-32	7-23	5-35	7-21	5-38	9
10	8-09	5-88	8-09	5-91	8-04	5-93	8-01	5-98	10
11	8-90	6-47	8-87	6-50	8-84	6-54	8-81	6-58	11
12	9-71	7-36	9-68	7-10	9-65	7-14	9-61	7-18	12
13	10-52	7-64	10-48	7-69	10-45	7-73	10-42	7-78	13
14	11-33	8-23	11-29	8-28	11-25	8-33	11-22	8-38	14
15	12-14	8-82	12-10	8-87	12-06	8-92	12-02	8-97	15
16	12-94	9-40	12-90	9-46	12-86	9-52	12-82	9-57	16
17	13-75	9-99	13-71	10-05	13-67	10-11	13-62	10-17	17
18	14-56	10-58	14-52	10-64	14-47	10-71	14-42	10-77	18
19	15-37	11-17	15-32	11-23	15-27	11-30	15-22	11-37	19
20	16-18	11-76	16-13	11-83	16-08	11-90	16-03	11-97	20
21	16-99	12-34	16-94	12-42	16-88	12-49	16-83	12-56	21
22	17-80	12-93	17-74	13-01	17-78	13-09	17-63	13-16	22
23	18-61	13-52	18-55	13-60	18-49	13-68	18-43	13-76	23
24	19-42	14-11	19-35	14-19	19-29	14-28	19-23	14-36	24
25	20-23	14-69	20-16	14-78	20-10	14-87	20-03	14-96	25
26	21-03	15-28	20-97	15-37	20-90	15-47	20-83	15-66	26
27	21-84	15-87	21-77	15-97	21-70	16-06	21-63	16-15	27
28	22-65	16-46	22-58	16-56	22-51	16-65	22-44	16-75	28
29	23-46	17-05	23-39	17-15	23-31	17-25	23-24	17-35	29
30	24-27	17-63	24-19	17-74	24-12	17-84	24-04	17-95	30
31	25-08	18-22	25-00	18-33	24-92	18-44	24-84	18-55	31
32	25-89	18-81	25-81	18-92	25-72	19-03	25-64	19-15	32
33	26-70	19-40	26-61	19-51	26-53	19-63	26-44	19-74	33
34	27-51	19-98	27-42	20-10	27-33	20-22	27-24	20-34	34
35	28-32	20-57	28-23	20-70	28-13	20-82	28-04	20-94	35
36	29-12	21-16	29-03	21-29	28-94	21-41	28-85	21-54	36
37	29-93	21-75	29-84	21-88	29-74	22-01	29-65	22-14	37
38	30-74	22-34	30-64	22-47	30-55	22-00	30-45	22-74	38
39	31-55	22-92	31-45	23-06	31-35	23-20	31-25	23-33	39
40	32-36	23-51	32-26	23-65	32-15	23-79	32-05	23-93	40
41	33-17	24-10	33-06	24-24	32-96	24-39	32-85	24-53	41
42	33-98	24-69	33-87	24-83	33-76	24-98	33-65	25-13	42
43	34-79	25-27	34-68	25-43	34-57	25-58	34-45	25-73	43
44	35-60	25-86	35-48	26-02	35-37	26-17	35-26	26-33	44
45	36-41	26-45	36-29	26-61	36-17	26-77	36-06	26-92	45
46	37-21	27-04	37-10	27-20	36-98	27-36	36-86	27-52	46
47	38-02	27-63	37-90	27-79	37-78	27-96	37-66	28-12	47
48	38-83	28-21	38-71	28-38	38-59	28-55	38-46	28-72	48
49	39-64	28-80	39-52	28-97	39-39	29-15	39-28	29-32	49
50	40-45	29-39	40-32	29-57	40-19	29-74	40-06	29-92	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	54 Deg.		53¾ Deg.		53½ Deg.		53¼ Deg.		

Distance.	36 Deg.		36¼ Deg.		36½ Deg.		36¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	41.26	29.98	41.13	30.16	41.00	30.34	40.88	30.61	51
52	42.07	30.56	41.94	30.75	41.80	30.63	41.67	31.11	52
53	42.88	31.15	42.74	31.34	42.60	31.53	42.47	31.71	53
54	43.69	31.74	43.55	31.93	43.41	32.12	43.27	32.31	54
55	44.50	32.33	44.35	32.52	44.21	32.72	44.07	32.91	55
56	45.30	32.92	45.16	33.11	45.02	33.31	44.87	33.51	56
57	46.11	33.50	45.97	33.70	45.82	33.90	45.67	34.10	57
58	46.92	34.09	46.77	34.30	46.62	34.50	46.47	34.70	58
59	47.73	34.68	47.58	34.89	47.43	35.09	47.27	35.30	59
60	48.54	35.27	48.39	35.48	48.23	35.69	48.08	35.90	60
61	49.35	35.85	49.19	36.07	49.04	36.28	48.88	36.50	61
62	50.16	36.44	50.00	36.66	49.84	36.88	49.68	37.10	62
63	50.97	37.03	50.81	37.25	50.64	37.47	50.48	37.69	63
64	51.78	37.62	51.61	37.84	51.45	38.07	51.28	38.29	64
65	52.59	38.21	52.42	38.44	52.25	38.66	52.08	38.89	65
66	53.40	38.79	53.23	39.03	53.05	39.25	52.88	39.49	66
67	54.20	39.38	54.03	39.62	53.86	39.85	53.68	40.09	67
68	55.01	39.97	54.84	40.21	54.66	40.45	54.49	40.69	68
69	55.82	40.56	55.64	40.80	55.47	41.04	55.29	41.28	69
70	56.63	41.14	56.45	41.39	56.27	41.64	56.09	41.88	70
71	57.44	41.73	57.26	41.98	57.07	42.23	56.89	42.48	71
72	58.25	42.32	58.06	42.57	57.88	42.83	57.69	43.08	72
73	59.06	42.91	58.87	43.17	58.68	43.42	58.49	43.68	73
74	59.87	43.50	59.68	43.76	59.49	44.02	59.29	44.28	74
75	60.68	44.08	60.48	44.35	60.29	44.61	60.09	44.87	75
76	61.49	44.67	61.29	44.94	61.09	45.21	60.90	45.47	76
77	62.29	45.26	62.10	45.53	61.90	45.80	61.70	46.07	77
78	63.10	45.85	62.90	46.12	62.70	46.40	62.50	46.67	78
79	63.91	46.43	63.71	46.71	63.50	47.00	63.30	47.27	79
80	64.72	47.02	64.52	47.30	64.31	47.59	64.10	47.87	80
81	65.53	47.61	65.32	47.90	65.11	48.18	64.90	48.46	81
82	66.34	48.20	66.13	48.49	65.92	48.78	65.70	49.06	82
83	67.15	48.79	66.93	49.08	66.72	49.37	66.50	49.66	83
84	67.96	49.37	67.74	49.67	67.52	49.97	67.31	50.26	84
85	68.77	49.96	68.55	50.26	68.33	50.56	68.11	50.86	85
86	69.58	50.55	69.35	50.85	69.13	51.15	68.91	51.46	86
87	70.38	51.14	70.16	51.44	69.94	51.75	69.71	52.05	87
88	71.19	51.73	70.97	52.04	70.74	52.34	70.51	52.65	88
89	72.00	52.31	71.77	52.63	71.54	52.94	71.31	53.25	89
90	72.81	52.90	72.58	53.22	72.35	53.53	72.11	53.85	90
91	73.62	53.49	73.39	53.81	73.15	54.13	72.91	54.45	91
92	74.43	54.08	74.19	54.40	73.95	54.72	73.72	55.05	92
93	75.24	54.66	75.00	54.99	74.76	55.32	74.52	55.64	93
94	76.05	55.25	75.81	55.58	75.56	55.91	75.32	56.24	94
95	76.86	55.84	76.61	56.17	76.37	56.51	76.12	56.84	95
96	77.67	56.43	77.42	56.77	77.17	57.10	76.92	57.44	96
97	78.47	57.02	78.23	57.36	77.97	57.70	77.72	58.04	97
98	79.28	57.60	79.03	57.95	78.78	58.29	78.52	58.64	98
99	80.09	58.19	79.84	58.54	79.58	58.89	79.32	59.23	99
100	80.90	58.78	80.64	59.13	80.39	59.48	80.13	59.83	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	54 Deg.		53¾ Deg.		53½ Deg.		53¼ Deg.		

Distance.	37 Deg.		37¼ Deg.		37½ Deg.		37¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0:80	0:60	0:80	0:61	0:79	0:61	0:79	0:61	1
2	1:60	1:20	1:59	1:21	1:59	1:22	1:58	1:22	2
3	2:40	1:81	2:39	1:82	2:38	1:83	2:37	1:84	3
4	3:19	2:41	3:18	2:42	3:17	2:43	3:16	2:45	4
5	3:99	3:01	3:98	3:03	3:97	3:04	3:95	3:06	5
6	4:79	3:61	4:78	3:63	4:76	3:65	4:74	3:67	6
7	5:59	4:21	5:57	4:24	5:55	4:25	5:53	4:29	7
8	6:39	4:81	6:37	4:84	6:35	4:87	6:33	4:90	8
9	7:19	5:42	7:16	5:45	7:14	5:48	7:12	5:51	9
10	7:99	6:02	7:96	6:05	7:93	6:09	7:91	6:12	10
11	8:78	6:62	8:76	6:66	8:73	6:70	8:70	6:73	11
12	9:58	7:22	9:55	7:26	9:52	7:31	9:49	7:35	12
13	10:38	7:82	10:35	7:87	10:31	7:91	10:28	7:96	13
14	11:18	8:43	11:14	8:47	11:11	8:52	11:07	8:57	14
15	11:98	9:03	11:94	9:08	11:90	9:13	11:86	9:18	15
16	12:78	9:63	12:74	9:68	12:69	9:74	12:65	9:80	16
17	13:58	10:23	13:53	10:29	13:49	10:35	13:44	10:41	17
18	14:38	10:83	14:33	10:90	14:28	10:95	14:23	11:02	18
19	15:17	11:43	15:12	11:50	15:07	11:57	15:02	11:63	19
20	15:97	12:04	15:92	12:11	15:87	12:18	15:81	12:24	20
21	16:77	12:64	16:72	12:71	16:66	12:78	16:60	12:86	21
22	17:57	13:24	17:51	13:32	17:45	13:39	17:40	13:47	22
23	18:37	13:84	18:31	13:92	18:25	14:00	18:19	14:08	23
24	19:17	14:44	19:10	14:53	19:04	14:61	18:98	14:69	24
25	19:97	15:05	19:90	15:13	19:83	15:22	19:77	15:31	25
26	20:76	15:65	20:70	15:74	20:63	15:83	20:56	15:92	26
27	21:56	16:25	21:49	16:34	21:42	16:44	21:35	16:53	27
28	22:36	16:85	22:29	16:95	22:21	17:05	22:14	17:14	28
29	23:16	17:45	23:08	17:55	23:01	17:65	22:93	17:75	29
30	23:96	18:05	23:88	18:16	23:80	18:26	23:72	18:37	30
31	24:76	18:66	24:68	18:76	24:59	18:87	24:51	18:98	31
32	25:56	19:26	25:47	19:37	25:39	19:48	25:30	19:59	32
33	26:36	19:86	26:27	19:97	26:18	20:09	26:09	20:20	33
34	27:15	20:46	27:06	20:58	26:97	20:70	26:88	20:82	34
35	27:95	21:06	27:86	21:19	27:77	21:31	27:67	21:43	35
36	28:75	21:67	28:66	21:79	28:56	21:92	28:46	22:04	36
37	29:55	22:27	29:45	22:40	29:35	22:52	29:26	22:65	37
38	30:35	22:87	30:25	23:00	30:15	23:13	30:05	23:26	38
39	31:15	23:47	31:04	23:61	30:94	23:74	30:84	23:88	39
40	31:95	24:07	31:84	24:21	31:73	24:35	31:63	24:49	40
41	32:74	24:67	32:64	24:82	32:53	24:96	32:42	25:10	41
42	33:54	25:28	33:43	25:42	33:32	25:57	33:21	25:71	42
43	34:34	25:88	34:23	26:03	34:11	26:18	34:00	26:33	43
44	35:14	26:48	35:02	26:63	34:91	26:79	34:79	26:94	44
45	35:94	27:08	35:82	27:24	35:70	27:39	35:58	27:55	45
46	36:74	27:68	36:62	27:84	36:49	28:00	36:37	28:16	46
47	37:54	28:29	37:41	28:45	37:29	28:61	37:16	28:77	47
48	38:33	28:89	38:21	29:05	38:08	29:22	37:95	29:39	48
49	39:13	29:49	39:00	29:66	38:87	29:83	38:74	30:00	49
50	39:93	30:09	39:80	30:26	39:67	30:44	39:53	30:61	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	53 Deg.		52¾ Deg.		52½ Deg.		52¼ Deg.		

Distance.	37 Deg.		37¼ Deg.		37½ Deg.		37¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	49-73	30-19	40-00	30-87	40-46	31-65	40-33	31-22	51
52	41-53	31-29	41-39	31-48	41-25	31-66	41-12	31-84	52
53	42-33	31-00	42-19	32-08	42-05	32-26	41-51	32-45	53
54	43-13	32-50	42-98	32-69	42-84	32-87	42-70	33-06	54
55	43-92	33-10	43-78	33-29	43-63	33-48	43-49	33-67	55
56	44-72	33-70	44-58	33-90	44-43	34-09	44-28	34-28	56
57	45-52	34-30	45-37	34-50	45-22	34-76	45-07	34-90	57
58	46-32	34-91	46-17	35-11	46-01	35-31	45-86	35-51	58
59	47-12	35-51	46-96	35-71	46-81	35-92	46-65	36-12	59
60	47-92	36-11	47-76	36-32	47-60	36-53	47-44	36-73	60
61	48-72	36-71	48-56	36-92	48-39	37-13	48-23	37-35	61
62	49-52	37-31	49-35	37-53	49-19	37-74	49-02	37-96	62
63	50-31	37-91	50-15	38-13	49-98	38-35	48-81	38-57	63
64	51-11	38-52	50-34	38-74	50-77	38-96	50-60	39-18	64
65	51-91	39-12	51-74	39-34	51-57	39-57	51-39	39-79	65
66	52-71	39-72	52-54	39-95	52-36	40-18	52-19	40-41	66
67	53-51	40-32	53-33	40-55	53-15	40-79	52-98	41-02	67
68	54-31	40-92	54-13	41-16	53-95	41-40	53-77	41-63	68
69	55-11	41-53	54-92	41-77	54-74	42-00	54-56	42-24	69
70	55-90	42-13	55-72	42-37	55-53	42-61	55-35	42-86	70
71	56-70	42-73	56-52	42-98	56-32	43-22	56-14	43-47	71
72	57-50	43-33	57-31	43-58	57-12	43-83	56-93	44-08	72
73	58-30	43-93	58-11	44-19	57-91	44-44	57-72	44-69	73
74	59-10	44-53	58-90	44-79	58-71	45-05	58-51	45-30	74
75	59-50	45-14	59-70	45-40	59-50	45-66	59-30	45-92	75
76	60-70	45-74	60-50	46-00	60-29	46-27	60-09	46-53	76
77	61-49	46-34	61-29	46-61	61-09	46-87	60-88	47-14	77
78	62-29	46-94	62-09	47-21	61-88	47-48	61-67	47-75	78
79	63-09	47-54	62-88	47-82	62-67	48-09	62-46	48-37	79
80	63-89	48-15	63-68	48-42	63-47	48-70	63-26	48-98	80
81	64-69	48-75	64-48	49-03	64-26	49-31	64-05	49-59	81
82	65-49	49-35	65-27	49-63	65-05	49-92	64-84	50-20	82
83	66-29	49-95	66-07	50-24	65-85	50-53	65-63	50-81	83
84	67-09	50-55	66-86	50-84	66-64	51-14	66-42	51-43	84
85	67-88	51-15	67-66	51-45	67-43	51-74	67-21	52-04	85
86	68-68	51-76	68-46	52-06	68-23	52-35	68-00	52-65	86
87	69-48	52-36	69-25	52-66	69-02	52-96	68-79	53-26	87
88	70-28	52-96	70-05	53-27	69-82	53-57	69-58	53-88	88
89	71-08	53-56	70-84	53-87	70-61	54-18	70-37	54-49	89
90	71-88	54-16	71-64	54-48	71-40	54-79	71-16	55-10	90
91	72-68	54-77	72-44	55-08	72-20	55-40	71-95	55-71	91
92	73-47	55-37	73-23	55-69	72-99	56-01	72-74	56-32	92
93	74-27	55-97	74-03	56-29	73-78	56-61	73-53	56-94	93
94	75-07	56-57	74-82	56-90	74-58	57-22	74-32	57-55	94
95	75-87	57-17	75-62	57-50	75-37	57-83	75-12	58-16	95
96	76-67	57-77	76-42	58-11	76-16	58-44	75-91	58-77	96
97	77-47	58-38	77-21	58-71	76-96	59-05	76-70	59-39	97
98	78-27	58-98	78-01	59-32	77-75	59-66	77-49	60-00	98
99	79-06	59-58	78-80	59-92	78-54	60-27	78-28	60-61	99
100	79-86	60-18	79-60	60-53	79-34	60-88	79-07	61-22	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	53 Deg.		52¾ Deg.		52½ Deg.		52¼ Deg.		

Distance.	38 Deg.		38¼ Deg.		38½ Deg.		38¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-79	0-62	0-79	0-62	0-78	0-62	0-78	0-63	1
2	1-58	1-23	1-57	1-24	1-57	1-24	1-56	1-25	2
3	2-36	1-85	2-36	1-86	2-35	1-87	2-34	1-88	3
4	3-15	2-46	3-14	2-48	3-13	2-49	3-12	2-50	4
5	3-94	3-08	3-93	3-10	3-91	3-11	3-90	3-13	5
6	4-73	3-69	4-71	3-71	4-70	3-74	4-68	3-76	6
7	5-52	4-31	5-50	4-33	5-48	4-36	5-46	4-38	7
8	6-30	4-93	6-28	4-95	6-26	4-98	6-24	5-01	8
9	7-09	5-54	7-07	5-57	7-04	5-60	7-02	5-63	9
10	7-88	6-16	7-85	6-19	7-83	6-23	7-80	6-26	10
11	8-67	6-77	8-64	6-81	8-61	6-85	8-58	6-89	11
12	9-46	7-39	9-42	7-43	9-39	7-47	9-36	7-51	12
13	10-24	8-00	10-21	8-05	10-17	8-09	10-14	8-14	13
14	11-03	8-62	10-99	8-67	10-96	8-72	10-92	8-76	14
15	11-82	9-23	11-78	9-29	11-74	9-34	11-70	9-39	15
16	12-61	9-85	12-57	9-91	12-52	9-96	12-48	10-01	16
17	13-40	10-47	13-35	10-52	13-30	10-58	13-26	10-64	17
18	14-18	11-08	14-14	11-14	14-09	11-21	14-04	11-27	18
19	14-97	11-70	14-92	11-76	14-87	11-83	14-82	11-89	19
20	15-76	12-31	15-71	12-38	15-65	12-45	15-60	12-52	20
21	16-55	12-93	16-49	13-00	16-43	13-07	16-38	13-14	21
22	17-34	13-54	17-28	13-02	17-22	13-70	17-16	13-77	22
23	18-12	14-16	18-06	14-24	18-00	14-32	17-94	14-40	23
24	18-91	14-78	18-85	14-86	18-78	14-94	18-72	15-02	24
25	19-70	15-39	19-63	15-48	19-57	15-56	19-50	15-65	25
26	20-49	16-01	20-42	16-10	20-35	16-19	20-28	16-27	26
27	21-28	16-62	21-20	16-72	21-13	16-81	21-06	16-90	27
28	22-06	17-24	21-99	17-33	21-91	17-43	21-84	17-53	28
29	22-85	17-85	22-77	17-95	22-70	18-05	22-62	18-15	29
30	23-64	18-47	23-56	18-57	23-48	18-08	23-40	18-78	30
31	24-43	19-09	24-34	19-19	24-26	19-30	24-18	19-40	31
32	25-22	19-70	25-13	19-81	25-04	19-92	24-96	20-03	32
33	26-00	20-32	25-92	20-43	25-83	20-54	25-74	20-66	33
34	26-79	20-93	26-70	21-05	26-61	21-17	26-52	21-28	34
35	27-58	21-55	27-49	21-67	27-39	21-79	27-30	21-91	35
36	28-37	22-16	28-27	22-29	28-17	22-41	28-08	22-53	36
37	29-16	22-78	29-06	22-91	28-96	23-03	28-86	23-16	37
38	29-94	23-40	29-84	23-53	29-74	23-08	29-64	23-79	38
39	30-73	24-01	30-63	24-14	30-52	24-28	30-42	24-41	39
40	31-52	24-63	31-41	24-76	31-30	24-90	31-20	25-04	40
41	32-31	25-24	32-20	25-38	32-09	25-52	31-98	25-66	41
42	33-10	25-86	32-98	26-00	32-87	26-15	32-76	26-29	42
43	33-88	26-47	33-77	26-62	33-65	26-77	33-53	26-91	43
44	34-67	27-09	34-55	27-24	34-43	27-39	34-31	27-54	44
45	35-46	27-70	35-34	27-86	35-22	28-01	35-09	28-17	45
46	36-25	28-32	36-12	28-48	36-00	28-64	35-87	28-79	46
47	37-04	28-94	36-51	29-10	36-78	29-26	36-65	29-42	47
48	37-82	29-55	37-29	29-72	37-57	29-88	37-43	30-04	48
49	38-61	30-17	38-48	30-34	38-35	30-50	38-21	30-67	49
50	39-40	30-78	39-27	30-95	39-13	31-13	38-99	31-30	50
Distance.	52 Deg.		51¾ Deg.		51½ Deg.		51¼ Deg.		Distance.
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	

Distance.	38 Deg.		38¼ Deg.		38½ Deg.		38¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-79	0-62	0-79	0-62	0-78	0-62	0-78	0-63	1
2	1-58	1-23	1-57	1-24	1-57	1-24	1-56	1-25	2
3	2-36	1-85	2-36	1-86	2-35	1-87	2-34	1-88	3
4	3-15	2-46	3-14	2-48	3-13	2-49	3-12	2-50	4
5	3-94	3-08	3-93	3-10	3-91	3-11	3-90	3-13	5
6	4-73	3-69	4-71	3-71	4-70	3-74	4-68	3-76	6
7	5-52	4-31	5-50	4-33	5-48	4-36	5-46	4-38	7
8	6-30	4-93	6-28	4-95	6-26	4-58	6-24	5-01	8
9	7-09	5-54	7-07	5-57	7-04	5-00	7-02	5-63	9
10	7-88	6-16	7-85	6-19	7-83	6-23	7-80	6-26	10
11	8-67	6-77	8-64	6-81	8-61	6-85	8-58	6-89	11
12	9-46	7-39	9-42	7-43	9-39	7-47	9-36	7-51	12
13	10-24	8-00	10-21	8-05	10-17	8-09	10-14	8-14	13
14	11-03	8-62	10-99	8-67	10-96	8-72	10-92	8-76	14
15	11-82	9-23	11-78	9-29	11-74	9-34	11-70	9-39	15
16	12-61	9-85	12-57	9-91	12-52	9-96	12-48	10-01	16
17	13-40	10-47	13-35	10-52	13-30	10-58	13-26	10-64	17
18	14-18	11-08	14-14	11-14	14-09	11-21	14-04	11-27	18
19	14-97	11-70	14-92	11-76	14-87	11-83	14-82	11-89	19
20	15-76	12-31	15-71	12-38	15-65	12-45	15-60	12-52	20
21	16-55	12-93	16-49	13-00	16-43	13-07	16-38	13-14	21
22	17-34	13-54	17-28	13-62	17-22	13-70	17-16	13-77	22
23	18-12	14-16	18-06	14-24	18-00	14-32	17-94	14-40	23
24	18-91	14-78	18-85	14-86	18-78	14-94	18-72	15-02	24
25	19-70	15-39	19-63	15-48	19-57	15-56	19-50	15-65	25
26	20-49	16-01	20-42	16-10	20-35	16-19	20-28	16-27	26
27	21-28	16-62	21-20	16-72	21-13	16-81	21-06	16-90	27
28	22-06	17-24	21-99	17-33	21-91	17-43	21-84	17-53	28
29	22-85	17-85	22-77	17-95	22-70	18-05	22-62	18-15	29
30	23-64	18-47	23-56	18-57	23-48	18-68	23-40	18-78	30
31	24-43	19-09	24-34	19-19	24-26	19-30	24-18	19-40	31
32	25-22	19-70	25-13	19-81	25-04	19-92	24-96	20-03	32
33	26-00	20-32	25-92	20-43	25-83	20-54	25-74	20-66	33
34	26-79	20-93	26-70	21-05	26-61	21-17	26-52	21-28	34
35	27-58	21-55	27-49	21-67	27-39	21-79	27-30	21-91	35
36	28-37	22-16	28-27	22-29	28-17	22-41	28-08	22-53	36
37	29-16	22-78	29-06	22-91	28-96	23-03	28-86	23-16	37
38	29-94	23-40	29-84	23-53	29-74	23-66	29-64	23-79	38
39	30-73	24-01	30-63	24-14	30-52	24-28	30-42	24-41	39
40	31-52	24-63	31-41	24-76	31-30	24-90	31-20	25-04	40
41	32-31	25-24	32-20	25-38	32-09	25-52	31-98	25-66	41
42	33-10	25-86	32-98	26-00	32-87	26-15	32-76	26-29	42
43	33-88	26-47	33-77	26-62	33-65	26-77	33-53	26-91	43
44	34-67	27-09	34-55	27-24	34-43	27-39	34-31	27-54	44
45	35-46	27-70	35-34	27-86	35-22	28-01	35-09	28-17	45
46	36-25	28-32	36-12	28-48	36-00	28-64	35-87	28-79	46
47	37-04	28-94	36-51	29-10	36-78	29-26	36-65	29-42	47
48	37-82	29-55	37-79	29-72	37-57	29-88	37-43	30-04	48
49	38-61	30-17	38-48	30-34	38-35	30-50	38-21	30-67	49
50	39-40	30-78	39-27	30-95	39-13	31-13	38-99	31-30	50
Distance.	52 Deg.		51¾ Deg.		51½ Deg.		51¼ Deg.		Distance.
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	

Distance.	33 Deg.		38¼ Deg.		38½ Deg.		38¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	40-19	31-40	40-05	31-57	39-91	31-75	39-77	31-92	51
52	40-98	32-01	40-84	32-19	40-70	32-37	40-55	32-55	52
53	41-76	32-63	41-62	32-81	41-48	32-99	41-33	33-17	53
54	42-55	33-25	42-41	33-43	42-26	33-62	42-11	33-80	54
55	43-34	33-86	43-19	34-05	43-04	34-24	42-89	34-43	55
56	44-13	34-48	43-98	34-67	43-83	34-86	43-67	35-05	56
57	44-92	35-09	44-76	35-29	44-61	35-48	44-45	35-68	57
58	45-70	35-71	45-55	35-91	45-39	36-11	45-23	36-30	58
59	46-49	36-32	46-33	36-53	46-17	36-73	46-01	36-93	59
60	47-28	36-94	47-12	37-15	46-96	37-35	46-79	37-56	60
61	48-07	37-56	47-90	37-76	47-74	37-97	47-57	38-18	61
62	48-86	38-17	48-69	38-38	48-52	38-60	48-35	38-81	62
63	49-64	38-79	49-47	39-00	49-30	39-22	49-13	39-43	63
64	50-43	39-40	50-26	39-62	50-09	39-84	49-91	40-06	64
65	51-22	40-02	51-05	40-24	50-87	40-46	50-69	40-68	65
66	52-01	40-63	51-83	40-86	51-65	41-09	51-47	41-31	66
67	52-80	41-25	52-62	41-48	52-43	41-71	52-25	41-94	67
68	53-58	41-86	53-40	42-10	53-22	42-33	53-03	42-56	68
69	54-37	42-48	54-19	42-72	54-00	42-95	53-81	43-19	69
70	55-16	43-10	54-97	43-34	54-78	43-58	54-59	43-81	70
71	55-95	43-71	55-76	43-96	55-57	44-20	55-37	44-44	71
72	56-74	44-33	56-54	44-57	56-35	44-82	56-15	45-07	72
73	57-52	44-94	57-33	45-19	57-13	45-44	56-93	45-69	73
74	58-31	45-56	58-11	45-81	57-91	46-07	57-71	46-32	74
75	59-10	46-17	58-90	46-43	58-70	46-69	58-49	46-94	75
76	59-89	46-79	59-68	47-05	59-48	47-31	59-27	47-57	76
77	60-68	47-41	60-47	47-67	60-26	47-93	60-05	48-20	77
78	61-46	48-02	61-25	48-29	61-04	48-56	60-83	48-82	78
79	62-25	48-64	62-04	48-91	61-83	49-18	61-61	49-45	79
80	63-04	49-25	62-83	49-53	62-61	49-80	62-39	50-07	80
81	63-83	49-87	63-61	50-15	63-39	50-42	63-17	50-70	81
82	64-62	50-48	64-40	50-77	64-17	51-05	63-95	51-33	82
83	65-40	51-10	65-18	51-38	64-96	51-67	64-73	51-95	83
84	66-19	51-72	65-97	52-00	65-74	52-29	65-51	52-58	84
85	66-98	52-33	66-75	52-62	66-52	52-91	66-29	53-20	85
86	67-77	52-95	67-54	53-24	67-30	53-54	67-07	53-83	86
87	68-56	53-56	68-32	53-86	68-09	54-16	67-85	54-46	87
88	69-34	54-18	69-11	54-48	68-87	54-78	68-63	55-08	88
89	70-13	54-79	69-89	55-10	69-65	55-40	69-41	55-71	89
90	70-92	55-41	70-68	55-72	70-43	56-03	70-19	56-33	90
91	71-71	56-03	71-46	56-34	71-22	56-65	70-97	56-96	91
92	72-50	56-64	72-25	56-96	72-00	57-27	71-75	57-58	92
93	73-28	57-26	73-03	57-58	72-78	57-89	72-53	58-21	93
94	74-07	57-87	73-82	58-19	73-57	58-52	73-31	58-84	94
95	74-86	58-49	74-61	58-81	74-35	59-14	74-09	59-46	95
96	75-65	59-10	75-39	59-43	75-13	59-76	74-87	60-09	96
97	76-44	59-72	76-18	60-05	75-91	60-38	75-65	60-71	97
98	77-22	60-33	76-96	60-67	76-70	61-01	76-43	61-34	98
99	78-01	60-95	77-75	61-29	77-48	61-63	77-21	61-97	99
100	78-80	61-57	78-53	61-91	78-26	62-25	77-99	62-59	100
Distance.	52 Deg.		51¾ Deg.		51½ Deg.		51¼ Deg.		Distance.
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	

Distance.	39 Deg.		39¼ Deg.		39½ Deg.		39¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-78	0-63	0-77	0-63	0-77	0-64	0-77	0-64	1
2	1-55	1-26	1-55	1-27	1-54	1-27	1-54	1-28	2
3	2-33	1-89	2-32	1-90	2-31	1-91	2-31	1-92	3
4	3-11	2-52	3-10	2-53	3-09	2-54	3-08	2-56	4
5	3-89	3-15	3-87	3-16	3-86	3-18	3-84	3-20	5
6	4-66	3-78	4-65	3-80	4-63	3-82	4-61	3-84	6
7	5-44	4-41	5-42	4-43	5-40	4-45	5-38	4-48	7
8	6-22	5-03	6-20	5-06	6-17	5-09	6-15	5-12	8
9	6-99	5-66	6-97	5-69	6-94	5-72	6-92	5-76	9
10	7-77	6-29	7-74	6-33	7-72	6-36	7-69	6-39	10
11	8-55	6-92	8-52	6-96	8-49	7-00	8-46	7-03	11
12	9-33	7-55	9-29	7-59	9-26	7-63	9-23	7-67	12
13	10-10	8-18	10-07	8-23	10-03	8-27	9-99	8-31	13
14	10-88	8-81	10-84	8-86	10-80	8-91	10-76	8-95	14
15	11-66	9-44	11-62	9-49	11-57	9-54	11-53	9-59	15
16	12-43	10-07	12-39	10-12	12-35	10-18	12-30	10-23	16
17	13-21	10-70	13-16	10-76	13-12	10-81	13-07	10-87	17
18	13-99	11-33	13-94	11-39	13-89	11-45	13-84	11-51	18
19	14-77	11-96	14-71	12-02	14-66	12-09	14-61	12-15	19
20	15-54	12-59	15-49	12-65	15-43	12-72	15-38	12-79	20
21	16-32	13-22	16-26	13-29	16-20	13-36	16-15	13-43	21
22	17-10	13-84	17-04	13-92	16-98	13-99	16-91	14-07	22
23	17-87	14-47	17-81	14-55	17-75	14-03	17-68	14-71	23
24	18-65	15-10	18-59	15-18	18-52	15-27	18-45	15-35	24
25	19-43	15-73	19-36	15-82	19-29	15-90	19-22	15-99	25
26	20-21	16-36	20-13	16-45	20-06	16-54	19-99	16-63	26
27	20-98	16-99	20-91	17-08	20-83	17-17	20-76	17-26	27
28	21-76	17-62	21-68	17-72	21-61	17-81	21-53	17-90	28
29	22-54	18-25	22-46	18-35	22-38	18-45	22-30	18-54	29
30	23-31	18-88	23-23	18-98	23-15	19-08	23-07	19-18	30
31	24-09	19-51	24-01	19-61	23-92	19-72	23-83	19-82	31
32	24-87	20-14	24-78	20-25	24-69	20-35	24-60	20-46	32
33	25-65	20-77	25-55	20-38	25-46	20-99	25-37	21-10	33
34	26-42	21-40	26-33	21-51	26-24	21-03	26-14	21-74	34
35	27-20	22-03	27-10	22-14	27-01	22-26	26-91	22-38	35
36	27-98	22-66	27-88	22-78	27-78	22-90	27-68	23-02	36
37	28-75	23-28	28-65	23-41	28-55	23-53	28-45	23-66	37
38	29-53	23-91	29-43	24-04	29-32	24-17	29-22	24-30	38
39	30-31	24-54	30-20	24-68	30-09	24-81	29-98	24-94	39
40	31-09	25-17	30-98	25-31	30-86	25-44	30-75	25-58	40
41	31-86	25-80	31-75	25-94	31-64	26-08	31-52	26-22	41
42	32-64	26-43	32-52	26-57	32-41	26-72	32-29	26-86	42
43	33-42	27-06	33-30	27-21	33-18	27-35	33-06	27-40	43
44	34-19	27-69	34-07	27-84	33-95	27-99	33-86	28-14	44
45	34-97	28-32	34-85	28-47	34-72	28-62	34-60	28-77	45
46	35-75	28-95	35-62	29-10	35-49	29-26	35-37	29-41	46
47	36-53	29-58	36-40	29-74	36-27	29-90	36-14	30-05	47
48	37-30	30-21	37-17	30-37	37-04	30-53	36-90	30-69	48
49	38-08	30-84	37-95	31-00	37-81	31-17	37-67	31-33	49
50	38-86	31-47	38-72	31-64	38-58	31-80	38-44	31-97	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	51 Deg.		50¾ Deg.		50½ Deg.		50¼ Deg.		

Distance.	39 Deg.		39¼ Deg.		39½ Deg.		39¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	39.03	32.0	39.19	32.27	39.35	32.44	39.51	32.61	51
52	40.41	32.72	40.27	32.90	40.12	33.08	39.98	33.25	52
53	41.19	33.35	41.04	33.53	40.90	33.71	40.75	33.89	53
54	41.97	33.98	41.82	34.17	41.67	34.35	41.52	34.53	54
55	42.74	34.61	42.59	34.80	42.44	34.98	42.29	35.17	55
56	43.52	35.24	43.37	35.43	43.21	35.62	43.06	35.81	56
57	44.30	35.87	44.14	36.06	43.98	36.26	43.82	36.45	57
58	45.07	36.50	44.91	36.70	44.75	36.89	44.59	37.09	58
59	45.85	37.13	45.69	37.33	45.53	37.53	45.36	37.73	59
60	46.63	37.76	46.46	37.96	46.30	38.16	46.13	38.37	60
61	47.41	38.39	47.24	38.60	47.07	38.80	46.90	39.01	61
62	48.18	39.02	48.01	39.23	47.84	39.44	47.67	39.65	62
63	48.96	39.65	48.79	39.86	48.61	40.07	48.44	40.28	63
64	49.74	40.28	49.56	40.49	49.38	40.71	49.21	40.92	64
65	50.51	40.91	50.34	41.13	50.16	41.35	49.97	41.56	65
66	51.29	41.54	51.11	41.76	50.93	41.98	50.74	42.20	66
67	52.07	42.16	51.88	42.39	51.70	42.62	51.51	42.84	67
68	52.85	42.79	52.66	43.02	52.47	43.25	52.28	43.48	68
69	53.62	43.42	53.43	43.66	53.24	43.89	53.05	44.12	69
70	54.40	44.05	54.21	44.29	54.01	44.53	53.82	44.76	70
71	55.18	44.68	54.98	44.92	54.79	45.16	54.59	45.40	71
72	55.95	45.31	55.76	45.55	55.56	45.80	55.36	46.04	72
73	56.73	45.94	56.53	46.19	56.33	46.43	56.13	46.68	73
74	57.51	46.57	57.31	46.82	57.10	47.07	56.89	47.32	74
75	58.29	47.20	58.08	47.45	57.87	47.71	57.66	47.96	75
76	59.06	47.83	58.85	48.09	58.64	48.34	58.43	48.60	76
77	59.84	48.46	59.63	48.72	59.42	48.98	59.20	49.24	77
78	60.62	49.09	60.40	49.35	60.19	49.61	59.97	49.88	78
79	61.39	49.72	61.18	49.98	60.96	50.25	60.74	50.52	79
80	62.17	50.35	61.95	50.62	61.73	50.89	61.51	51.16	80
81	62.95	50.97	62.73	51.25	62.50	51.52	62.28	51.79	81
82	63.73	51.60	63.50	51.88	63.27	52.16	63.04	52.43	82
83	64.50	52.23	64.27	52.51	64.04	52.79	63.81	53.07	83
84	65.28	52.86	65.05	53.15	64.82	53.43	64.58	53.71	84
85	66.06	53.49	65.82	53.78	65.59	54.07	65.35	54.35	85
86	66.83	54.12	66.60	54.41	66.36	54.70	66.12	54.99	86
87	67.61	54.75	67.37	55.05	67.13	55.34	66.89	55.63	87
88	68.39	55.38	68.15	55.68	67.90	55.97	67.66	56.27	88
89	69.17	56.01	68.92	56.32	68.67	56.61	68.43	56.91	89
90	69.94	56.64	69.70	56.94	69.45	57.25	69.20	57.55	90
91	70.72	57.27	70.47	57.58	70.22	57.88	69.96	58.19	91
92	71.50	57.90	71.24	58.21	70.99	58.52	70.73	58.83	92
93	72.27	58.53	72.02	58.84	71.76	59.16	71.50	59.47	93
94	73.05	59.16	72.79	59.47	72.53	59.79	72.27	60.11	94
95	73.83	59.79	73.57	60.11	73.30	60.43	73.04	60.75	95
96	74.61	60.41	74.34	60.74	74.08	61.06	73.81	61.39	96
97	75.38	61.04	75.12	61.37	74.85	61.70	74.58	62.03	97
98	76.16	61.67	75.89	62.01	75.62	62.34	75.35	62.66	98
99	76.94	62.30	76.66	62.64	76.39	62.97	76.12	63.30	99
100	77.71	62.93	77.44	63.27	77.16	63.61	76.88	63.94	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	51 Deg.		50¾ Deg.		50½ Deg.		50¼ Deg.		

TRAVERSE TABLE.

Distance.	40 Deg.		40¼ Deg.		40½ Deg.		40¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-77	0-64	0-76	0-65	0-76	0-65	0-76	0-65	1
2	1-53	1-29	1-53	1-29	1-52	1-30	1-52	1-31	2
3	2-30	1-93	2-29	1-94	2-28	1-95	2-27	1-96	3
4	3-06	2-57	3-05	2-58	3-04	2-60	3-03	2-61	4
5	3-83	3-21	3-82	3-23	3-80	3-25	3-79	3-26	5
6	4-60	3-86	4-58	3-88	4-56	3-90	4-55	3-92	6
7	5-36	4-50	5-34	4-52	5-32	4-55	5-30	4-57	7
8	6-13	5-14	6-11	5-17	6-08	5-20	6-06	5-22	8
9	6-89	5-79	6-87	5-82	6-84	5-84	6-82	5-87	9
10	7-66	6-43	7-63	6-46	7-60	6-49	7-58	6-53	10
11	8-43	7-07	8-40	7-11	8-36	7-14	8-33	7-18	11
12	9-19	7-71	9-16	7-75	9-12	7-79	9-09	7-83	12
13	9-96	8-36	9-92	8-40	9-89	8-44	9-85	8-49	13
14	10-72	9-00	10-69	9-05	10-65	9-09	10-61	9-14	14
15	11-49	9-64	11-45	9-69	11-41	9-74	11-36	9-79	15
16	12-26	10-28	12-21	10-34	12-17	10-39	12-12	10-44	16
17	13-02	10-93	12-97	10-98	12-93	11-04	12-88	11-10	17
18	13-79	11-57	13-74	11-63	13-69	11-69	13-64	11-75	18
19	14-55	12-21	14-50	12-28	14-45	12-34	14-39	12-40	19
20	15-32	12-86	15-26	12-92	15-21	12-99	15-15	13-06	20
21	16-09	13-50	16-03	13-57	15-97	13-64	15-91	13-71	21
22	16-85	14-14	16-79	14-21	16-73	14-29	16-67	14-36	22
23	17-62	14-78	17-55	14-86	17-49	14-94	17-42	15-01	23
24	18-39	15-43	18-32	15-51	18-25	15-59	18-18	15-67	24
25	19-15	16-07	19-08	16-15	19-01	16-24	18-94	16-32	25
26	19-92	16-71	19-84	16-80	19-77	16-89	19-70	16-97	26
27	20-68	17-36	20-61	17-45	20-53	17-54	20-45	17-62	27
28	21-45	18-00	21-37	18-09	21-29	18-18	21-21	18-28	28
29	22-22	18-64	22-13	18-74	22-05	18-83	21-97	18-93	29
30	22-98	19-28	22-90	19-38	22-81	19-48	22-73	19-58	30
31	23-75	19-93	23-66	20-03	23-57	20-13	23-48	20-24	31
32	24-51	20-57	24-42	20-68	24-33	20-78	24-24	20-89	32
33	25-28	21-21	25-19	21-32	25-09	21-43	25-00	21-54	33
34	26-05	21-85	25-95	21-97	25-85	22-08	25-76	22-19	34
35	26-81	22-50	26-71	22-61	26-61	22-73	26-51	22-85	35
36	27-58	23-14	27-48	23-26	27-37	23-38	27-27	23-50	36
37	28-34	23-78	28-24	23-91	28-13	24-03	28-03	24-15	37
38	29-11	24-43	29-00	24-55	28-90	24-68	28-79	24-80	38
39	29-88	25-07	29-77	25-20	29-66	25-33	29-54	25-46	39
40	30-64	25-71	30-53	25-84	30-42	25-96	30-30	26-11	40
41	31-41	26-35	31-29	26-49	31-18	26-63	31-06	26-76	41
42	32-17	27-00	32-06	27-14	31-94	27-28	31-82	27-42	42
43	32-94	27-64	32-82	27-78	32-70	27-93	32-58	28-07	43
44	33-71	28-28	33-58	28-43	33-46	28-58	33-33	28-72	44
45	34-47	28-93	34-35	29-08	34-22	29-23	34-09	29-37	45
46	35-24	29-57	35-11	29-72	34-98	29-87	34-85	30-03	46
47	36-00	30-21	35-87	30-37	35-74	30-52	35-61	30-68	47
48	36-77	30-85	36-64	31-01	36-50	31-17	36-36	31-33	48
49	37-54	31-50	37-40	31-66	37-26	31-82	37-12	31-99	49
50	38-30	32-14	38-16	32-31	38-02	32-47	37-88	32-64	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	50 Deg.		49¾ Deg.		49½ Deg.		49¼ Deg.		

TRAVERSE TABLE.

Distance.	40 Deg.		40¼ Deg.		40½ Deg.		40¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	39-07	32-78	38-02	32-95	38-78	33-12	38-64	33-29	51
52	39-83	33-42	39-09	33-00	39-54	33-77	39-39	33-94	52
53	40-60	34-07	40-45	34-24	40-30	34-42	40-15	34-60	53
54	41-37	34-71	41-21	34-89	41-06	35-07	40-91	35-25	54
55	42-13	35-35	41-98	35-54	41-82	35-72	41-67	35-90	55
56	42-90	36-00	42-74	36-18	42-58	36-37	42-42	36-55	56
57	43-06	36-64	43-50	36-83	43-34	37-02	43-18	37-21	57
58	44-43	37-28	44-27	37-48	44-10	37-67	43-94	37-86	58
59	45-20	37-92	45-03	38-12	44-86	38-32	44-70	38-51	59
60	45-96	38-57	45-79	38-77	45-62	38-97	45-46	39-17	60
61	46-73	39-21	46-56	39-41	46-38	39-62	46-21	39-82	61
62	47-49	39-85	47-32	40-06	47-15	40-27	46-97	40-47	62
63	48-26	40-50	48-08	40-71	47-91	40-92	47-73	41-12	63
64	49-03	41-14	48-85	41-35	48-67	41-56	48-48	41-78	64
65	49-79	41-78	49-61	42-00	49-43	42-21	49-24	42-43	65
66	50-56	42-42	50-37	42-64	50-19	42-86	50-00	43-08	66
67	51-32	43-07	51-14	43-29	50-95	43-51	50-76	43-73	67
68	52-09	43-71	51-90	43-94	51-71	44-16	51-51	44-39	68
69	52-86	44-35	52-66	44-58	52-47	44-81	52-27	45-04	69
70	53-62	45-00	53-43	45-23	53-23	45-46	53-03	45-69	70
71	54-39	45-64	54-19	45-87	53-99	46-11	53-79	46-35	71
72	55-16	46-28	54-95	46-52	54-75	46-76	54-54	47-00	72
73	55-92	46-92	55-72	47-17	55-51	47-41	55-30	47-65	73
74	56-69	47-57	56-48	47-81	56-27	48-06	56-06	48-30	74
75	57-45	48-21	57-24	48-46	57-03	48-71	56-82	48-96	75
76	58-22	48-85	58-01	49-11	57-79	49-36	57-57	49-61	76
77	58-99	49-49	58-77	49-75	58-55	50-01	58-33	50-26	77
78	59-75	50-14	59-53	50-40	59-31	50-66	59-09	50-92	78
79	60-52	50-78	60-30	51-04	60-07	51-31	59-85	51-57	79
80	61-28	51-42	61-06	51-69	60-83	51-96	60-61	52-22	80
81	62-05	52-07	61-82	52-34	61-59	52-61	61-36	52-87	81
82	62-82	52-71	62-59	52-98	62-35	53-25	62-12	53-53	82
83	63-58	53-35	63-35	53-63	63-11	53-90	62-88	54-18	83
84	64-35	53-99	64-11	54-27	63-87	54-55	63-64	54-83	84
85	65-11	54-64	64-87	54-92	64-63	55-20	64-39	55-48	85
86	65-88	55-28	65-64	55-57	65-39	55-85	65-15	56-14	86
87	66-65	55-92	66-40	56-21	66-18	56-50	65-91	56-79	87
88	67-41	56-57	67-16	56-86	66-92	57-15	66-67	57-44	88
89	68-18	57-21	67-93	57-50	67-68	57-80	67-42	58-10	89
90	68-94	57-85	68-69	58-15	68-44	58-45	68-18	58-75	90
91	69-71	58-49	69-45	58-80	69-20	59-10	68-94	59-40	91
92	70-48	59-14	70-22	59-44	69-96	59-75	69-70	60-05	92
93	71-24	59-78	70-98	60-09	70-72	60-40	70-45	60-71	93
94	72-01	60-42	71-74	60-74	71-48	61-05	71-21	61-36	94
95	72-77	61-06	72-51	61-38	72-24	61-70	71-97	62-01	95
96	73-54	61-71	73-27	62-03	73-00	62-35	72-73	62-66	96
97	74-31	62-35	74-03	62-67	73-76	63-00	73-48	63-32	97
98	75-07	62-99	74-80	63-32	74-52	63-65	74-24	63-97	98
99	75-84	63-64	75-56	63-97	75-28	64-30	75-00	64-62	99
100	76-60	64-28	76-32	64-61	76-04	64-94	75-76	65-28	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	50 Deg.		49¾ Deg.		49½ Deg.		49¼ Deg.		

Distance.	41 Deg.		41¼ Deg.		41½ Deg.		41¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-75	0-66	0-75	0-66	0-75	0-66	0-75	0-67	1
2	1-51	1-31	1-50	1-32	1-50	1-33	1-49	1-33	2
3	2-26	1-97	2-26	1-98	2-25	1-99	2-24	2-06	3
4	3-02	2-62	3-01	2-64	3-00	2-65	2-98	2-66	4
5	3-77	3-28	3-76	3-30	3-74	3-31	3-73	3-33	5
6	4-53	3-94	4-51	3-96	4-49	3-98	4-48	4-00	6
7	5-28	4-59	5-26	4-62	5-24	4-64	5-22	4-66	7
8	6-04	5-25	6-01	5-27	5-99	5-30	5-97	5-33	8
9	6-79	5-90	6-77	5-93	6-74	5-96	6-71	5-99	9
10	7-55	6-56	7-52	6-59	7-49	6-63	7-46	6-66	10
11	8-30	7-22	8-27	7-25	8-24	7-29	8-21	7-32	11
12	9-06	7-87	9-02	7-91	8-99	7-95	8-95	7-99	12
13	9-81	8-53	9-77	8-57	9-74	8-61	9-70	8-66	13
14	10-57	9-18	10-53	9-23	10-49	9-28	10-44	9-32	14
15	11-32	9-84	11-28	9-89	11-23	9-94	11-19	9-99	15
16	12-08	10-50	12-03	10-55	11-98	10-60	11-94	10-65	16
17	12-83	11-15	12-78	11-21	12-73	11-26	12-68	11-32	17
18	13-58	11-81	13-53	11-87	13-48	11-93	13-43	11-99	18
19	14-34	12-47	14-28	12-53	14-23	12-59	14-18	12-65	19
20	15-09	13-12	15-04	13-19	14-98	13-25	14-92	13-32	20
21	15-85	13-78	15-79	13-85	15-73	13-91	15-67	13-98	21
22	16-60	14-43	16-54	14-51	16-48	14-58	16-41	14-65	22
23	17-36	15-09	17-29	15-16	17-23	15-24	17-16	15-32	23
24	18-11	15-75	18-04	15-82	17-97	15-90	17-91	15-98	24
25	18-87	16-40	18-80	16-48	18-72	16-57	18-65	16-65	25
26	19-62	17-06	19-55	17-14	19-47	17-23	19-40	17-31	26
27	20-38	17-71	20-30	17-80	20-22	17-89	20-14	17-98	27
28	21-13	18-37	21-05	18-46	20-97	18-55	20-89	18-64	28
29	21-89	19-03	21-80	19-12	21-72	19-22	21-64	19-31	29
30	22-64	19-68	22-56	19-78	22-47	19-88	22-38	19-98	30
31	23-40	20-34	23-31	20-44	23-22	20-54	23-13	20-64	31
32	24-15	20-99	24-06	21-10	23-97	21-20	23-87	21-31	32
33	24-91	21-65	24-81	21-76	24-72	21-87	24-62	21-97	33
34	25-66	22-31	25-56	22-42	25-46	22-53	25-37	22-64	34
35	26-41	22-96	26-31	23-08	26-21	23-19	26-11	23-31	35
36	27-17	23-62	27-07	23-74	26-96	23-85	26-86	23-97	36
37	27-92	24-27	27-82	24-40	27-71	24-52	27-60	24-64	37
38	28-68	24-93	28-57	25-06	28-46	25-18	28-35	25-30	38
39	29-43	25-59	29-32	25-71	29-21	25-84	29-10	25-97	39
40	30-19	26-24	30-07	26-37	29-96	26-50	29-84	26-64	40
41	30-94	26-90	30-83	27-03	30-71	27-17	30-59	27-30	41
42	31-70	27-55	31-58	27-69	31-46	27-83	31-33	27-97	42
43	32-45	28-21	32-33	28-35	32-21	28-49	32-08	28-63	43
44	33-21	28-87	33-08	29-01	32-95	29-16	32-86	29-30	44
45	33-96	29-52	33-83	29-67	33-70	29-82	33-57	29-97	45
46	34-72	30-18	34-58	30-33	34-45	30-48	34-32	30-63	46
47	35-47	30-83	35-34	30-99	35-20	31-14	35-06	31-30	47
48	36-23	31-49	36-09	31-65	35-95	31-81	35-81	31-96	48
49	36-98	32-15	36-84	32-31	36-70	32-47	36-56	32-63	49
50	37-74	32-80	37-59	32-97	37-45	33-13	37-30	33-29	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	49 Deg.		48¾ Deg.		48½ Deg.		48¼ Deg.		

Distance.	41 Deg.		41¼ Deg.		41½ Deg.		41¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	38-49	33-46	38-34	33-63	38-20	33-79	38-05	33-96	51
52	39-24	34-12	39-10	34-29	38-95	34-46	38-79	34-63	52
53	40-00	34-77	39-85	34-95	39-69	35-12	39-54	35-29	53
54	40-75	35-43	40-00	35-60	40-44	35-78	40-29	35-96	54
55	41-51	36-08	41-35	36-26	41-19	36-44	41-03	36-62	55
56	42-26	36-74	42-10	36-92	41-94	37-11	41-78	37-29	56
57	43-02	37-40	42-85	37-58	42-69	37-77	42-53	37-96	57
58	43-77	38-06	43-61	38-24	43-44	38-43	43-27	38-62	58
59	44-53	38-71	44-36	38-90	44-19	39-09	44-02	39-29	59
60	45-28	39-36	45-11	39-56	44-54	39-76	44-76	39-95	60
61	46-04	40-02	45-86	40-22	45-69	40-42	45-51	40-62	61
62	46-79	40-68	46-61	40-88	46-44	41-08	46-26	41-28	62
63	47-55	41-33	47-37	41-54	47-18	41-75	47-00	41-95	63
64	48-30	41-99	48-12	42-20	47-93	42-41	47-75	42-62	64
65	49-06	42-64	48-87	42-86	48-68	43-07	48-49	43-28	65
66	49-81	43-30	49-62	43-52	49-43	43-73	49-24	43-95	66
67	50-57	43-96	50-37	44-18	50-18	44-40	49-99	44-61	67
68	51-32	44-61	51-13	44-84	50-93	45-06	50-73	45-28	68
69	52-07	45-27	51-88	45-49	51-68	45-72	51-48	45-95	69
70	52-83	45-92	52-63	46-15	52-43	46-38	52-22	46-61	70
71	53-58	46-58	53-38	46-81	53-18	47-05	52-97	47-28	71
72	54-34	47-24	54-13	47-47	53-92	47-71	53-72	47-94	72
73	55-09	47-89	54-88	48-13	54-67	48-37	54-46	48-61	73
74	55-85	48-55	55-64	48-79	55-42	49-03	55-21	49-28	74
75	56-60	49-20	56-39	49-45	56-17	49-70	55-95	49-94	75
76	57-36	49-86	57-14	50-11	56-92	50-36	56-70	50-61	76
77	58-11	50-52	57-89	50-77	57-67	51-02	57-45	51-27	77
78	58-87	51-17	58-64	51-43	58-42	51-68	58-19	51-94	78
79	59-62	51-83	59-40	52-09	59-17	52-35	58-94	52-60	79
80	60-38	52-48	60-15	52-75	59-92	53-01	59-68	53-27	80
81	61-13	53-14	60-90	53-41	60-67	53-67	60-43	53-94	81
82	61-89	53-80	61-65	54-07	61-41	54-33	61-18	54-60	82
83	62-64	54-45	62-40	54-73	62-16	55-00	61-92	55-27	83
84	63-40	55-11	63-15	55-38	62-91	55-66	62-67	55-93	84
85	64-15	55-76	63-91	56-04	63-66	56-32	63-41	56-60	85
86	64-90	56-42	64-66	56-70	64-41	56-99	64-16	57-27	86
87	65-66	57-08	65-41	57-36	65-16	57-65	64-91	57-93	87
88	66-41	57-73	66-16	58-02	65-91	58-31	65-65	58-60	88
89	67-17	58-39	66-91	58-68	66-66	58-97	66-40	59-26	89
90	67-92	59-05	67-67	59-34	67-41	59-64	67-15	59-93	90
91	68-68	59-70	68-42	60-00	68-15	60-30	67-89	60-60	91
92	69-43	60-36	69-17	60-66	68-90	60-36	68-64	61-26	92
93	70-19	61-01	69-92	61-32	69-65	61-62	69-38	61-93	93
94	70-94	61-67	70-67	61-98	70-40	62-29	70-13	62-59	94
95	71-70	62-33	71-43	62-64	71-15	62-95	70-88	63-26	95
96	72-45	62-98	72-18	63-30	71-90	63-61	71-62	63-92	96
97	73-21	63-64	72-93	63-96	72-65	64-27	72-37	64-59	97
98	73-96	64-29	73-68	64-62	73-40	64-94	73-11	65-26	98
99	74-72	64-95	74-43	65-28	74-15	65-60	73-86	65-92	99
100	75-47	65-61	75-18	65-93	74-90	66-26	74-61	66-59	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	49 Deg.		48¾ Deg.		48½ Deg.		48¼ Deg.		

TRAVERSE TABLE.

Distance.	42 Deg.		42¼ Deg.		42½ Deg.		42¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-74	0-67	0-74	0-67	0-74	0-68	0-73	0-68	1
2	1-49	1-34	1-48	1-34	1-47	1-35	1-47	1-36	2
3	2-23	2-01	2-22	2-02	2-21	2-03	2-20	2-04	3
4	2-97	2-68	2-96	2-69	2-95	2-70	2-94	2-72	4
5	3-72	3-35	3-70	3-36	3-69	3-38	3-67	3-39	5
6	4-46	4-01	4-44	4-03	4-42	4-05	4-41	4-07	6
7	5-20	4-68	5-18	4-71	5-16	4-73	5-14	4-75	7
8	5-95	5-35	5-92	5-38	5-90	5-40	5-87	5-43	8
9	6-69	6-02	6-66	6-05	6-64	6-08	6-61	6-11	9
10	7-43	6-69	7-40	6-72	7-37	6-76	7-34	6-79	10
11	8-17	7-36	8-14	7-40	8-11	7-43	8-08	7-47	11
12	8-92	8-03	8-88	8-07	8-86	8-11	8-81	8-15	12
13	9-66	8-70	9-62	8-74	9-58	8-78	9-55	8-82	13
14	10-40	9-37	10-36	9-41	10-32	9-46	10-28	9-50	14
15	11-15	10-04	11-10	10-09	11-06	10-13	11-01	10-18	15
16	11-89	10-71	11-84	10-76	11-80	10-81	11-75	10-86	16
17	12-63	11-38	12-58	11-43	12-53	11-48	12-48	11-54	17
18	13-38	12-04	13-32	12-10	13-27	12-16	13-22	12-22	18
19	14-12	12-71	14-06	12-77	14-01	12-84	13-95	12-90	19
20	14-86	13-38	14-80	13-45	14-75	13-51	14-69	13-58	20
21	15-61	14-05	15-54	14-12	15-48	14-19	15-42	14-25	21
22	16-35	14-72	16-28	14-79	16-22	14-86	16-16	14-93	22
23	17-09	15-39	17-02	15-46	16-96	15-54	16-89	15-61	23
24	17-84	16-06	17-77	16-14	17-69	16-21	17-62	16-29	24
25	18-58	16-73	18-51	16-81	18-43	16-89	18-36	16-97	25
26	19-32	17-40	19-25	17-48	19-17	17-57	19-09	17-65	26
27	20-06	18-07	19-99	18-15	19-91	18-24	19-83	18-33	27
28	20-81	18-74	20-73	18-83	20-64	18-92	20-56	19-01	28
29	21-55	19-40	21-47	19-50	21-38	19-59	21-30	19-69	29
30	22-29	20-07	22-21	20-17	22-12	20-27	22-03	20-36	30
31	23-04	20-74	22-95	20-84	22-86	20-94	22-76	21-04	31
32	23-78	21-41	23-69	21-52	23-59	21-62	23-50	21-72	32
33	24-52	22-08	24-43	22-19	24-33	22-29	24-23	22-40	33
34	25-27	22-75	25-17	22-86	25-07	22-97	24-97	23-08	34
35	26-01	23-42	25-91	23-53	25-80	23-65	25-70	23-76	35
36	26-75	24-09	26-65	24-21	26-54	24-32	26-44	24-44	36
37	27-50	24-76	27-39	24-88	27-28	25-00	27-17	25-12	37
38	28-24	25-43	28-13	25-55	28-02	25-67	27-90	25-79	38
39	28-98	26-10	28-87	26-22	28-75	26-35	28-64	26-47	39
40	29-73	26-77	29-61	26-89	29-49	27-02	29-37	27-15	40
41	30-47	27-43	30-35	27-57	30-23	27-70	30-11	27-83	41
42	31-21	28-10	31-09	28-24	30-97	28-37	30-84	28-51	42
43	31-96	28-77	31-83	28-91	31-70	29-05	31-58	29-19	43
44	32-70	29-44	32-57	29-58	32-44	29-73	32-31	29-87	44
45	33-44	30-11	33-31	30-26	33-18	30-40	33-04	30-55	45
46	34-18	30-78	34-05	30-93	33-91	31-08	33-78	31-22	46
47	34-93	31-45	34-79	31-60	34-65	31-75	34-51	31-90	47
48	35-67	32-12	35-53	32-27	35-39	32-43	35-25	32-58	48
49	36-41	32-79	36-27	32-95	36-13	33-10	35-98	33-26	49
50	37-16	33-46	37-01	33-62	36-86	33-78	36-72	33-94	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	48 Deg.		47¾ Deg.		47½ Deg.		47¼ Deg.		

TRAVERSE TABLE.

87

Distance.	42 Deg.		42¼ Deg.		42½ Deg.		42¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	37°00	34-13	37-75	34-29	37-60	34-46	37-45	34-02	51
52	38-04	34-19	38-49	34-96	38-34	35-13	38-18	35-30	52
53	39-39	35-46	39-23	35-64	39-08	35-51	38-92	36-98	53
54	40-13	36-13	39-97	36-31	39-51	36-48	39-65	36-66	54
55	40-57	36-50	40-71	36-98	40-55	37-16	40-39	37-33	55
56	41-62	37-47	41-45	37-65	41-29	37-53	41-12	38-01	56
57	42-36	38-14	42-19	38-32	42-02	38-51	41-86	38-69	57
58	43-10	38-51	42-93	39-00	42-76	39-18	42-59	39-37	58
59	43-55	39-48	43-67	39-67	43-50	39-56	43-32	40-06	59
60	44-59	40-15	44-41	40-34	44-24	40-54	44-06	40-73	60
61	45-33	40-52	45-15	41-01	44-97	41-21	44-79	41-41	61
62	46-07	41-49	45-59	41-69	45-71	41-89	45-53	42-09	62
63	46-52	42-16	46-33	42-36	46-45	42-56	46-26	42-76	63
64	47-56	42-52	47-37	43-03	47-19	43-24	47-00	43-44	64
65	48-30	43-49	48-11	43-70	47-92	43-91	47-73	44-12	65
66	49-05	44-16	48-55	44-38	48-66	44-59	48-47	44-50	66
67	49-79	44-53	49-59	45-05	49-40	45-26	49-20	45-48	67
68	50-53	45-50	50-33	45-72	50-13	45-94	49-93	46-16	68
69	51-28	46-17	51-07	46-39	50-57	46-62	50-67	46-54	69
70	52-02	46-54	51-52	47-07	51-61	47-29	51-40	47-52	70
71	52-76	47-51	52-56	47-74	52-35	47-97	52-14	48-19	71
72	53-51	48-18	53-30	48-41	53-08	48-64	52-57	48-57	72
73	54-25	48-55	54-04	49-08	53-52	49-32	53-61	49-55	73
74	54-59	49-52	54-78	49-76	54-56	49-99	54-34	50-23	74
75	55-74	50-18	55-52	50-43	55-30	50-67	55-07	50-91	75
76	56-48	50-55	56-26	51-10	56-03	51-34	55-51	51-59	76
77	57-22	51-52	57-00	51-77	56-77	52-02	56-54	52-27	77
78	57-97	52-19	57-74	52-44	57-51	52-70	57-28	52-95	78
79	58-71	52-56	58-48	53-12	58-24	53-37	58-01	53-63	79
80	59-45	53-53	59-22	53-79	58-98	54-05	58-75	54-30	80
81	60-19	54-20	59-96	54-46	59-72	54-72	59-48	54-98	81
82	60-94	54-57	60-70	55-13	60-46	55-40	60-21	55-66	82
83	61-68	55-54	61-44	55-51	61-19	56-07	60-95	56-34	83
84	62-42	56-21	62-18	56-48	61-93	56-75	61-68	57-02	84
85	63-17	56-58	62-92	57-15	62-67	57-43	62-42	57-70	85
86	63-91	57-55	63-66	57-52	63-41	58-10	63-15	58-38	86
87	64-65	58-21	64-40	58-50	64-14	58-78	63-59	59-06	87
88	65-40	58-58	65-14	59-17	64-88	59-45	64-62	59-73	88
89	66-14	59-55	65-88	59-54	65-62	60-13	65-35	60-41	89
90	66-58	60-22	66-62	60-51	66-35	60-50	66-09	61-09	90
91	67-33	60-59	67-36	61-19	67-09	61-48	66-52	61-77	91
92	68-07	61-56	68-10	61-56	67-53	62-15	67-56	62-45	92
93	68-11	62-23	68-54	62-53	68-57	62-53	68-29	63-13	93
94	68-56	62-90	69-58	63-20	69-30	63-51	69-03	63-51	94
95	70-00	63-57	70-32	63-57	70-04	64-18	69-76	64-49	95
96	71-34	64-24	71-06	64-55	70-78	64-56	70-49	65-16	96
97	72-08	64-91	71-80	65-22	71-52	65-53	71-23	65-54	97
98	72-53	65-57	72-54	66-59	72-25	66-21	71-96	66-52	98
99	73-57	66-24	73-28	66-56	72-99	66-58	72-70	67-20	99
100	74-31	66-91	74-02	67-24	73-73	67-56	73-43	67-58	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	48 Deg.		47¾ Deg.		47½ Deg.		47¼ Deg.		

Distance.	41 Deg.		41¼ Deg.		41½ Deg.		41¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
61	38:49	3:46	38:34	33:63	38:20	33:79	38:05	33:96	61
52	39:24	34:12	39:10	34:29	38:95	34:46	38:79	34:63	52
53	40:00	34:77	39:85	34:95	39:69	35:12	39:54	35:29	53
54	40:75	35:43	40:00	35:60	40:44	35:78	40:29	35:96	54
55	41:51	36:08	41:35	36:26	41:19	36:44	41:03	36:62	55
56	42:26	36:74	42:10	36:92	41:94	37:11	41:78	37:29	56
57	43:02	37:40	42:85	37:58	42:69	37:77	42:53	37:96	57
58	43:77	38:05	43:61	38:24	43:44	38:43	43:27	38:62	58
59	44:53	38:71	44:36	38:30	44:19	39:09	44:02	39:29	59
60	45:28	39:36	45:11	39:56	44:54	39:76	44:76	39:96	60
61	46:04	40:02	45:86	40:22	45:69	40:42	45:51	40:62	61
62	46:79	40:68	46:61	40:88	46:44	41:08	46:26	41:28	62
63	47:55	41:33	47:37	41:54	47:18	41:75	47:00	41:95	63
64	48:30	41:99	48:12	42:20	47:93	42:41	47:75	42:62	64
65	49:06	42:64	48:87	42:86	48:68	43:07	48:49	43:28	65
66	49:81	43:30	49:62	43:52	49:43	43:73	49:24	43:95	66
67	50:57	43:96	50:37	44:18	50:18	44:40	49:99	44:61	67
68	51:32	44:61	51:13	44:84	50:93	45:06	50:73	45:28	68
69	52:07	45:27	51:88	45:49	51:68	45:72	51:48	45:95	69
70	52:83	45:92	52:63	46:15	52:43	46:38	52:22	46:61	70
71	53:58	46:58	53:38	46:81	53:18	47:05	52:97	47:28	71
72	54:34	47:24	54:13	47:47	53:92	47:71	53:72	47:94	72
73	55:09	47:89	54:88	48:13	54:67	48:37	54:46	48:61	73
74	55:85	48:55	55:64	48:79	55:42	49:03	55:21	49:28	74
75	56:60	49:20	56:39	49:45	56:17	49:70	55:95	49:94	75
76	57:36	49:86	57:14	50:11	56:92	50:36	56:70	50:61	76
77	58:11	50:52	57:89	50:77	57:67	51:02	57:45	51:27	77
78	58:87	51:17	58:64	51:43	58:42	51:68	58:19	51:94	78
79	59:62	51:83	59:40	52:09	59:17	52:35	58:94	52:60	79
80	60:38	52:48	60:15	52:75	59:92	53:01	59:68	53:27	80
81	61:13	53:14	60:90	53:41	60:67	53:67	60:43	53:94	81
82	61:89	53:80	61:65	54:07	61:41	54:33	61:18	54:60	82
83	62:64	54:45	62:40	54:73	62:16	55:00	61:92	55:27	83
84	63:40	55:11	63:15	55:38	62:91	55:66	62:67	55:93	84
85	64:15	55:76	63:91	56:04	63:66	56:32	63:41	56:60	85
86	64:90	56:42	64:66	56:70	64:41	56:99	64:16	57:27	86
87	65:66	57:08	65:41	57:36	65:16	57:65	64:91	57:93	87
88	66:41	57:73	66:16	58:02	65:91	58:31	65:65	58:60	88
89	67:17	58:39	66:91	58:68	66:66	58:97	66:40	59:26	89
90	67:92	59:05	67:67	59:34	67:41	59:64	67:15	59:93	90
91	68:68	59:70	68:42	60:00	68:15	60:30	67:89	60:60	91
92	69:43	60:36	69:17	60:66	68:90	60:96	68:64	61:26	92
93	70:19	61:01	69:92	61:32	69:65	61:62	69:38	61:93	93
94	70:94	61:67	70:67	61:98	70:40	62:29	70:13	62:59	94
95	71:70	62:33	71:43	62:64	71:15	62:95	70:88	63:26	95
96	72:45	62:98	72:18	63:30	71:90	63:61	71:62	63:92	96
97	73:21	63:64	72:93	63:96	72:65	64:27	72:37	64:59	97
98	73:96	64:29	73:68	64:62	73:40	64:94	73:11	65:26	98
99	74:72	64:95	74:43	65:28	74:15	65:60	73:86	65:92	99
100	75:47	65:61	75:18	65:93	74:90	66:26	74:61	66:59	100
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	49 Deg.		48¾ Deg.		48½ Deg.		48¼ Deg.		

TRAVERSE TABLE.

Distance.	42 Deg.		42¼ Deg.		42½ Deg.		42¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-74	0-07	0-74	0-07	0-74	0-08	0-73	0-08	1
2	1-49	1-34	1-48	1-34	1-47	1-35	1-47	1-36	2
3	2-23	2-01	2-22	2-02	2-21	2-03	2-20	2-04	3
4	2-97	2-08	2-96	2-09	2-95	2-70	2-94	2-72	4
5	3-72	3-35	3-70	3-36	3-69	3-38	3-67	3-39	5
6	4-46	4-01	4-44	4-03	4-42	4-05	4-41	4-07	6
7	5-20	4-68	5-18	4-71	5-16	4-73	5-14	4-75	7
8	5-95	5-35	5-92	5-38	5-90	5-40	5-87	5-43	8
9	6-69	6-02	6-66	6-05	6-64	6-08	6-61	6-11	9
10	7-43	6-69	7-40	6-72	7-37	6-76	7-34	6-79	10
11	8-17	7-36	8-14	7-40	8-11	7-43	8-08	7-47	11
12	8-92	8-03	8-88	8-07	8-85	8-11	8-81	8-15	12
13	9-66	8-70	9-62	8-74	9-58	8-78	9-55	8-82	13
14	10-40	9-37	10-36	9-41	10-32	9-46	10-28	9-50	14
15	11-15	10-04	11-10	10-09	11-06	10-13	11-01	10-18	15
16	11-89	10-71	11-84	10-76	11-80	10-81	11-75	10-86	16
17	12-63	11-38	12-58	11-43	12-53	11-48	12-48	11-54	17
18	13-38	12-04	13-32	12-10	13-27	12-16	13-22	12-22	18
19	14-12	12-71	14-06	12-77	14-01	12-84	13-95	12-90	19
20	14-86	13-38	14-80	13-45	14-75	13-51	14-69	13-58	20
21	15-61	14-05	15-54	14-12	15-48	14-19	15-42	14-25	21
22	16-35	14-72	16-28	14-79	16-22	14-86	16-16	14-93	22
23	17-09	15-39	17-02	15-46	16-96	15-54	16-89	15-61	23
24	17-84	16-06	17-77	16-14	17-09	16-21	17-02	16-29	24
25	18-58	16-73	18-51	16-81	18-43	16-89	18-36	16-97	25
26	19-32	17-40	19-25	17-48	19-17	17-57	19-09	17-65	26
27	20-06	18-07	19-99	18-15	19-91	18-24	19-83	18-33	27
28	20-81	18-74	20-73	18-83	20-64	18-92	20-56	19-01	28
29	21-55	19-40	21-47	19-50	21-38	19-59	21-30	19-69	29
30	22-29	20-07	22-21	20-17	22-12	20-27	22-03	20-36	30
31	23-04	20-74	22-95	20-84	22-86	20-94	22-76	21-04	31
32	23-78	21-41	23-69	21-52	23-59	21-62	23-50	21-72	32
33	24-52	22-08	24-43	22-19	24-33	22-29	24-23	22-40	33
34	25-27	22-75	25-17	22-86	25-07	22-97	24-97	23-08	34
35	26-01	23-42	25-91	23-53	25-80	23-65	25-70	23-76	35
36	26-75	24-09	26-65	24-21	26-54	24-32	26-44	24-44	36
37	27-50	24-76	27-39	24-88	27-28	25-00	27-17	25-12	37
38	28-24	25-43	28-13	25-55	28-02	25-67	27-90	25-79	38
39	28-98	26-10	28-87	26-22	28-75	26-35	28-64	26-47	39
40	29-73	26-77	29-61	26-89	29-49	27-02	29-37	27-15	40
41	30-47	27-43	30-35	27-57	30-23	27-70	30-11	27-83	41
42	31-21	28-10	31-09	28-24	30-97	28-37	30-84	28-51	42
43	31-96	28-77	31-83	28-91	31-70	29-05	31-58	29-19	43
44	32-70	29-44	32-57	29-58	32-44	29-73	32-31	29-87	44
45	33-44	30-11	33-31	30-26	33-18	30-40	33-04	30-55	45
46	34-18	30-78	34-05	30-93	33-91	31-08	33-78	31-22	46
47	34-93	31-45	34-79	31-60	34-65	31-75	34-51	31-90	47
48	35-67	32-12	35-53	32-27	35-39	32-43	35-25	32-58	48
49	36-41	32-79	36-27	32-95	36-13	33-10	35-98	33-26	49
50	37-16	33-46	37-01	33-62	36-86	33-78	36-72	33-94	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	48 Deg.		47¾ Deg.		47½ Deg.		47¼ Deg.		

Distance.	42 Deg.		42¼ Deg.		42½ Deg.		42¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	37-00	34-13	37-75	34-29	37-00	34-46	37-45	34-02	51
52	38-64	34-79	38-49	34-96	38-34	35-13	38-18	35-30	52
53	39-39	35-46	39-23	35-64	39-08	35-81	38-92	36-98	53
54	40-13	36-13	39-97	36-31	39-51	36-48	39-65	36-66	54
55	40-87	36-80	40-71	36-98	40-55	37-16	40-39	37-33	55
56	41-62	37-47	41-45	37-65	41-29	37-83	41-12	38-01	56
57	42-36	38-14	42-19	38-32	42-02	38-51	41-86	38-69	57
58	43-10	38-81	42-93	39-00	42-16	39-18	42-59	39-37	58
59	43-85	39-48	43-67	39-67	43-60	39-86	43-32	40-06	59
60	44-59	40-15	44-41	40-34	44-24	40-54	44-06	40-73	60
61	45-33	40-82	45-15	41-01	44-97	41-21	44-79	41-41	61
62	46-07	41-49	45-89	41-69	45-71	41-89	45-53	42-09	62
63	46-82	42-16	46-63	42-36	46-45	42-56	46-26	42-76	63
64	47-56	42-82	47-37	43-03	47-19	43-24	47-00	43-44	64
65	48-30	43-49	48-11	43-70	47-92	43-91	47-73	44-12	65
66	49-05	44-16	48-85	44-38	48-66	44-59	48-47	44-80	66
67	49-79	44-83	49-59	45-05	49-40	45-26	49-20	45-48	67
68	50-53	45-50	50-33	45-72	50-13	45-94	49-93	46-16	68
69	51-28	46-17	51-07	46-39	50-87	46-62	50-67	46-84	69
70	52-02	46-84	51-82	47-07	51-61	47-29	51-40	47-52	70
71	52-76	47-51	52-56	47-74	52-35	47-97	52-14	48-19	71
72	53-51	48-18	53-30	48-41	53-08	48-64	52-87	48-87	72
73	54-25	48-85	54-04	49-08	53-82	49-32	53-61	49-55	73
74	54-59	49-52	54-78	49-76	54-56	49-99	54-34	50-23	74
75	55-74	50-18	55-52	50-43	55-30	50-67	55-07	50-91	75
76	56-48	50-85	56-26	51-10	56-03	51-34	55-81	51-59	76
77	57-22	51-52	57-00	51-77	56-77	52-02	56-54	52-27	77
78	57-97	52-19	57-74	52-44	57-51	52-70	57-28	52-95	78
79	58-71	52-86	58-48	53-12	58-24	53-37	58-01	53-63	79
80	59-45	53-53	59-22	53-79	58-98	54-05	58-75	54-30	80
81	60-19	54-20	59-96	54-46	59-72	54-72	59-48	54-98	81
82	60-94	54-87	60-70	55-13	60-46	55-40	60-21	55-66	82
83	61-68	55-54	61-44	55-81	61-19	56-07	60-95	56-34	83
84	62-42	56-21	62-18	56-48	61-93	56-75	61-68	57-02	84
85	63-17	56-88	62-92	57-15	62-67	57-43	62-42	57-70	85
86	63-91	57-55	63-66	57-82	63-41	58-10	63-15	58-38	86
87	64-65	58-21	64-40	58-50	64-14	58-78	63-89	59-06	87
88	65-40	58-88	65-14	59-17	64-88	59-45	64-62	59-73	88
89	66-14	59-55	65-88	59-84	65-62	60-13	65-35	60-41	89
90	66-88	60-22	66-62	60-51	66-35	60-80	66-09	61-09	90
91	67-63	60-89	67-36	61-19	67-09	61-48	66-82	61-77	91
92	68-37	61-56	68-10	61-86	67-83	62-15	67-56	62-45	92
93	69-11	62-23	68-84	62-53	68-57	62-83	68-29	63-13	93
94	69-86	62-90	69-58	63-20	69-30	63-51	69-03	63-81	94
95	70-60	63-57	70-32	63-87	70-04	64-18	69-76	64-49	95
96	71-34	64-24	71-06	64-55	70-78	64-86	70-49	65-16	96
97	72-08	64-91	71-80	65-22	71-52	65-53	71-23	65-84	97
98	72-83	65-57	72-54	65-89	72-25	66-21	71-96	66-52	98
99	73-57	66-24	73-28	66-56	72-99	66-88	72-70	67-20	99
100	74-31	66-91	74-02	67-24	73-73	67-56	73-43	67-88	100
Distance.	48 Deg.		47¾ Deg.		47½ Deg.		47¼ Deg.		Distance.
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	

TRAVERSE TABLE.

Distance.	43 Deg.		43¼ Deg.		43½ Deg.		43¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-73	0-68	0-73	0-69	0-73	0-69	0-72	0-69	1
2	1-46	1-35	1-46	1-37	1-45	1-38	1-44	1-38	2
3	2-19	2-05	2-19	2-06	2-18	2-07	2-17	2-07	3
4	2-53	2-73	2-51	2-74	2-90	2-75	2-89	2-77	4
5	3-06	3-41	3-04	3-43	3-03	3-44	3-01	3-46	5
6	4-39	4-09	4-37	4-11	4-35	4-13	4-33	4-15	6
7	5-12	4-77	5-10	4-80	5-08	4-82	5-06	4-84	7
8	5-55	5-46	5-53	5-48	5-80	5-51	5-78	5-53	8
9	6-58	6-14	6-56	6-17	6-53	6-20	6-50	6-22	9
10	7-31	6-82	7-28	6-85	7-25	6-88	7-22	6-92	10
11	8-04	7-50	8-01	7-54	7-98	7-57	7-95	7-61	11
12	8-78	8-18	8-74	8-22	8-70	8-26	8-67	8-30	12
13	9-51	8-87	9-47	8-91	9-43	8-95	9-39	8-99	13
14	10-24	9-55	10-20	9-59	10-16	9-64	10-11	9-68	14
15	10-97	10-23	10-93	10-28	10-88	10-33	10-84	10-37	15
16	11-70	10-51	11-65	10-96	11-61	11-01	11-56	11-06	16
17	12-43	11-59	12-38	11-65	12-33	11-70	12-28	11-76	17
18	13-16	12-28	13-11	12-33	13-06	12-39	13-00	12-45	18
19	13-90	12-96	13-84	13-02	13-78	13-08	13-72	13-14	19
20	14-63	13-64	14-57	13-70	14-51	13-77	14-45	13-83	20
21	15-36	14-32	15-30	14-39	15-23	14-46	15-17	14-52	21
22	16-09	15-00	16-02	15-07	15-96	15-14	15-89	15-21	22
23	16-82	15-69	16-75	15-76	16-68	15-83	16-51	15-90	23
24	17-55	16-37	17-48	16-44	17-41	16-52	17-34	16-60	24
25	18-28	17-05	18-21	17-13	18-13	17-21	18-06	17-29	25
26	19-02	17-73	18-94	17-81	18-86	17-90	18-78	17-98	26
27	19-75	18-41	19-67	18-50	19-59	18-59	19-50	18-67	27
28	20-48	19-10	20-39	19-19	20-31	19-27	20-23	19-36	28
29	21-21	19-78	21-12	19-87	21-04	19-96	20-95	20-05	29
30	21-94	20-46	21-85	20-56	21-76	20-65	21-67	20-75	30
31	22-67	21-14	22-58	21-24	22-49	21-34	22-39	21-44	31
32	23-40	21-82	23-31	21-93	23-21	22-03	23-12	22-13	32
33	24-13	22-51	24-04	22-61	23-94	22-72	23-84	22-82	33
34	24-87	23-19	24-76	23-30	24-66	23-40	24-56	23-51	34
35	25-60	23-87	25-49	23-98	25-39	24-09	25-28	24-20	35
36	26-33	24-55	26-22	24-67	26-11	24-78	26-01	24-89	36
37	27-06	25-23	26-95	25-35	26-84	25-47	26-73	25-59	37
38	27-79	25-92	27-68	26-04	27-56	26-16	27-45	26-28	38
39	28-52	26-60	28-41	26-72	28-29	26-85	28-17	26-97	39
40	29-25	27-28	29-13	27-41	29-01	27-53	28-80	27-66	40
41	29-99	27-96	29-86	28-09	29-74	28-22	29-62	28-35	41
42	30-72	28-64	30-59	28-78	30-47	28-91	30-34	29-04	42
43	31-45	29-33	31-32	29-46	31-19	29-60	31-06	29-74	43
44	32-18	30-01	32-05	30-15	31-92	30-29	31-78	30-43	44
45	32-91	30-69	32-78	30-83	32-64	30-98	32-51	31-12	45
46	33-64	31-37	33-51	31-52	33-37	31-66	33-23	31-81	46
47	34-37	32-05	34-23	32-20	34-09	32-35	33-95	32-50	47
48	35-10	32-74	34-96	32-89	34-82	33-04	34-67	33-19	48
49	35-84	33-42	35-69	33-57	35-54	33-73	35-40	33-88	49
50	36-57	34-10	36-42	34-26	36-27	34-42	36-12	34-58	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	47 Deg.		46¾ Deg.		46½ Deg.		46¼ Deg.		

Distance.	43 Deg.		43¼ Deg.		43½ Deg.		43¾ Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	37-30	34-78	37-15	34-94	36-99	35-11	36-84	35-27	51
52	38-03	35-46	37-88	35-63	37-72	35-79	37-56	35-96	52
53	38-76	36-15	38-60	36-31	38-44	36-48	38-29	36-05	53
54	39-49	36-83	39-33	37-00	39-17	37-17	39-01	37-34	54
55	40-22	37-51	40-06	37-69	39-90	37-86	39-73	38-03	55
56	40-96	38-19	40-79	38-37	40-62	38-55	40-45	38-72	56
57	41-69	38-87	41-52	39-06	41-35	39-24	41-17	39-42	57
58	42-42	39-56	42-25	39-74	42-07	39-92	41-90	40-11	58
59	43-15	40-24	42-97	40-43	42-80	40-61	42-62	40-80	59
60	43-88	40-92	43-70	41-11	43-52	41-30	43-34	41-49	60
61	44-61	41-60	44-43	41-80	44-25	41-99	44-06	42-18	61
62	45-34	42-28	45-16	42-48	44-97	42-68	44-79	42-87	62
63	46-08	42-97	45-89	43-17	45-70	43-37	45-51	43-57	63
64	46-81	43-65	46-62	43-85	46-42	44-05	46-23	44-26	64
65	47-54	44-33	47-34	44-54	47-15	44-74	46-95	44-95	65
66	48-27	45-01	48-07	45-22	47-87	45-43	47-68	45-64	66
67	49-00	45-69	48-80	45-91	48-60	46-12	48-40	46-33	67
68	49-73	46-38	49-53	46-59	49-33	46-81	49-12	47-02	68
69	50-46	47-06	50-26	47-28	50-05	47-50	49-84	47-71	69
70	51-19	47-74	50-99	47-96	50-78	48-18	50-57	48-41	70
71	51-93	48-42	51-71	48-65	51-50	48-87	51-29	49-10	71
72	52-66	49-10	52-44	49-33	52-23	49-56	52-01	49-79	72
73	53-39	49-79	53-17	50-02	52-95	50-25	52-73	50-48	73
74	54-12	50-47	53-90	50-70	53-68	50-94	53-45	51-17	74
75	54-85	51-15	54-63	51-39	54-40	51-63	54-18	51-86	75
76	55-58	51-83	55-36	52-07	55-13	52-31	54-90	52-55	76
77	56-31	52-51	56-08	52-76	55-85	53-00	55-62	53-25	77
78	57-05	53-20	56-81	53-44	56-58	53-69	56-34	53-94	78
79	57-78	53-88	57-54	54-13	57-30	54-38	57-07	54-63	79
80	58-51	54-56	58-27	54-81	58-03	55-07	57-79	55-32	80
81	59-24	55-24	59-00	55-50	58-76	55-76	58-51	56-01	81
82	59-97	55-92	59-73	56-18	59-48	56-45	59-23	56-70	82
83	60-70	56-61	60-45	56-87	60-21	57-13	59-96	57-40	83
84	61-43	57-29	61-18	57-56	60-93	57-82	60-68	58-09	84
85	62-17	57-97	61-91	58-24	61-66	58-51	61-40	58-78	85
86	62-90	58-65	62-64	58-93	62-38	59-20	62-12	59-47	86
87	63-63	59-33	63-37	59-61	63-11	59-89	62-85	60-16	87
88	64-36	60-02	64-10	60-30	63-83	60-58	63-57	60-85	88
89	65-09	60-70	64-82	60-98	64-56	61-26	64-29	61-54	89
90	65-82	61-38	65-55	61-67	65-28	61-95	65-01	62-24	90
91	66-55	62-06	66-28	62-35	66-01	62-64	65-74	62-93	91
92	67-28	62-74	67-01	63-04	66-73	63-33	66-46	63-62	92
93	68-02	63-43	67-74	63-72	67-46	64-02	67-18	64-31	93
94	68-75	64-11	68-47	64-41	68-19	64-71	67-90	65-00	94
95	69-48	64-79	69-20	65-09	68-91	65-39	68-62	65-69	95
96	70-21	65-47	69-92	65-78	69-64	66-08	69-35	66-39	96
97	70-94	66-15	70-65	66-46	70-36	66-77	70-07	67-08	97
98	71-67	66-84	71-37	67-15	71-09	67-46	70-79	67-77	98
99	72-40	67-52	72-11	67-83	71-81	68-15	71-51	68-46	99
100	73-14	68-20	72-84	68-52	72-54	68-84	72-24	69-15	100

Distance.	47 Deg.		46¾ Deg.		46½ Deg.		46¼ Deg.		Distance.
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	
51	37-30	34-78	37-15	34-94	36-99	35-11	36-84	35-27	51
52	38-03	35-46	37-88	35-63	37-72	35-79	37-56	35-96	52
53	38-76	36-15	38-60	36-31	38-44	36-48	38-29	36-05	53
54	39-49	36-83	39-33	37-00	39-17	37-17	39-01	37-34	54
55	40-22	37-51	40-06	37-69	39-90	37-86	39-73	38-03	55
56	40-96	38-19	40-79	38-37	40-62	38-55	40-45	38-72	56
57	41-69	38-87	41-52	39-06	41-35	39-24	41-17	39-42	57
58	42-42	39-56	42-25	39-74	42-07	39-92	41-90	40-11	58
59	43-15	40-24	42-97	40-43	42-80	40-61	42-62	40-80	59
60	43-88	40-92	43-70	41-11	43-52	41-30	43-34	41-49	60
61	44-61	41-60	44-43	41-80	44-25	41-99	44-06	42-18	61
62	45-34	42-28	45-16	42-48	44-97	42-68	44-79	42-87	62
63	46-08	42-97	45-89	43-17	45-70	43-37	45-51	43-57	63
64	46-81	43-65	46-62	43-85	46-42	44-05	46-23	44-26	64
65	47-54	44-33	47-34	44-54	47-15	44-74	46-95	44-95	65
66	48-27	45-01	48-07	45-22	47-87	45-43	47-68	45-64	66
67	49-00	45-69	48-80	45-91	48-60	46-12	48-40	46-33	67
68	49-73	46-38	49-53	46-59	49-33	46-81	49-12	47-02	68
69	50-46	47-06	50-26	47-28	50-05	47-50	49-84	47-71	69
70	51-19	47-74	50-99	47-96	50-78	48-18	50-57	48-41	70
71	51-93	48-42	51-71	48-65	51-50	48-87	51-29	49-10	71
72	52-66	49-10	52-44	49-33	52-23	49-56	52-01	49-79	72
73	53-39	49-79	53-17	50-02	52-95	50-25	52-73	50-48	73
74	54-12	50-47	53-90	50-70	53-68	50-94	53-45	51-17	74
75	54-85	51-15	54-63	51-39	54-40	51-63	54-18	51-86	75
76	55-58	51-83	55-36	52-07	55-13	52-31	54-90	52-55	76
77	56-31	52-51	56-08	52-76	55-85	53-00	55-62	53-25	77
78	57-05	53-20	56-81	53-44	56-58	53-69	56-34	53-94	78
79	57-78	53-88	57-54	54-13	57-30	54-38	57-07	54-63	79
80	58-51	54-56	58-27	54-81	58-03	55-07	57-79	55-32	80
81	59-24	55-24	59-00	55-50	58-76	55-76	58-51	56-01	81
82	59-97	55-92	59-73	56-18	59-48	56-45	59-23	56-70	82
83	60-70	56-61	60-45	56-87	60-21	57-13	59-96	57-40	83
84	61-43	57-29	61-18	57-56	60-93	57-82	60-68	58-09	84
85	62-17	57-97	61-91	58-24	61-66	58-51	61-40	58-78	85
86	62-90	58-65	62-64	58-93	62-38	59-20	62-12	59-47	86
87	63-63	59-33	63-37	59-61	63-11	59-89	62-85	60-16	87
88	64-36	60-02	64-10	60-30	63-83	60-58	63-57	60-85	88
89	65-09	60-70	64-82	60-98	64-56	61-26	64-29	61-54	89
90	65-82	61-38	65-55	61-67	65-28	61-95	65-01	62-24	90
91	66-55	62-06	66-28	62-35	66-01	62-64	65-74	62-93	91
92	67-28	62-74	67-01	63-04	66-73	63-33	66-46	63-62	92
93	68-02	63-43	67-74	63-72	67-46	64-02	67-18	64-31	93
94	68-75	64-11	68-47	64-41	68-19	64-71	67-90	65-00	94
95	69-48	64-79	69-20	65-09	68-91	65-39	68-62	65-69	95
96	70-21	65-47	69-92	65-78	69-64	66-08	69-35	66-39	96
97	70-94	66-15	70-65	66-46	70-36	66-77	70-07	67-08	97
98	71-67	66-84	71-37	67-15	71-09	67-46	70-79	67-77	98
99	72-40	67-52	72-11	67-83	71-81	68-15	71-51	68-46	99
100	73-14	68-20	72-84	68-52	72-54	68-84	72-24	69-15	100

Distance.	44 Deg.		44¼ Deg.		44½ Deg.		44¾ Deg.		45 Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
1	0-72	0-69	0-72	0-70	0-71	0-70	0-71	0-71	0-71	0-71	1
2	1-14	1-39	1-43	1-40	1-43	1-40	1-42	1-41	1-41	1-41	2
3	2-16	2-08	2-15	2-09	2-14	2-10	2-13	2-11	2-12	2-12	3
4	2-88	2-78	2-87	2-79	2-85	2-80	2-84	2-82	2-83	2-83	4
5	3-60	3-47	3-58	3-49	3-57	3-50	3-55	3-52	3-54	3-54	5
6	4-32	4-17	4-30	4-19	4-28	4-21	4-26	4-22	4-24	4-24	6
7	5-04	4-86	5-01	4-88	4-99	4-91	4-97	4-93	4-95	4-95	7
8	5-75	5-56	5-73	5-58	5-71	5-61	5-68	5-63	5-66	5-66	8
9	6-47	6-25	6-45	6-28	6-42	6-31	6-39	6-34	6-36	6-36	9
10	7-19	6-55	7-16	6-93	7-13	7-01	7-10	7-04	7-07	7-07	10
11	7-91	7-64	7-88	7-68	7-85	7-71	7-81	7-74	7-78	7-78	11
12	8-63	8-34	8-60	8-37	8-56	8-41	8-52	8-45	8-49	8-49	12
13	9-35	9-03	9-31	9-07	9-27	9-11	9-23	9-15	9-19	9-19	13
14	10-07	9-73	10-03	9-77	9-99	9-81	9-94	9-86	9-90	9-90	14
15	10-79	10-42	10-74	10-47	10-70	10-51	10-65	10-56	10-61	10-61	15
16	11-51	11-11	11-46	11-16	11-41	11-21	11-36	11-26	11-31	11-31	16
17	12-23	11-81	12-18	11-86	12-13	11-92	12-07	11-97	12-02	12-02	17
18	12-95	12-50	12-89	12-56	12-84	12-62	12-78	12-67	12-73	12-73	18
19	13-67	13-20	13-61	13-26	13-55	13-32	13-49	13-38	13-43	13-43	19
20	14-39	13-89	14-33	13-96	14-26	14-02	14-20	14-08	14-14	14-14	20
21	15-11	14-59	15-04	14-65	14-98	14-72	14-91	14-78	14-85	14-85	21
22	15-83	15-28	15-76	15-35	15-69	15-42	15-62	15-49	15-56	15-56	22
23	16-54	15-98	16-47	16-05	16-40	16-12	16-33	16-19	16-26	16-26	23
24	17-26	16-67	17-19	16-75	17-12	16-82	17-04	16-90	16-97	16-97	24
25	17-98	17-37	17-91	17-44	17-83	17-52	17-75	17-60	17-68	17-68	25
26	18-70	18-06	18-62	18-14	18-54	18-22	18-46	18-30	18-38	18-38	26
27	19-42	18-76	19-34	18-84	19-26	18-92	19-17	19-01	19-09	19-09	27
28	20-14	19-45	20-06	19-54	19-97	19-63	19-89	19-71	19-80	19-80	28
29	20-86	20-15	20-77	20-24	20-68	20-33	20-60	20-42	20-51	20-51	29
30	21-58	20-84	21-49	20-93	21-40	21-03	21-31	21-12	21-21	21-21	30
31	22-30	21-53	22-21	21-63	22-11	21-73	22-02	21-82	21-92	21-92	31
32	23-02	22-23	22-92	22-33	22-82	22-43	22-73	22-53	22-63	22-63	32
33	23-74	22-92	23-64	23-03	23-54	23-13	23-44	23-23	23-33	23-33	33
34	24-46	23-62	24-35	23-72	24-25	23-83	24-15	23-94	24-04	24-04	34
35	25-18	24-31	25-07	24-42	24-96	24-53	24-86	24-64	24-75	24-75	35
36	25-90	25-01	25-79	25-12	25-68	25-23	25-57	25-34	25-46	25-46	36
37	26-62	25-70	26-50	25-82	26-39	25-93	26-28	26-05	26-16	26-16	37
38	27-33	26-40	27-22	26-52	27-10	26-63	26-99	26-75	26-87	26-87	38
39	28-05	27-09	27-94	27-21	27-82	27-34	27-70	27-46	27-58	27-58	39
40	28-77	27-79	28-65	27-91	28-53	28-04	28-41	28-16	28-28	28-28	40
41	29-49	28-48	29-37	28-61	29-24	28-74	29-12	28-86	28-99	28-99	41
42	30-21	29-18	30-08	29-31	29-96	29-44	29-83	29-57	29-70	29-70	42
43	30-93	29-87	30-80	30-00	30-67	30-14	30-54	30-27	30-41	30-41	43
44	31-65	30-56	31-52	30-70	31-38	30-84	31-25	30-98	31-11	31-11	44
45	32-37	31-26	32-23	31-40	32-10	31-54	31-96	31-68	31-82	31-82	45
46	33-09	31-95	32-95	32-10	32-81	32-24	32-67	32-38	32-53	32-53	46
47	33-81	32-65	33-67	32-80	33-52	32-94	33-38	33-09	33-23	33-23	47
48	34-53	33-34	34-38	33-49	34-24	33-64	34-09	33-79	33-94	33-94	48
49	35-25	34-04	35-10	34-19	34-95	34-34	34-80	34-50	34-65	34-65	49
50	35-97	34-73	35-82	34-89	35-66	35-05	35-51	35-20	35-36	35-36	50
Distance.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Distance.
	46 Deg.		45¾ Deg.		45½ Deg.		45¼ Deg.		45 Deg.		

TRAVERSE TABLE.

Distance.	44 Deg.		44¼ Deg.		44½ Deg.		44¾ Deg.		45 Deg.		Distance.
	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	
51	3409	35-43	36-53	35-59	36-38	35-75	36-22	35-90	39-06	36-06	51
52	37-41	36-12	37-25	36-29	37-09	35-45	36-93	36-61	37-77	36-77	52
53	36-12	36-82	37-96	36-98	37-80	37-15	37-64	37-31	37-48	37-48	53
54	38-84	37-51	38-68	37-68	38-52	37-85	38-35	38-02	38-18	38-18	54
55	39-56	38-21	39-40	38-38	39-23	38-55	39-06	38-72	38-89	38-89	55
56	40-28	38-90	40-11	38-08	39-94	38-25	39-77	39-42	39-00	39-60	56
57	41-00	39-60	40-83	39-77	40-66	39-95	40-48	40-13	40-31	40-31	57
58	41-72	40-29	41-55	40-47	41-37	40-66	41-19	40-83	41-01	41-01	58
59	42-44	40-98	42-26	41-17	42-08	41-35	41-90	41-54	41-72	41-72	59
60	43-16	41-68	42-98	41-87	42-79	42-05	42-61	42-24	42-43	42-43	60
61	43-88	42-37	43-69	42-57	43-51	42-76	43-32	42-94	43-13	43-13	61
62	44-60	43-07	44-41	43-26	44-22	43-46	44-03	43-65	43-84	43-84	62
63	45-32	43-76	45-13	43-96	44-93	44-16	44-74	44-35	44-55	44-55	63
64	46-04	44-46	45-84	44-66	45-65	44-86	45-45	45-06	45-25	45-25	64
65	46-76	45-15	46-56	45-36	46-36	45-56	46-16	45-76	45-96	45-96	65
66	47-48	45-85	47-28	46-05	47-07	46-26	46-87	46-46	46-67	46-67	66
67	48-20	46-54	47-99	46-75	47-79	46-96	47-58	47-17	47-38	47-38	67
68	48-92	47-24	48-71	47-45	48-50	47-66	48-29	47-87	48-08	48-08	68
69	49-63	47-93	49-42	48-15	49-21	48-36	49-00	48-58	48-79	48-79	69
70	50-35	48-63	50-14	48-85	49-93	49-06	49-71	49-28	49-50	49-50	70
71	51-07	49-32	50-86	49-54	50-64	49-76	50-42	49-98	50-20	50-21	71
72	51-79	50-02	51-57	50-24	51-35	50-47	51-13	50-69	50-91	50-91	72
73	52-51	50-71	52-29	50-94	52-07	51-17	51-84	51-39	51-62	51-62	73
74	53-23	51-40	53-01	51-64	52-78	51-97	52-55	52-10	52-33	52-33	74
75	53-95	52-10	53-72	52-33	53-49	52-57	53-26	52-80	53-03	53-03	75
76	54-67	52-79	54-44	53-03	54-21	53-27	53-97	53-51	53-74	53-74	76
77	55-39	53-49	55-16	53-73	54-92	53-97	54-68	54-21	54-45	54-45	77
78	56-11	54-18	55-87	54-43	55-63	54-67	55-39	54-91	55-15	55-15	78
79	56-83	54-88	56-59	55-13	56-35	55-37	56-10	55-62	55-86	55-86	79
80	57-56	55-57	57-30	55-82	57-06	56-07	56-81	56-32	56-57	56-57	80
81	58-27	56-27	58-02	56-52	57-77	56-77	57-52	57-03	57-28	57-28	81
82	58-99	56-96	58-74	57-22	58-49	57-47	58-24	57-73	57-98	57-98	82
83	59-71	57-56	59-45	57-92	59-20	58-18	58-95	58-43	58-69	58-69	83
84	60-42	58-35	60-17	58-61	59-91	58-88	59-66	59-14	59-40	59-40	84
85	61-14	59-05	60-89	59-31	60-63	59-58	60-37	59-84	60-10	60-10	85
86	61-86	59-74	61-60	60-01	61-34	60-28	61-08	60-55	60-81	60-81	86
87	62-58	60-44	62-32	60-71	62-05	60-98	61-79	61-25	61-52	61-52	87
88	63-30	61-13	63-03	61-41	62-77	61-68	62-50	61-95	62-23	62-23	88
89	64-02	61-82	63-75	62-10	63-48	62-38	63-21	62-66	62-93	62-93	89
90	64-74	62-52	64-47	62-80	64-19	63-08	63-92	63-36	63-64	63-64	90
91	65-46	63-21	65-18	63-50	64-91	63-78	64-63	64-07	64-35	64-35	91
92	66-18	63-91	65-90	64-20	65-62	64-48	65-34	64-77	65-05	65-05	92
93	66-90	64-60	66-62	64-89	66-33	65-18	66-05	65-47	65-76	65-76	93
94	67-62	65-30	67-33	65-59	67-05	65-89	66-76	66-18	66-47	66-47	94
95	68-34	65-99	68-05	66-29	67-76	66-59	67-47	66-88	67-18	67-18	95
96	69-06	66-69	68-76	66-99	68-47	67-29	68-18	67-59	67-88	67-88	96
97	69-78	67-38	69-48	67-69	69-19	67-99	68-89	68-29	68-59	68-59	97
98	70-50	68-08	70-20	68-38	69-90	68-69	69-60	68-99	69-30	69-30	98
99	71-21	68-77	70-91	69-08	70-61	69-39	70-31	69-70	70-00	70-00	99
100	71-93	69-47	71-63	69-78	71-33	70-09	71-02	70-40	70-71	70-71	100
Distance.	46 Deg.		45¾ Deg.		45½ Deg.		45¼ Deg.		45 Deg.		Distance.
	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	Dep.	Lat.	

	0°	1°	2°	3°	4°	5°	6°	7°	
0	000 0000	-017 4524	-034 8395	-052 3360	-069 7565	-087 1557	-104 5285	-121 8693	60
1	2339	7432	-035 1902	6234	-070 0467	4455	8178	-122 1581	59
2	5818	-018 0341	4809	9169	3368	7353	-105 1070	4468	58
3	8727	3249	7716	-053 2074	6270	-088 0251	3963	7355	57
4	-001 1630	6158	-036 0623	4979	9171	3148	6856	-123 0241	56
5	4544	9066	3530	7883	-071 2073	0046	9748	3128	55
6	7453	-019 1974	6437	-054 0788	4974	8942	-106 2641	6015	54
7	-002 0392	4883	9344	3693	7876	-089 1840	5533	8901	53
8	3271	7791	-037 2251	6597	-072 0777	4738	8425	-124 1788	52
9	6190	-020 0699	6158	9502	3678	7635	-107 1318	4674	51
10	9089	3608	8065	-055 2406	6580	-090 0532	4210	7560	50
11	-003 1938	6516	-038 0971	5311	9481	3429	7102	-125 0446	49
12	4907	9424	3778	8215	-073 2382	6326	9994	3332	48
13	7815	-021 2332	6785	-056 1119	5283	9223	-108 2885	6218	47
14	-004 0724	5241	9092	4024	8184	-091 2119	5777	9104	46
15	2633	8149	-039 2598	6928	-074 1085	5016	8669	-126 1900	45
16	6542	-022 1057	5505	9832	3986	7913	-109 1560	4875	44
17	9451	3965	8411	-057 2736	6887	-092 0809	4452	7761	43
18	-005 2360	6873	-040 1318	5640	9787	3706	7343	-127 0646	42
19	5268	9781	4224	8544	-075 2688	6602	-110 0234	3531	41
20	8177	-023 2690	7131	-058 1448	5589	9499	3126	6416	40
21	-006 1086	5598	-041 0037	4352	8489	-093 2395	6017	9302	39
22	3935	8506	2944	7256	-076 1390	5291	8908	-128 2186	38
23	6904	-024 1414	5850	-059 0160	4290	8187	-111 1799	5071	37
24	9818	4322	8757	3064	7190	-094 1083	4689	7956	36
25	-007 2721	7230	-042 1663	5967	-077 0091	3979	7580	-129 0841	35
26	5630	-025 0138	4569	8871	2991	6875	-112 0471	3725	34
27	8533	3046	7475	-060 1775	5891	9771	3361	6609	33
28	-008 1448	5954	-043 0382	4678	8791	-095 2666	6252	9494	32
29	4357	8862	3288	7582	-078 1091	5562	9142	-130 2378	31
30	7265	-026 1769	6194	-061 0485	4591	8458	-113 2032	5262	30
31	-009 0174	4677	9100	3389	7491	-096 1353	4922	8146	29
32	3083	7585	-044 2006	6292	-079 0391	4248	7812	-131 1030	28
33	5992	-027 0493	4112	9196	3290	7144	-114 0702	3913	27
34	8900	3401	7818	-062 2099	6199	-097 0039	3592	6797	26
35	-010 1809	6309	-045 0724	5002	9030	2934	6482	9681	25
36	4718	9216	3630	7905	-080 1989	5829	-097 72	-132 2564	24
37	7627	-028 2124	6536	-063 0808	4889	8724	-115 2261	5447	23
38	-011 0535	5032	9442	3711	7788	-098 1619	6151	8330	22
39	3444	7940	-046 2347	6614	-081 0687	4514	8040	-133 1213	21
40	6353	-029 0847	5253	9517	3587	7408	-116 0929	4096	20
41	9261	3755	8159	-064 2120	6486	-099 0303	3818	6979	19
42	-012 2170	6662	-047 1065	5323	9385	3197	6707	9862	18
43	5079	9570	3770	8222	-082 2284	6092	9596	-134 2744	17
44	7987	-030 2478	6876	-065 1129	5183	8986	-117 2485	5627	16
45	-013 0893	5385	9781	4031	8082	-100 1881	5574	8509	15
46	3805	8293	-048 2087	6934	-083 0981	4775	8263	-135 1392	14
47	6713	-031 1200	5592	9838	3880	7669	-118 1151	4274	13
48	9622	4108	8498	-068 2739	6778	-101 0563	4040	7156	12
49	-014 2530	7015	-049 1403	5641	9677	3457	6928	-136 0038	11
50	5439	9922	4308	8544	-084 2576	6351	9816	2919	10
51	8348	-032 2830	7214	-067 1446	5474	9245	-119 2704	5801	9
52	-015 1256	5737	-050 0119	4349	8373	-102 2138	5593	8683	8
53	4163	8644	3024	7251	-085 1271	5032	8481	-137 1564	7
54	7073	-033 1552	5929	-068 0153	4169	7925	-120 1368	4445	6
55	9982	4459	8835	3055	7067	-103 0819	4256	7327	5
56	-016 2890	7366	-051 1740	5957	9936	3712	7144	-138 0208	4
57	5799	-034 0274	4645	8859	-086 2864	6605	-121 0031	3089	3
58	8707	3181	7550	-069 1761	5762	9199	2919	5370	2
59	-017 1616	6088	-052 0455	4963	8660	-104 2392	5906	8850	1
60	4524	8935	3360	7565	-087 1557	5285	8693	-139 1731	0
/	8 10	88 0	87 0	86 0	85 0	84 0	83 0	82 0	/

	8°	9°	10°	11°	12°	13°	14°	15°	
0	139 1731	156 434	173 6482	190 8090	207 9117	224 9511	241 9219	258 8196	60
1	4612	7218	9346	191 0945	208 1962	225 2345	242 2041	259 1000	59
2	7492	157 0091	174 2211	3801	4597	5179	4863	3810	58
3	140 0372	293	5075	6658	7652	8013	7685	6619	57
4	3252	5830	7339	9510	209 0497	226 0846	243 0507	9429	56
5	6132	8708	175 0803	192 2365	3341	3680	3329	260 2237	55
6	9012	158 1581	3667	5220	6186	6513	6150	50 54	54
7	141 1892	4452	6531	8074	9030	9346	8971	75 53	53
8	4772	7327	9395	193 0928	210 1874	227 2179	244 1792	261 0662	52
9	7651	159 0197	176 2258	3782	4718	5012	4613	3468	51
10	142 0531	3008	5121	6636	7561	7844	7435	6277	50
11	3410	5948	7984	9490	211 0405	228 0677	245 0254	9082	49
12	6289	8812	177 0847	194 2344	3248	3509	3074	262 1892	48
13	9168	160 1682	3710	5197	6091	6341	5894	4692	47
14	143 2047	4557	6573	8050	8934	9172	8712	7502	46
15	4920	742	9435	195 0906	212 1777	229 2004	246 1528	263 0312	45
16	7805	161 0237	178 2248	3756	4619	4835	4352	3112	44
17	144 0684	3167	5160	6609	7462	7666	7171	5927	43
18	3562	6032	8022	9461	213 0304	230 0497	247 0990	8730	42
19	6440	8902	179 0884	196 2314	3146	3328	247 2806	264 1530	41
20	9319	162 1774	3746	5166	5988	6159	5627	4342	40
21	145 2197	4650	6607	8018	8829	8989	8442	7147	39
22	5075	7520	9469	197 0870	214 1671	231 1819	248 1262	9952	38
23	7953	163 0390	180 2309	3722	4512	4649	4081	265 2757	37
24	146 0830	3260	5191	6573	7353	7479	6899	5567	36
25	3708	6122	8052	9425	215 0194	232 0309	249 0711	8369	35
26	6585	8992	181 0913	198 2276	3035	3132	249 2532	266 1170	34
27	9463	164 1868	3774	5127	5876	5967	5350	3972	33
28	147 2340	4738	6635	7978	8710	8796	8167	6777	32
29	5217	7607	9495	199 0829	216 1556	233 1625	250 0984	9581	31
30	8094	165 0477	182 2355	3679	4390	4454	3800	267 2384	30
31	148 0971	3345	5215	6530	7236	7282	6610	5187	29
32	3848	6214	8075	9350	217 0078	234 0110	249 0432	7983	28
33	6724	9082	183 0935	200 2230	2915	2938	251 2248	268 0792	27
34	9601	166 1951	3795	5080	5754	5760	5063	3594	26
35	149 2477	4819	6654	7930	8593	8591	7879	6392	25
36	5353	7687	9514	201 0779	218 1432	235 1421	252 0694	9198	24
37	8230	167 0552	184 2373	3629	4271	4248	3568	269 2000	23
38	150 1102	3423	5232	6478	7110	7078	6322	4801	22
39	3981	6291	8091	9327	9948	9902	9137	7602	21
40	6857	9159	185 0940	202 2176	219 2780	236 2729	253 1952	270 4407	20
41	9732	168 2022	3808	5024	5624	5555	4760	3204	19
42	151 2608	4894	6666	7873	8462	8381	7579	6002	18
43	5484	7761	9524	203 0721	220 1300	237 1207	254 0392	8805	17
44	8359	169 0628	186 2382	3569	4137	4033	3202	271 1602	16
45	152 1234	3495	5240	6418	6974	6859	6019	4402	15
46	4109	6362	8098	9265	9811	9684	8832	7204	14
47	6984	9228	187 0956	204 2113	221 2648	238 2510	255 1645	272 0002	13
48	9858	170 2095	3813	4961	5485	5335	4458	2802	12
49	153 2733	4961	6670	7808	8321	8159	7270	5603	11
50	5607	7828	9528	205 0655	222 1158	239 0984	256 0082	8402	10
51	8482	171 0694	188 2385	3502	3934	3808	2822	273 1122	9
52	154 1350	3580	5241	6349	6830	6633	5705	3997	8
53	4230	6425	8098	9195	9660	9457	8517	6792	7
54	7104	9231	189 0954	206 2042	223 2501	240 2280	257 1322	9532	6
55	9978	172 2156	3811	4888	5337	5104	4122	274 2388	5
56	155 2851	5022	6667	7734	8172	7927	6950	6187	4
57	5725	7887	9523	207 0580	224 1007	241 0751	258 0700	7984	3
58	8598	173 0752	190 2379	3425	3842	3574	258 2572	275 0781	2
59	156 1472	3617	5234	6272	6676	6392	5381	3577	1
60	4345	6482	8030	9117	9511	9219	8190	6274	0
	81°	80°	79°	78°	77°	76°	75°	74°	

°	16°	17°	18°	19°	20°	21°	22°	23°	'
0	.275 6374	.292 3717	.309 0170	.325 5682	.342 0201	.358 3679	.374 1066	.390 7311	60
1	9170	6499	2930	8432	2925	6395	5763	6989	59
2	.276 1966	9250	5702	.326 1182	5608	9110	.375 1459	.391 2006	58
3	4761	.293 2001	8408	3982	8400	.359 1825	4156	5343	57
4	7550	4842	.310 1234	6681	.343 1133	4640	6852	8019	56
5	.277 0352	7623	3909	9430	3845	7254	9547	.392 0695	55
6	3147	.294 0403	6704	.327 2179	6597	9908	.376 2243	3371	54
7	5941	3183	9529	4925	9329	.360 2182	4958	1047	53
8	8730	5963	.311 2294	7676	.344 2060	5395	7032	8722	52
9	.278 1530	8743	5056	.328 0424	4791	8168	.377 0327	.393 1297	51
10	4324	.295 1522	7822	3172	7521	.361 0821	3021	4071	50
11	7118	4302	.312 0580	5919	.345 0252	3534	5714	6745	49
12	9911	7081	3349	8600	2982	6246	8408	9419	48
13	.279 2704	9859	6111	.329 1413	5712	8958	.378 1161	.394 2093	47
14	5497	.296 2638	8575	4100	8441	.362 1609	3794	4706	46
15	8290	5416	.313 1638	6900	.346 1171	4380	6486	7439	45
16	.280 1082	8194	4400	9655	3900	7091	9178	.395 0111	44
17	3871	.297 0971	7103	.330 2398	6628	9802	.379 1870	2783	43
18	6667	3749	9922	5144	9357	.363 2512	4562	5405	42
19	9456	6526	.314 2680	7889	.347 2085	5222	7253	8127	41
20	.281 2251	9303	5445	.331 0634	4812	7932	9944	.396 0798	40
21	5042	.298 2079	8206	3379	7540	.364 0641	.380 2134	3478	39
22	7831	4860	.315 0969	6123	.348 0217	3351	5324	6139	38
23	.282 0624	7632	3730	8867	2994	6059	8014	8809	37
24	3416	.299 0408	6490	.332 1611	5720	8708	.381 0704	.397 1479	36
25	6205	3184	9250	4355	8447	.365 1476	1393	4148	35
26	8995	5959	.316 2010	7098	.349 1173	4184	6082	6818	34
27	.283 1785	8734	4770	9841	3898	6891	8770	9494	33
28	4571	.300 1509	7529	.333 2584	6624	9599	.382 1459	.398 2151	32
29	7364	4284	.317 0288	5326	9349	.366 2306	4147	4823	31
30	.284 0153	7058	3047	8069	.350 2074	5012	6834	7491	30
31	2942	9832	5805	.334 0810	4798	7719	9522	.399 0151	29
32	5731	.301 2600	8563	3562	7523	.367 0425	.383 2209	2825	28
33	8520	5380	.318 1321	6291	.351 0240	3130	4895	5491	27
34	.285 1308	8150	4079	9034	2970	5836	7582	8158	26
35	4097	.302 0920	6830	.335 1775	5093	8541	.384 0208	.400 0825	25
36	6884	3699	9593	4510	8416	.368 1246	2953	3400	24
37	9671	6471	.319 2350	7250	.352 1139	3950	5039	6151	23
38	.286 2458	9244	5100	9990	3802	6654	8324	8821	22
39	5244	.303 2010	7863	.336 2735	6584	9258	.385 1008	.401 1480	21
40	8032	4788	.320 0619	5475	9300	.369 2061	3193	4150	20
41	.287 0819	7559	3374	8214	.353 2027	4765	6377	6814	19
42	3601	.304 0331	6130	.337 0953	4748	7408	9066	9478	18
43	6391	3102	8885	3691	7469	.370 0170	.386 1744	.402 2141	17
44	9177	5872	.321 1640	6429	.354 0190	2872	4427	4804	16
45	.288 1907	8643	4395	9167	2910	5674	7110	7467	15
46	474	.305 1413	7149	.338 1905	5630	8276	9792	.403 0129	14
47	7531	4180	9903	4642	8350	.371 0977	.387 2474	2791	13
48	.289 0318	6951	.322 2657	7379	.355 1070	3678	6156	5453	12
49	3101	9725	5411	.339 0110	3789	6379	7837	8114	11
50	5887	.306 2493	8164	2852	6508	9079	.388 0518	.404 0775	10
51	8671	5211	.323 0917	5589	9220	.372 1780	3199	3430	9
52	.290 1451	8030	3670	8325	.356 1944	4479	5880	6090	8
53	4221	.307 0798	6422	.340 1060	4002	7179	8500	8750	7
54	7021	2560	9174	3796	7380	9878	.389 1240	.405 1410	6
55	9807	6334	.324 1926	6511	.357 0697	.373 2577	3919	4675	5
56	.291 2585	9102	4678	9261	2814	5275	6598	6734	4
57	5371	.308 1809	7429	.341 2000	5531	7973	9277	9393	3
58	8151	4630	.325 0180	4734	8248	.374 0871	.390 1915	.406 2051	2
59	.292 0902	7402	2931	7468	.358 0964	3369	4633	4709	1
60	3717	.309 0170	5682	.342 0201	3679	6066	7311	7366	0
'	73°	72°	71°	70°	69°	68°	67°	66°	'

	24°	25°	26°	27°	28°	29°	30°	31°	
0	406 7300	422 6183	438 3711	453 9905	469 4716	484 8096	500 0000	515 6331	60
1	407 0024	423 8813	439 6326	454 2137	470 6410	485 0640	501 2519	516 2874	59
2	408 2681	425 1455	440 8949	455 5088	471 9852	486 3184	502 6037	517 5387	58
3	409 5337	426 4097	442 1553	456 7673	473 2413	487 5720	503 8756	518 7859	57
4	410 7993	427 6725	443 4166	457 0269	474 4986	488 8271	504 0073	519 0351	56
5	412 0649	428 9360	444 6779	458 2859	475 7553	489 0812	505 2591	520 2841	55
6	413 3305	430 1994	445 9392	459 5443	477 0119	490 3354	506 5127	521 5333	54
7	414 5960	431 4628	447 2004	460 8038	478 2685	491 5895	507 7624	522 7824	53
8	415 8615	432 7262	448 4615	462 0627	479 5250	492 8436	509 0144	524 0314	52
9	417 1239	433 9895	449 7227	463 3216	480 7815	494 0977	510 2655	525 2804	51
10	418 3923	435 2528	450 9838	464 5804	482 0330	495 3517	511 5170	526 5295	50
11	419 6577	436 5161	452 2448	465 8392	483 2914	496 6057	512 7685	527 7782	49
12	420 9230	437 7793	453 5059	467 0979	484 5508	497 8597	514 0199	529 0270	48
13	422 1883	439 0425	454 7668	468 3563	485 8071	499 1136	515 2713	530 2758	47
14	423 4536	440 3056	456 0278	469 6153	487 0634	500 3674	516 5227	531 5246	46
15	424 7189	441 5687	457 2887	470 8739	488 3137	501 6212	517 7740	532 7733	45
16	425 9841	442 8318	458 5495	472 1325	489 5659	502 8750	519 0252	534 0219	44
17	427 2492	444 0949	459 8104	473 3910	490 8221	504 1283	520 2765	535 2705	43
18	428 5144	445 3579	461 0712	474 6496	492 0822	505 3825	521 5276	536 5191	42
19	429 7795	446 6208	462 3319	475 9080	493 3443	506 6361	522 7788	537 7676	41
20	431 0445	447 8838	463 5927	477 1665	494 6004	507 8897	524 0298	539 0161	40
21	432 3096	449 1467	464 8534	478 4248	495 8564	509 1433	525 2809	540 2643	39
22	433 5745	450 4095	466 1141	479 6832	497 1124	510 3968	526 5319	541 5130	38
23	434 8395	451 6723	467 3746	480 9415	498 3683	511 6503	527 7828	542 7613	37
24	436 1044	452 9351	468 6352	482 2003	499 6242	512 9038	529 0338	544 0096	36
25	437 3693	454 1979	469 8957	483 4580	500 8801	514 1572	530 2846	545 2579	35
26	438 6342	455 4606	471 1582	484 7162	502 1359	515 4105	531 5359	546 5061	34
27	439 8990	456 7233	472 4167	485 9744	503 3917	516 6338	532 7863	547 7543	33
28	441 1638	457 9859	473 6771	487 2325	504 6474	517 9171	534 0370	549 0024	32
29	442 4285	459 2485	474 9375	488 4906	505 9031	519 1704	535 2877	550 2505	31
30	443 6932	460 5111	480 1978	489 7480	507 1588	520 4236	536 5384	551 4986	30
31	444 9579	461 7736	481 4581	491 0066	508 4144	521 6707	537 7890	552 7466	29
32	446 2226	463 0361	482 7184	492 2646	509 6709	522 9238	539 0396	554 0045	28
33	447 4872	464 2986	483 9786	493 5225	510 9255	524 1829	540 2901	555 2524	27
34	448 7517	465 5610	485 2388	494 7804	512 1810	525 4359	541 5406	556 4993	26
35	449 0163	466 8234	486 4990	496 0382	513 4364	526 6889	542 7910	557 7451	25
36	450 2808	468 0857	487 7591	497 2960	514 6913	527 9419	544 0414	559 0000	24
37	451 5453	469 3481	489 0192	498 5538	515 9472	529 1948	545 2918	560 2536	23
38	452 8097	470 6103	490 2792	499 8115	517 2026	530 4476	546 5421	561 5061	22
39	454 0741	471 8726	491 5392	501 0692	518 4579	531 7005	547 7924	562 7579	21
40	455 3385	473 1348	492 7992	502 3269	519 7131	532 9532	549 0426	564 0096	20
41	456 6028	474 3970	494 0591	503 5845	520 9683	534 2060	550 2927	565 2613	19
42	457 8671	475 6591	495 3190	504 8420	522 2235	535 4587	551 5429	566 5130	18
43	459 1313	476 9212	496 5789	506 0993	523 4813	536 7113	552 7930	567 7647	17
44	460 3956	478 1832	497 8387	507 3571	524 7337	537 9639	554 0431	569 0161	16
45	461 6597	479 4453	499 0984	508 6145	525 9888	539 2165	555 2931	570 2674	15
46	462 9238	480 7072	500 3582	509 8719	527 2438	540 4690	556 5431	571 5187	14
47	464 1879	481 9692	501 6179	511 1293	528 4987	541 7215	557 7930	572 7698	13
48	465 4521	483 2311	502 8775	512 3866	529 7537	542 9740	559 0429	574 0205	12
49	466 7161	484 4930	504 1372	513 6439	531 0086	544 2264	560 2927	575 2703	11
50	467 9801	485 7548	505 3977	514 9012	532 2634	545 4787	561 5431	576 5200	10
51	469 2441	487 0166	506 6563	516 1581	533 5182	546 7310	562 7923	577 7697	9
52	470 5080	488 2784	507 9158	517 4156	534 7730	547 9833	564 0429	579 0194	8
53	471 7719	489 5401	509 1753	518 6727	536 0277	549 2355	565 2916	580 2691	7
54	473 0358	490 8018	510 4347	519 9298	537 2824	550 4877	566 5413	581 5188	6
55	474 2996	492 0634	511 6941	521 1869	538 5370	551 7399	567 7908	582 7685	5
56	475 5634	493 3251	512 9525	522 4433	539 7916	552 9920	569 0404	584 0182	4
57	476 8272	494 5866	514 2128	523 7000	541 0432	554 2441	570 2893	585 2679	3
58	478 0909	495 8482	515 4721	524 9578	542 2971	555 4971	571 5383	586 5176	2
59	479 3546	497 1097	516 7313	526 2147	543 5522	556 7511	572 7877	587 7674	1
60	480 6183	498 3711	518 9935	527 4716	544 8096	558 0090	574 0381	589 0172	0
	65°	61°	63°	62°	61°	60°	59°	58°	

	82°	83°	84°	85°	86°	87°	88°	89°	
0	529 9193	544 6390	559 1929	573 5764	587 7853	601 8150	615 6615	629 3204	60
1	530 1659	5830	4340	8147	588 0206	602 0473	8907	5464	59
2	4125	545 1269	6751	574 0529	2558	2795	616 1198	7724	58
3	6591	3707	9162	2911	4910	5117	3489	9983	57
4	9057	6145	560 1572	5292	7262	7439	5780	630 2241	56
5	531 1521	8583	3981	7672	9613	9760	8069	4500	55
6	3986	546 1020	6396	575 0053	589 1964	603 2080	617 0359	6758	54
7	6450	3456	8798	2432	4314	4400	2648	9011	53
8	8913	5892	561 1206	4811	6663	6719	4936	631 1272	52
9	532 1370	8328	3614	7190	9012	9038	7224	3528	51
10	3839	547 0763	6021	9568	590 1361	604 1356	9511	5784	50
11	6301	3198	8428	576 1946	3709	3674	618 1798	8039	49
12	8763	5632	562 0834	4323	6057	5991	4084	632 0291	48
13	533 1224	8066	3239	6700	8404	8308	6370	2547	47
14	3685	548 0499	5645	9070	591 0750	605 0624	8655	4800	46
15	6147	2932	8043	577 1452	3096	2940	619 0939	7053	45
16	8605	5365	563 0453	3827	5442	5255	3224	9300	44
17	534 1065	7797	2857	6202	7787	7570	5507	633 1557	43
18	3523	549 0228	5260	8576	592 0132	9884	7790	3809	42
19	5982	2659	7663	578 0950	2476	606 2195	620 0073	6069	41
20	8440	5090	564 0060	3323	4819	4511	2355	8310	40
21	535 0898	7520	2467	5696	7163	6824	4636	634 0550	39
22	3357	9950	4869	8069	9505	9130	6917	2808	38
23	5812	550 2379	7270	579 0440	593 1847	607 1447	9198	5057	37
24	8268	4807	9670	2812	4189	3755	621 1478	7305	36
25	536 0724	7236	565 2070	5183	6530	6069	3757	9553	35
26	3179	9663	4469	7553	8871	8379	6033	635 1800	34
27	5634	551 2091	6868	9923	594 1211	608 0689	8314	4041	33
28	8089	4518	9267	580 2292	3550	2998	622 0592	6292	32
29	537 0541	6944	566 1665	4661	5389	5306	2870	8537	31
30	2996	9370	4062	7030	8228	7614	5146	636 0782	30
31	5449	552 1795	6459	9397	595 0566	9922	7423	3026	29
32	7902	4220	8856	581 1765	2904	609 2229	9098	5270	28
33	538 0354	6645	567 1252	4132	5241	4535	623 1974	7513	27
34	2806	9069	3648	6498	7577	6841	4248	9756	26
35	5257	553 1492	6043	8864	9913	9147	6522	637 1929	25
36	7708	3915	8437	582 1230	596 2249	610 1452	8796	4240	24
37	539 0158	6338	568 0832	3595	4584	3756	624 1069	6481	23
38	2008	8760	3225	5959	6918	6060	3342	8721	22
39	5058	554 1182	5619	8323	9252	8363	5614	638 0961	21
40	7507	3603	8011	583 0687	597 1586	611 0666	7885	3201	20
41	9957	6024	569 0403	3050	3919	2969	625 0156	5440	19
42	540 210	8444	2795	5412	6251	5270	2427	7678	18
43	4851	555 0864	5187	7774	8583	7572	4696	9911	17
44	7298	3283	7577	584 0136	598 0915	9873	6966	639 2151	16
45	9747	5702	9968	2497	3246	612 2173	9235	4390	15
46	541 2191	8121	570 2357	4857	5577	4473	626 1503	6621	14
47	4887	556 0539	4747	7217	7906	6772	3771	8862	13
48	7081	2956	7136	9577	599 0236	9071	6038	640 1097	12
49	9527	5373	9524	585 1936	2565	613 1309	8305	3332	11
50	542 1971	7790	571 1912	4294	4893	366	627 0571	5560	10
51	4411	557 0206	4299	6652	7221	5964	2837	7799	9
52	6853	2621	6686	9010	9549	8260	5102	641 0032	8
53	930	5036	9073	586 1367	600 1876	614 0554	7366	2264	7
54	543 1741	7451	572 1459	3724	4202	2852	9631	4496	6
55	4181	9865	3844	6080	6528	5147	628 1894	6728	5
56	6621	558 2279	6223	8435	8854	7442	4157	8958	4
57	9061	4692	8614	567 0790	601 1179	9736	6420	642 1189	3
58	544 1511	7105	573 0998	3145	3503	615 2029	8682	3418	2
59	3357	9517	3381	5409	5827	4322	0943	5647	1
60	6390	559 1923	5764	7853	8150	6611	629 3204	7878	0
	57°	58°	59°	54°	53°	52°	51°	50°	

	10°	11°	12°	13°	14°	15°	16°	17°	18°	19°	20°	21°	22°	23°	24°	25°	26°	27°	28°	29°	30°	31°	32°	33°	34°	35°	36°	37°	38°	39°	40°	41°	42°	43°	44°	45°	46°	47°	
0	642 7876	656 0590	669 1306	681 9984	694 6584	707 1068	719 3398	731 3537	743 60	755 21																													
1	643 0104	657 285	670 346	682 2111	695 876	708 3124	721 6418	734 5521	747 59	760 18																													
2	2332	490	5628	4237	695 0767	5180	7438	7503	9488	57																													
3	4559	7174	7789	6363	2558	7236	9457	9488	782 1467	56																													
4	6785	9267	9948	8489	4949	9291	720 1476	782 1467	57	56																													
5	9011	657 150	670 2108	683 0613	7039	708 1345	3494	3449	15	15																													
6	644 1236	3752	4266	2738	9128	3398	5511	5424	54	54																													
7	3461	5944	6424	4861	696 1217	5451	7528	7469	53	53																													
8	5635	8135	8582	6984	3305	7504	9544	9388	52	52																													
9	7909	658 0820	671 0739	9107	5392	9556	721 1559	733 1367	51	51																													
10	645 0132	2510	2895	684 1229	7479	709 1607	3574	3345	50	50																													
11	2355	4705	5051	3350	9505	3657	5589	5322	49	49																													
12	4577	6895	7206	5471	697 1651	5707	7002	7292	48	48																													
13	6798	9083	9361	7591	3736	7757	9615	9275	47	47																													
14	9019	659 1271	672 1515	9711	5821	9806	722 1628	734 1256	46	46																													
15	646 1240	3458	3668	685 1830	7905	710 1854	3640	3225	45	45																													
16	3460	5645	5821	3948	9988	3901	5651	5199	44	44																													
17	5679	7831	7973	6066	698 2071	5948	7661	7173	43	43																													
18	7898	660 0017	673 0125	8184	4153	7995	9671	914	42	42																													
19	647 0110	2202	2276	686 0300	6234	711 0041	723 1681	735 1118	41	41																													
20	2334	4386	4427	2416	8315	2086	3690	3099	40	40																													
21	4551	6570	6577	4532	699 0396	4130	5698	5061	39	39																													
22	6767	8754	8727	6647	2476	6174	7705	7032	38	38																													
23	8984	661 0936	674 0876	8761	4555	8218	9712	9002	37	37																													
24	648 1199	3119	3024	687 0875	6633	712 0260	724 1719	736 0971	36	36																													
25	3414	5300	5172	2988	8711	2303	3724	2940	35	35																													
26	5628	7482	7319	5101	700 0789	4344	5729	4608	34	34																													
27	7842	9662	9466	7213	2866	6385	7734	6875	33	33																													
28	649 0056	662 1842	675 1612	9325	4942	8426	9738	8842	32	32																													
29	2268	4022	3757	688 1435	7018	713 0465	725 1741	737 0808	31	31																													
30	4480	6200	5902	3546	9093	2504	3744	2773	30	30																													
31	6602	8379	8046	5655	701 1167	4543	5746	4738	29	29																													
32	8903	663 0557	676 0190	7765	3241	6581	7747	6703	28	28																													
33	650 1114	2734	2333	9873	5314	8618	9748	8660	27	27																													
34	3324	4910	4476	689 1981	7387	714 0655	726 1748	738 0629	26	26																													
35	5533	7087	6618	4089	9459	2191	3748	2592	25	25																													
36	7742	9262	8760	6196	702 1531	4727	5747	4552	24	24																													
37	9951	664 1437	677 0901	8302	3601	6762	7745	6515	23	23																													
38	651 2158	3612	3041	690 0407	5672	8796	9743	8475	22	22																													
39	4366	5785	5181	2512	7741	715 0830	727 1740	739 0436	21	21																													
40	6572	7959	7320	4617	9811	2863	3736	2394	20	20																													
41	8778	665 0131	9450	6721	703 1879	4895	5732	4353	19	19																													
42	652 0984	2304	678 1597	8824	3947	6927	7728	6311	18	18																													
43	3189	4475	3734	691 0927	6014	8959	9722	8263	17	17																													
44	5394	6646	5871	3029	8081	716 0989	728 1716	740 0225	16	16																													
45	7598	8817	8007	5131	704 0147	3019	3710	2181	15	15																													
46	9801	666 0987	679 0143	7232	2213	5049	5703	4137	14	14																													
47	653 2004	3156	2278	9232	4278	7078	7695	6092	13	13																													
48	4206	5325	4413	692 1432	6342	9106	9686	8041	12	12																													
49	6408	7493	6547	3531	8406	717 1134	729 1677	741 0000	11	11																													
50	8609	9661	8681	5630	705 0469	3161	3668	1953	10	10																													
51	654 0810	667 1828	680 0813	7728	2532	5187	5657	3905	9	9																													
52	3010	3994	2946	9825	4591	7213	7646	5857	8	8																													
53	5209	6160	5078	693 1922	6655	9238	9635	7808	7	7																													
54	7408	8326	7209	4018	8716	718 1263	730 1623	9758	6	6																													
55	9607	668 0490	9339	6114	706 0776	3287	3610	742 1708	5	5																													
56	655 1804	2855	681 1469	8209	2835	5310	5597	3658	4	4																													
57	4902	4818	3599	694 0304	4894	7333	7583	5606	3	3																													
58	6198	6981	5728	2398	6053	9355	9568	7554	2	2																													
59	8395	9144	7856	4491	9011	719 1377	731 1553	9502	1	1																													
60	656 0590	669 1306	9984	6584	707 1068	3398	3537	743 1448	0	0																													

	48°	49°	50°	51°	52°	53°	54°	
0	743 1448	764 7096	766 0444	777 1460	788 0108	798 6355	809 0170	60
1	3394	9004	2314	3294	1898	8107	1879	59
2	5840	755 0911	4183	5120	3688	9855	8588	58
3	7285	2518	6651	6949	5477	799 1004	5296	57
4	9229	47 24	7918	8777	7206	3352	7004	56
5	744 1173	6630	9785	778 0004	9054	5100	8710	55
6	3115	8535	767 1652	2431	789 0841	6847	810 0416	54
7	5658	756 0489	3517	4258	2627	8593	2122	53
8	6999	2342	5282	6084	4413	800 0328	3825	52
9	8941	4246	7246	7909	6198	2083	5530	51
10	745 0881	6148	9110	9733	7983	3827	7234	50
11	2821	8050	768 0973	779 1557	9767	5571	8936	49
12	4700	9951	2835	3380	790 1550	7314	811 0638	48
13	6609	757 1851	4697	5202	3333	9056	2339	47
14	8636	3751	6558	7024	5115	801 0797	4040	46
15	746 0574	5650	8418	8845	6896	2538	5740	45
16	2510	7548	769 0278	780 0665	8676	4278	7439	44
17	4446	9446	2137	2485	791 0456	6018	9137	43
18	6382	758 1343	3996	4304	2235	7756	812 0835	42
19	8317	3240	5853	6123	4014	9495	2532	41
20	747 0251	5136	7710	7940	5792	802 1232	4229	40
21	2184	7031	9567	9757	7569	2969	5925	39
22	4117	8926	770 1423	781 1574	9345	4705	7620	38
23	6049	759 0820	3278	3390	792 1121	6440	9314	37
24	7981	2713	5132	5205	2896	8175	813 1068	36
25	9912	4006	6986	7019	4671	9909	2701	35
26	748 1842	6498	8840	8833	6445	803 1642	4303	34
27	3772	8389	771 0692	782 0646	8218	3375	6084	33
28	5701	760 0280	2544	2459	9990	5107	7775	32
29	7629	2170	4395	4270	793 1762	6838	9466	31
30	9557	4060	6246	6082	3533	8569	814 1155	30
31	749 1484	5949	8096	7892	5304	804 0299	2844	29
32	3411	7837	9945	9702	7074	2028	4532	28
33	5337	9724	772 1794	783 1511	8843	3756	6220	27
34	7262	761 1611	3642	3320	794 0611	5484	7906	26
35	9187	3497	5489	5127	2379	7211	9593	25
36	750 1111	5383	7336	6335	4146	8938	815 1278	24
37	3034	7268	9182	8741	5913	805 0664	2963	23
38	4957	9152	773 1027	784 0547	7678	2381	4647	22
39	6879	762 1036	2872	2352	9444	4113	6330	21
40	8800	2919	4718	4157	795 1208	5637	8013	20
41	751 0721	4802	6553	5961	2972	7560	9695	19
42	2641	6683	8102	7764	4735	9283	816 1378	18
43	4561	5564	774 0244	9566	6497	806 1005	3056	17
44	6489	763 0444	2086	785 1368	8259	2726	4736	16
45	8398	2225	3926	3169	796 0020	4446	6416	15
46	752 0316	4204	5767	4370	1780	6166	8094	14
47	2233	6082	7006	6770	3540	7885	9772	13
48	4149	7900	9415	8569	5299	9603	817 1449	12
49	6065	9838	775 1233	786 0367	7058	807 1321	3125	11
50	7980	764 1714	3121	2105	8815	3038	4801	10
51	9894	3590	4957	3963	797 0572	4754	6476	9
52	753 1808	5465	6794	5759	2329	6470	8151	8
53	3721	7340	8629	7555	4084	8185	9824	7
54	5634	9214	776 0464	9350	5839	9899	818 1497	6
55	7546	765 1087	2298	787 1145	7594	808 1612	3169	5
56	9457	2960	4132	2339	9347	3325	4841	4
57	754 1368	4832	5965	4732	798 1100	5037	6512	3
58	3278	6704	7797	6524	2833	6740	8182	2
59	5187	8574	9629	8316	4604	8460	9852	1
60	7096	766 0444	777 1460	788 0108	6355	809 0170	819 1520	0
/	41°	40°	39°	38°	37°	36°	35°	/

	55°	56°	57°	58°	59°	60°	61°	
0	819 1520	820 0376	838 6706	848 0481	857 1673	866 0254	874 6197	60
1	3189	2002	8290	2022	3171	1708	7607	59
2	4856	3628	9873	3562	4608	3161	9016	58
3	6523	5252	839 1455	5102	6164	4614	875 0425	57
4	8189	6877	3037	6641	7600	6066	1832	56
5	9854	8500	4618	8179	9155	7517	3239	55
6	820 1519	830 0123	6199	9717	858 0640	8967	4645	54
7	3183	1745	7778	849 1254	2143	867 0417	6051	53
8	4840	3366	9357	2790	3635	1806	7455	52
9	6509	4987	840 0938	4325	5127	3314	8869	51
10	8170	6007	2513	5860	6619	4762	876 0263	50
11	9832	8220	4090	7391	8109	6209	1665	49
12	821 1132	9845	5666	8927	9599	7055	3067	48
13	3152	831 1463	7241	860 0459	859 1088	9100	4468	47
14	4811	3080	8816	1931	2576	868 0544	5868	46
15	6469	4696	841 0390	3522	4064	1988	7208	45
16	8127	6312	1963	5053	5551	3431	8666	44
17	9784	7927	3536	6582	7037	4874	877 0064	43
18	822 1440	9541	5108	8111	8523	6315	1462	42
19	3096	832 1155	6679	9639	800 0007	7756	2858	41
20	4751	2768	8249	851 1167	1491	9196	4254	40
21	6405	4380	9819	2693	2975	869 0636	5649	39
22	8059	5991	842 1388	4219	4457	2074	7043	38
23	9712	7602	2466	5745	5939	3512	8447	37
24	823 1364	9212	4524	7239	7420	4949	9830	36
25	3015	833 0822	6091	8793	8901	6386	878 1222	35
26	4666	2430	7657	852 0316	861 0380	1821	2613	34
27	6316	4038	9222	1839	1859	9256	4004	33
28	7965	5646	843 0787	3360	3337	870 0691	5394	32
29	9614	7252	2351	4881	4815	2124	6783	31
30	824 1262	8858	3914	6402	6292	3557	8171	30
31	2909	824 0463	5477	7921	7768	4389	9559	29
32	4556	2068	7039	9440	9245	6420	879 0946	28
33	6242	3672	8600	853 0958	862 0717	7851	2332	27
34	7847	5275	844 0161	2475	2191	9281	3717	26
35	9491	6877	1720	3992	3664	871 0710	5102	25
36	825 1135	8479	3279	5508	5137	2138	6486	24
37	2778	835 0080	4838	7023	6608	3566	7869	23
38	4420	1680	6335	8538	8079	4993	9251	22
39	6062	3279	7952	854 0951	9549	6419	880 0633	21
40	7703	4878	9508	1564	863 1019	7844	2014	20
41	9343	6476	845 1064	3077	2488	9209	3394	19
42	826 0963	8074	2618	4588	3956	872 0693	4774	18
43	2622	9670	4172	6099	5425	2116	6152	17
44	4200	836 1266	5726	7609	6889	3538	7520	16
45	5897	2862	7278	9119	8355	4966	8907	15
46	7534	4456	8830	855 0627	9820	6381	881 0284	14
47	9170	6050	846 0381	2136	864 1284	7801	1660	13
48	827 0806	7643	1932	3643	2748	9221	3035	12
49	2440	9236	3181	5149	4211	873 0640	4409	11
50	4474	837 0827	5030	6655	5673	2058	5782	10
51	5708	2418	6579	8160	7134	3475	7155	9
52	7340	4009	8126	9664	8595	4591	8527	8
53	8972	5598	9673	856 1168	865 0665	6367	9898	7
54	828 0603	7187	847 1219	2671	1514	7722	882 1269	6
55	2244	8775	2765	4173	2973	9137	2638	5
56	3864	838 0363	4309	5674	4430	874 0550	4607	4
57	5493	1950	5853	7175	5887	1963	5376	3
58	7121	3536	7307	8075	7344	3375	6743	2
59	8749	5121	8939	857 0174	8799	4786	8110	1
60	829 0376	6706	848 0481	1073	866 0254	1197	9476	0
	84°	83°	82°	81°	80°	79°	78°	

	62°	63°	64°	65°	66°	67°	68°	
0	.882 9476	.891 0065	.898 7940	.906 3078	.913 5455	.920 5049	.927 1839	60
1	.883 0841	1385	9215	4207	6437	6185	2928	59
2	2206	2705	.899 0489	5535	7819	7320	4016	58
3	3569	4024	1763	6762	9001	8455	5104	57
4	4933	5422	3035	7989	.914 0181	9589	6191	56
5	6295	6659	4307	9215	1261	.921 0722	7277	55
6	7656	7975	5578	.907 0440	2540	1854	8363	54
7	9017	9291	6848	1665	3718	2986	9447	53
8	.884 0377	.892 0606	8117	2888	4895	4116	.928 0531	52
9	1736	1920	9386	4111	6072	6246	1614	51
10	3095	3234	.900 0654	5333	7247	6375	2696	50
11	4453	4546	1921	6554	8422	7504	3778	49
12	5810	5858	3188	7775	9597	8632	4858	48
13	7166	7169	4453	8995	.915 0770	9758	5938	47
14	8522	8480	5718	.908 0214	1943	.922 0884	7017	46
15	9876	9789	6982	1432	3115	2010	8096	45
16	.885 1230	.893 1098	8246	2649	4286	3134	9173	44
17	2584	2406	9508	3866	5456	4258	.929 0250	43
18	3936	3714	.901 0770	5682	6621	5.81	1326	42
19	5288	5021	2031	6297	7795	6503	2401	41
20	6639	6326	3292	7511	8963	7624	3475	40
21	7989	7632	4551	8725	.916 0130	8745	4549	39
22	9339	8936	5810	9938	1237	9865	5622	38
23	.886 0688	.894 0240	7068	.909 1150	2462	.923 0984	6694	37
24	2036	1542	8325	2361	3627	2102	7765	36
25	3383	2844	9582	3572	4791	3220	8835	35
26	4730	4146	.902 0838	4781	5955	4336	9905	34
27	6075	5446	2092	5990	7118	5452	.930 0974	33
28	7420	6746	3347	7199	8279	6567	2042	32
29	8765	8045	4600	8406	9440	7682	3109	31
30	.887 0108	9344	5853	9613	.917 0601	8795	4176	30
31	1451	.895 0641	7105	.910 0819	1700	9908	5241	29
32	2793	1938	8356	2024	2919	.924 1020	6306	28
33	4134	3234	9606	3228	4077	2131	7370	27
34	5475	4529	.903 0856	4432	5234	3242	8434	26
35	6815	5824	2105	5635	6391	4531	9496	25
36	8154	7118	3353	6837	7546	5400	.931 0558	24
37	9492	8411	4600	8038	8701	6568	1019	23
38	.888 0830	9703	5847	9238	9855	7676	2679	22
39	2166	.896 0994	7093	.911 0438	.918 1009	8782	3739	21
40	3503	2285	8338	1637	2161	9688	4797	20
41	4838	3575	9582	2835	3313	.925 0993	5855	19
42	6172	4864	.904 0825	4033	4464	2097	6912	18
43	7506	6153	2008	5229	5614	3201	7969	17
44	8839	7440	3310	6425	6763	4303	9024	16
45	.889 0171	8727	4551	7620	7912	5405	.932 0379	15
46	1503	.897 0014	5792	8815	9060	6506	1133	14
47	2834	1299	7032	.912 0008	.919 0207	7006	2186	13
48	4164	2584	8271	1201	1353	8706	3238	12
49	5493	3868	9509	2393	2499	9805	4290	11
50	6822	5151	.905 0746	3584	3644	.926 0902	5340	10
51	8149	6423	1983	4775	4788	2000	6290	9
52	9476	7715	3219	5965	5931	3096	7430	8
53	.890 0803	8996	4454	7154	7073	4192	8488	7
54	2128	.898 0276	5683	8342	8215	5286	9535	6
55	3453	1555	6922	9529	9556	6380	.933 0582	5
56	4777	2834	8154	.913 0716	.920 0496	7474	1028	4
57	6100	4112	9386	1902	1635	8566	2673	3
58	7423	5389	.906 0618	3087	2774	9058	3718	2
59	8744	6665	1848	4271	3912	.927 0748	4761	1
60	.891 0065	7940	3078	5455	5049	1839	5804	0
	27°	26°	25°	24°	23°	22°	21°	

	69°	70°	71°	72°	73°	74°	75°	
0	933 5804	939 6926	945 5186	951 0565	956 3048	961 2017	965 0258	60
1	6846	7921	6132	1494	3898	3418	966 0011	59
2	7888	8914	7078	2331	4747	4210	0762	58
3	8928	9907	8023	3258	5595	5019	1513	57
4	9938	940 0999	8908	4154	6443	5818	2263	56
5	934 1037	1891	9911	5050	7290	6616	3012	55
6	2045	2881	946 0854	5944	8136	7413	3761	54
7	3082	3871	1795	6838	8981	8210	4508	53
8	4119	4960	2736	7731	9825	9005	5255	52
9	5154	5848	3677	8623	957 0669	9800	6001	51
10	6189	6835	4616	9514	1512	962 0594	6746	50
11	7223	7822	5555	952 0404	2354	1387	7490	49
12	8257	8808	6493	1294	3195	2180	8234	48
13	9299	9793	7430	2183	4035	2972	8977	47
14	935 0321	941 0777	8366	3071	4875	3762	9718	46
15	1352	1780	9301	3958	5714	4552	967 0459	45
16	2382	2743	947 0236	4844	6552	5342	1200	44
17	3412	3721	1170	5730	7389	6130	1939	43
18	4440	4705	2103	6615	8225	6917	2678	42
19	5468	5686	3035	7499	9060	7704	3415	41
20	6495	6665	3966	8382	9895	8400	4152	40
21	7521	7644	4897	9264	958 0729	9275	4888	39
22	8547	8521	5827	953 0146	1562	963 0060	5624	38
23	9571	9598	6756	1027	2394	0843	6358	37
24	938 0595	942 0575	7684	1907	3226	1626	7092	36
25	1618	1550	8612	2786	4056	2408	7825	35
26	2641	2525	9538	3664	4886	3189	8557	34
27	3662	3438	948 0464	4542	5715	3969	9288	33
28	4683	4471	1389	5418	6543	4748	968 0018	32
29	5703	5444	2313	6294	7371	5527	0748	31
30	6722	6415	3297	7170	8197	6305	1476	30
31	7740	7386	4159	8044	9023	7081	2204	29
32	8758	8355	5081	8917	9848	7858	2931	28
33	9774	9324	6002	9790	959 0672	8633	3658	27
34	937 0790	943 0233	6922	954 0662	1496	9407	4383	26
35	1806	1260	7842	1533	2318	964 0181	5108	25
36	2820	2227	8760	2403	3140	0954	5832	24
37	3833	3192	9678	3273	3961	1726	6555	23
38	4846	4157	949 0595	4141	4781	2497	7277	22
39	5858	5122	1511	5009	5600	3268	7998	21
40	6869	6085	2426	5876	6418	4037	8719	20
41	7880	7048	3341	6743	7236	4806	9438	19
42	8889	8010	4255	7608	8053	5574	969 0157	18
43	9898	8971	5168	8473	8869	6341	0875	17
44	938 0906	9931	6080	9336	9684	7108	1593	16
45	1913	944 0830	6991	955 0199	0499	7873	2309	15
46	2920	1849	7902	1062	960 1312	8638	3025	14
47	3925	2807	8812	1923	2125	9402	3740	13
48	4930	3764	9721	2784	2937	965 0165	4453	12
49	5934	4720	950 0629	3643	3748	0927	5167	11
50	6938	5675	1536	4502	4558	1689	5879	10
51	7940	6630	2443	5361	5368	2440	6591	9
52	8942	7594	3348	6218	6177	3209	7301	8
53	9943	8537	4253	7074	6984	3968	8011	7
54	939 0943	9483	5157	7930	7792	4726	8720	6
55	1942	945 0141	6061	8785	8598	5484	9428	5
56	2949	1391	6963	9639	9403	6240	970 0125	4
57	3938	2311	7865	956 0492	961 0208	6996	0842	3
58	4935	3290	8766	1345	1012	7751	1548	2
59	5931	4298	9666	2197	1815	8505	2253	1
60	6926	5186	951 0565	3048	2617	9258	2957	0
	20°	19°	18°	17°	16°	15°	14°	

	76°	77°	78°	79°	80°	81°	82°	
0	.970 2957	.974 3701	.978 1476	.981 6272	.9848 078	.9876 883	.9902 681	60
1	36 0	4355	2080	6826	582	.9877 338	.9903 085	59
2	4363	5008	2684	7380	.9849 086	792	489	58
3	5065	5660	3287	7933	589	.9878 245	891	57
4	5766	6311	3889	8485	.9850 91	697	.9904 293	56
5	6466	6962	4490	9037	593	.9879 148	694	55
6	7165	7612	5090	9587	.9851 093	599	.9905 095	54
7	7863	8261	5689	.982 0137	593	.9880 048	494	53
8	8561	8909	6288	0686	.9852 042	497	893	52
9	9258	9566	6886	1234	590	945	.9906 290	51
10	9953	.975 0203	7483	1781	.9853 087	.9881 392	687	50
11	.971 0649	0843	8079	2327	583	838	.9907 083	49
12	1343	1494	8674	2873	.9854 079	.9882 284	478	48
13	2036	2138	9268	3417	574	728	873	47
14	2729	2781	9862	3961	.9855 068	.9883 172	.9908 266	46
15	3421	3423	.979 0455	4504	561	615	659	45
16	4112	4065	1047	5046	.9856 053	.9884 057	.9909 051	44
17	4802	4700	1638	5587	544	498	442	43
18	5491	5345	2228	6128	.9857 035	939	832	42
19	6180	5985	2818	6668	524	.9885 378	.9910 221	41
20	6867	6623	3406	7206	.9858 013	817	610	40
21	7554	7250	3994	7744	501	.9886 255	997	39
22	8240	7897	4581	8282	988	692	.9911 384	38
23	8926	8533	5167	8818	.9859 475	.9887 128	770	37
24	9610	9168	5752	9353	960	564	.9912 155	36
25	.972 0294	9802	3337	9888	.9860 445	998	540	35
26	0976	.976 0435	6921	.983 0422	929	.9888 432	923	34
27	1658	1067	7504	0955	.9861 412	865	.9913 306	33
28	2339	1699	8086	1487	894	.9889 297	688	32
29	3020	2330	8667	2019	.9862 375	728	.9914 069	31
30	3699	2660	9247	2549	856	.9890 159	449	30
31	4378	3589	9827	3079	.9863 336	588	828	29
32	5056	4217	.980 0405	3608	815	.9891 017	.9915 206	28
33	5733	4845	0983	4136	.9864 293	445	584	27
34	6409	5472	1560	4663	770	872	961	26
35	7084	6098	2136	5189	.9865 246	.9892 298	.9916 337	25
36	7759	6723	2712	5715	722	723	712	24
37	8432	7347	3286	6239	.9866 196	.9893 148	.9917 086	23
38	9105	7970	3860	6763	670	572	459	22
39	9777	8593	4433	7286	.9867 143	994	832	21
40	.973 0449	9215	5005	7808	615	.9894 416	.9918 204	20
41	1119	9836	5576	8330	.9868 087	838	574	19
42	1789	.977 0456	6147	8850	557	.9895 258	944	18
43	2458	1075	6716	9370	.9869 027	677	.9919 314	17
44	3125	1693	7285	9889	496	.9896 096	682	16
45	3793	2311	7853	.984 0407	994	514	.9920 049	15
46	4458	2928	8420	0921	.9870 431	931	416	14
47	5124	3544	8988	1441	897	.9897 347	782	13
48	5789	4159	9552	1956	.9871 363	762	.9921 147	12
49	6453	4773	.961 0116	2471	827	.9898 177	511	11
50	7116	5386	0680	2985	.9872 291	590	874	10
51	7778	5999	1243	3498	754	.9899 003	.9922 237	9
52	8439	6611	1805	4010	.9873 216	415	599	8
53	9100	7222	2366	4521	678	826	959	7
54	9760	7832	2927	5032	.9874 138	.9900 237	.9923 319	6
55	.974 0419	8441	3486	5542	598	646	679	5
56	1077	9050	4045	6050	.9875 057	.9901 055	.9924 037	4
57	1734	9658	4603	6558	514	462	394	3
58	2390	.978 0265	5160	7066	972	809	751	2
59	3046	0871	5716	7572	.9876 428	.9902 275	.9925 107	1
60	3701	1478	6272	8078	883	681	462	0
	13°	12°	11°	10°	9°	8°	7°	

	83°	84°	85°	86°	87°	88°	89°	
0	9925 462	9945 219	9961 947	9976 641	9986 295	9993 008	9998 477	00
1	516	523	9962 200	843	447	1194 009	117	59
2	9926 169	825	452	9976 641	118	110	177	58
3	521	9946 127	704	246	748	209	125	57
4	873	428	994	445	998	308	173	56
5	9927 224	729	9963 204	645	9967 646	406	720	55
6	573	9947 028	453	843	194	602	766	54
7	922	527	701	9977 046	340	698	812	53
8	9928 271	625	948	237	486	693	856	52
9	618	921	9964 195	423	631	788	900	51
10	965	9948 217	440	627	775	881	942	50
11	9929 310	513	685	921	919	974	984	49
12	665	807	929	9978 015	9988 661	9995 006	9999 225	48
13	999	9949 101	9965 172	207	203	177	006	47
14	9930 342	393	414	399	344	247	106	46
15	685	685	655	589	484	336	143	45
16	9931 026	976	895	779	623	424	181	44
17	367	9950 266	9966 135	968	761	612	218	43
18	706	556	374	9979 156	899	599	254	42
19	9932 045	844	612	343	9989 635	684	289	41
20	384	9951 132	849	530	171	770	323	40
21	721	419	9967 085	716	306	654	367	39
22	9933 057	705	321	900	440	977	389	38
23	393	990	555	9980 084	573	9996 026	421	37
24	728	9952 274	789	217	706	101	462	36
25	9934 082	557	9968 022	450	837	162	482	35
26	395	840	254	631	968	262	511	34
27	727	9953 122	485	811	9990 698	841	539	33
28	9935 058	403	715	991	227	419	607	32
29	389	683	945	9981 170	355	497	593	31
30	719	962	9969 173	248	482	573	619	30
31	9936 047	9954 240	401	525	609	649	644	29
32	375	517	628	701	734	724	618	28
33	703	794	854	877	859	798	692	27
34	9937 029	9955 070	9970 080	9982 052	983	871	714	26
35	355	345	304	225	9991 106	943	736	25
36	679	620	528	398	228	9997 015	756	24
37	9938 003	893	750	670	250	086	776	23
38	326	9956 165	972	742	470	156	795	22
39	648	437	9971 193	912	590	224	813	21
40	969	708	413	9983 082	709	292	831	20
41	9939 290	978	633	250	827	300	847	19
42	610	9957 247	651	118	944	426	863	18
43	928	515	9972 049	385	9992 010	492	878	17
44	9940 246	783	286	751	176	556	892	16
45	563	9958 049	502	917	290	620	905	15
46	880	315	717	9984 081	404	683	917	14
47	9941 195	580	931	245	517	745	928	13
48	510	844	9973 145	408	629	867	939	12
49	823	9959 107	357	570	740	867	949	11
50	9942 136	370	569	731	861	927	958	10
51	448	631	780	891	900	986	966	9
52	790	892	990	9985 650	9993 619	9998 044	973	8
53	9943 070	9960 152	9974 190	209	177	101	979	7
54	379	411	408	387	284	157	985	6
55	688	609	615	524	390	213	989	5
56	993	926	822	680	495	267	993	4
57	9944 203	9961 183	9975 028	635	600	321	996	3
58	609	438	233	989	704	274	998	2
59	914	693	437	9986 143	806	426	10000 000	1
60	9945 219	947	641	295	908	477	000	0
	6°	5°	4°	3°	2°	1°	0°	

	0°	1°	2°	3°	4°	5°	6°	7°	
0	000 0000	017 4551	034 9208	052 4078	069 9268	087 4887	105 1042	122 7846	60
1	2909	7460	035 2120	6995	070 2191	7818	3983	123 0798	59
2	5818	018 0870	5033	9912	5115	088 0749	6925	3752	58
3	8727	3280	7945	053 2829	8038	3681	9866	6705	57
4	001 1630	6190	036 0858	5746	071 0361	6612	106 2808	9658	56
5	4544	9100	3771	8663	3885	9544	5750	124 2612	55
6	7453	019 2010	6683	054 1581	6809	089 2476	8692	5566	54
7	002 0362	4920	9596	4498	9733	5408	107 1634	8523	53
8	3271	7830	037 2500	7416	072 2657	8241	4576	125 1474	52
9	6180	020 0740	5422	055 0333	5581	090 1273	7519	4429	51
10	9089	3650	8335	3251	8505	4200	108 0462	7384	50
11	003 1998	6560	038 1248	6169	073 1439	7138	3405	126 0339	49
12	4907	9470	4161	9087	4354	091 0071	6348	3294	48
13	7816	021 2380	7074	056 2005	7279	3004	9291	6249	47
14	004 0725	5291	9988	4923	074 0203	5938	109 2234	9205	46
15	3634	8201	039 2901	7841	3128	8871	5178	127 2161	45
16	6542	022 1111	5814	057 0759	6053	092 1804	8122	5117	44
17	9451	4021	8728	3678	8979	4738	110 1060	8073	43
18	005 2360	6932	040 1641	6596	075 1904	7672	4010	128 1030	42
19	5269	9842	4555	9515	4829	093 0606	6955	3980	41
20	8178	023 2753	7469	058 2434	7755	3540	9899	6943	40
21	006 1087	5663	041 0383	5352	076 0680	6474	111 2844	9900	39
22	3996	8574	3296	8271	3606	9409	5789	129 2858	38
23	6905	024 1484	6210	059 1190	6532	094 2344	8734	5815	37
24	9814	4395	9124	4109	9458	5278	112 1680	8773	36
25	007 2721	7305	042 2038	7029	077 2384	8213	4625	130 1731	35
26	5632	025 0216	4952	9948	6311	095 1148	7571	4690	34
27	8541	3127	7866	060 2867	8237	4084	113 0517	7648	33
28	008 1456	6038	043 0781	5787	078 1164	7019	3463	131 0607	32
29	4360	8948	3695	8706	4090	9955	6410	3566	31
30	7269	026 1859	6609	061 1626	7017	096 2890	9356	6525	30
31	009 0178	4770	9524	4546	9944	5826	114 2303	9489	29
32	3087	7681	044 2438	7466	079 2871	8763	5250	132 2444	28
33	5996	027 0592	5353	062 0386	5798	097 1699	8197	5404	27
34	8905	3503	8268	3306	8726	4635	115 1144	8364	26
35	010 1814	6414	045 1183	6226	080 1653	7572	4092	133 1324	25
36	4724	9325	4097	9147	4581	098 0509	7039	4285	24
37	7633	028 2236	7012	063 2067	7509	3446	9987	7246	23
38	011 0542	5148	9927	4988	081 0437	6383	116 2936	134 0207	22
39	3451	8050	046 2842	7908	3365	9320	5884	3168	21
40	6361	029 0970	5757	064 0829	6293	099 2257	8832	6129	20
41	9270	3882	8673	3750	9221	5194	117 1781	9091	19
42	012 2179	6793	047 1588	6671	082 2150	8133	4730	135 2053	18
43	5088	9705	4503	9592	5078	100 1071	7679	5015	17
44	7997	030 2616	7419	065 2513	8007	4009	118 0628	7978	16
45	013 0907	5528	048 0334	5435	083 0936	6947	3578	136 0940	15
46	3817	8439	3250	8356	3865	9886	6528	3903	14
47	6726	031 1351	6166	066 1278	6794	101 2824	9478	6866	13
48	9635	4263	9082	4199	9723	5763	119 2428	9830	12
49	014 2547	7174	049 1997	7121	084 2653	8702	5378	137 2793	11
50	5454	032 0086	4913	067 0043	5583	102 1641	8329	5757	10
51	8364	2998	7823	2905	8512	4580	120 1279	8721	9
52	015 1277	5910	050 0746	5887	085 1442	7520	4230	138 1685	8
53	4186	8822	3662	8809	4372	103 0490	7182	4650	7
54	7095	033 1734	6578	068 1732	7302	3399	121 0133	7615	6
55	016 0002	4646	9495	4654	086 0233	6310	3085	139 0550	5
56	2912	7558	051 2411	7577	3163	9280	6036	3545	4
57	5821	034 0471	5328	069 0499	6094	104 2220	9898	6510	3
58	8731	3383	8244	3422	9025	5167	122 1941	9476	2
59	017 1641	6295	052 1161	6345	087 1956	8101	4893	140 2442	1
60	4551	9208	4078	9268	4887	105 1042	7846	5408	0
/	89°	88°	87°	86°	85°	84°	83°	82°	/

	8°	9°	10°	11°	12°	13°	14°	15°	
0	140 5408	158 3844	176 3270	194 3800	212 5566	231 8082	249 3280	237 9492	60
1	8375	6825	6209	6825	8606	231 1746	6370	268 2510	59
2	141 1344	9899	9239	9847	213 1647	4811	9460	5728	58
3	4304	159 2701	177 2269	195 2861	4688	7876	250 2551	8847	57
4	7270	5774	5270	5881	7730	232 0941	5642	269 1967	56
5	142 0243	8757	8270	8901	214 0772	4097	8734	5087	55
6	3211	160 1740	178 1271	196 1922	3814	7073	251 1826	8207	54
7	6179	4724	4273	4943	6857	223 0140	4919	270 1328	53
8	9147	7708	7274	7964	9900	3207	8012	4449	52
9	143 2115	161 0692	179 0276	197 0981	215 2944	6274	252 1106	7571	51
10	5084	3677	3279	4005	5988	9342	4200	271 0694	50
11	8053	6662	6281	7031	9032	234 2410	7294	3817	49
12	144 1022	9647	9284	198 0053	216 2077	5479	253 0389	6940	48
13	3991	162 2632	180 2287	3076	5122	8548	3484	272 0064	47
14	6961	5618	5291	6100	8167	235 1617	6580	3183	46
15	9331	8603	8295	9124	217 1213	4387	9676	6313	45
16	145 2901	163 1590	181 1299	199 2148	4259	7758	254 2773	9488	44
17	5872	4576	4303	5172	7306	236 0829	5870	273 2564	43
18	8842	7563	7308	8197	218 0353	3900	8968	5690	42
19	146 1813	164 0550	182 0313	200 1222	3400	6971	255 2066	8817	41
20	4784	3537	3319	4248	6448	237 0044	5165	274 1945	40
21	7750	6525	6324	7274	9496	3116	8264	5072	39
22	147 0727	9513	9339	201 0300	219 2544	6189	256 1363	8201	38
23	3639	165 2501	183 2337	3327	5593	9262	4163	275 1330	37
24	6672	5489	5143	6354	8643	238 2336	7564	4459	36
25	9644	8478	8350	9381	220 1692	5410	257 0664	7589	35
26	148 2617	166 1467	184 1358	202 2409	4742	8485	3766	276 0719	34
27	5590	4456	4365	5437	7793	239 1560	6868	3850	33
28	8563	7446	7373	8465	221 0844	4635	9370	6981	32
29	149 1536	167 0436	185 0382	203 1494	3895	7711	258 3073	277 0113	31
30	4510	3426	3330	4523	6947	240 0788	6176	3245	30
31	7484	6417	6339	7552	9999	3864	9280	6378	29
32	150 0458	9407	9409	204 0582	223 3051	6942	259 2384	9512	28
33	3433	168 2398	186 2418	3612	6104	241 0019	5488	278 2646	27
34	6408	5390	5128	6643	9157	3097	8593	5780	26
35	9383	8381	8439	9674	223 2211	6176	260 1699	8915	25
36	151 2358	169 1373	187 1448	205 2705	5265	9255	4805	279 2050	24
37	5333	4366	4460	5737	8319	242 2334	7911	5186	23
38	8303	7358	7471	8769	224 1374	5414	261 1018	8322	22
39	152 1285	170 0351	188 0483	206 1801	4429	8494	4126	280 1459	21
40	4262	3344	3495	4834	7485	243 1575	7234	4597	20
41	7238	6338	6507	7867	225 0541	4656	262 0342	7735	19
42	153 0215	9331	9520	207 0900	3597	7737	3451	281 0873	18
43	3192	171 2325	189 2533	3934	6654	244 0819	6560	4012	17
44	6170	5320	5546	6968	9711	3902	9670	7152	16
45	9147	8314	8559	208 0003	226 2769	6984	263 2780	282 0292	15
46	154 2125	172 1303	190 1673	3038	5827	245 0068	5891	3432	14
47	5103	4304	4587	6073	8885	3151	9002	6573	13
48	8082	7300	7602	9100	227 1944	6236	264 2114	9715	12
49	155 1061	173 0296	191 0617	209 2145	5003	9320	6226	283 2857	11
50	4040	3292	3632	5181	8063	246 2405	8339	5999	10
51	7019	6288	6648	8218	228 1123	5491	265 1452	9143	9
52	9998	9285	9664	210 1255	4184	8577	4566	284 2286	8
53	156 2978	174 2282	192 2680	4293	7244	247 1663	7680	5430	7
54	5958	5279	5696	7331	229 0396	4750	266 0794	8575	6
55	8939	8277	8713	211 0364	3367	7837	3909	285 1720	5
56	157 1919	175 1275	193 1731	3107	6423	248 0925	7025	4866	4
57	4900	4273	4748	6443	9492	4013	267 0141	8012	3
58	7881	7272	7766	9180	230 2555	7102	3257	286 1159	2
59	158 0863	176 0271	194 0744	212 2525	5618	249 0191	6374	4306	1
60	3844	3270	3803	5560	8682	3280	9492	7454	0
	81°	80°	79°	78°	77°	76°	75°	74°	

	16°	17°	18°	19°	20°	21°	22°	23°	
0	286 7454	305 7307	324 9197	344 3276	363 970	383 8640	404 0262	424 4746	60
1	287 0602	306 0488	325 2415	345 0530	364 2997	384 1978	405 3640	425 8182	59
2	3751	3070	5630	9785	629	5317	7051	425 1610	58
3	6900	6852	884	345 5040	958	8654	405 0417	5051	57
4	288 0050	307 0034	326 206	346 0290	365 288	385 1990	406 0417	426 192	56
5	3201	3218	528	9553	618	5337	7191	426 192	55
6	6352	6402	850	346 2810	948	8675	406 0579	5301	54
7	9503	9560	327 1724	6068	366 277	386 2021	3908	8800	53
8	289 2655	308 2771	328 4944	347 9327	367 607	387 5304	407 7358	427 2230	52
9	5808	5957	8165	347 2580	937	8708	407 0748	5680	51
10	8961	9143	328 1387	5846	367 2680	387 205	4139	9121	50
11	290 2114	309 2330	329 4610	348 9107	368 598	388 5398	408 7531	428 2565	49
12	5269	5517	7833	348 2368	928	8741	408 0924	6005	48
13	8423	8705	329 1050	5630	368 2587	388 2091	4318	9446	47
14	291 1578	310 1893	330 4281	349 8893	369 580	389 5430	409 7713	429 2894	46
15	4734	5083	7507	349 2156	919	8787	409 1108	6339	45
16	7890	8272	330 0731	5420	369 2508	389 2130	4504	9785	44
17	292 1047	311 1462	331 3957	350 8685	370 580	390 5480	410 7901	430 3232	43
18	4205	4653	7184	350 1956	911	8837	410 1299	6650	42
19	7363	7845	331 0411	5210	370 2420	390 2189	4697	431 0129	41
20	293 0521	312 1036	332 3039	351 8483	371 572	391 5541	411 8097	432 3579	40
21	3680	4229	6868	351 1750	9030	8894	411 1497	7030	39
22	6839	7422	332 0097	5018	371 234	391 2247	4898	432 0481	38
23	9993	313 0616	333 8287	352 5650	372 5602	392 8300	412 1703	3938	37
24	294 3160	314 3810	334 6557	353 1550	373 8967	393 8957	413 1703	7386	36
25	6321	7005	9788	353 4820	374 2278	394 2313	5100	433 0840	35
26	9483	314 0200	335 3020	8090	375 559	395 5670	8510	4295	34
27	295 2645	315 3396	336 6252	354 1368	376 8907	396 9027	414 1915	7751	33
28	5808	6593	9485	354 4640	377 2217	397 2386	5321	434 1208	32
29	8971	9790	334 2719	7912	378 5532	398 5745	8728	435 4666	31
30	296 2135	315 2988	335 5953	355 1186	379 8847	399 9105	415 2136	8124	30
31	5299	6186	9188	355 4460	380 216	399 2465	5544	435 1582	29
32	8464	9385	335 2424	7734	381 5471	399 5827	8953	5043	28
33	297 1630	316 2585	336 5680	356 1010	382 8797	399 9189	416 2363	8504	27
34	4796	5785	8890	356 4286	383 2116	399 5552	5774	436 1962	26
35	7962	8986	336 2134	7562	384 5432	399 5910	9186	5429	25
36	298 1129	317 2187	337 537	357 0840	385 875	399 9280	416 2598	8892	24
37	4297	5389	8610	357 4118	386 2075	399 2645	6012	437 2357	23
38	7465	8591	337 1850	7397	387 5394	399 6011	9426	5823	22
39	299 0634	318 1794	338 5090	358 0676	388 8710	399 9378	417 2841	9289	21
40	3803	4998	8330	358 3950	389 2038	399 2740	6257	438 2750	20
41	6973	8202	338 1571	7237	390 5361	399 6114	9673	6224	19
42	300 0144	319 1407	339 4813	359 0518	391 8685	399 9483	418 3091	9099	18
43	3315	4613	8057	359 3801	392 2010	399 2852	6509	439 3167	17
44	6486	7819	339 1290	7083	393 5335	399 6224	9928	6634	16
45	9658	320 1025	340 4543	359 0307	8661	399 9595	419 3348	440 0105	15
46	301 2831	321 4232	341 7787	360 3651	394 2988	399 2968	6769	3578	14
47	6004	7440	340 1032	6936	395 5315	399 6341	420 0190	7051	13
48	9178	321 0649	341 4278	360 0222	8644	399 9715	3613	441 0520	12
49	302 2352	322 3558	342 7524	361 3508	396 1971	400 3089	7036	4001	11
50	5527	7067	341 0771	6795	397 5302	400 6465	421 0400	7477	10
51	8703	322 0278	342 4019	361 0082	8633	399 9841	3885	442 0954	9
52	303 1879	323 3489	343 7267	362 3371	398 1964	401 3218	7311	4432	8
53	5055	6700	342 0516	6660	399 5297	401 6597	422 0738	7910	7
54	8232	9912	3705	9940	400 8629	401 9974	4165	443 1390	6
55	304 1410	323 3125	344 7015	363 3240	399 1962	402 3354	7594	4871	5
56	4588	6338	343 0200	6531	400 5290	402 6734	423 1023	8352	4
57	7767	9552	3518	9823	401 8631	403 0115	4453	444 1834	3
58	305 0946	324 2766	344 6770	363 3115	399 1967	401 3496	7884	5318	2
59	4126	5981	344 0023	6408	400 5302	401 6879	424 1316	8802	1
60	7307	9197	3276	9702	401 8640	402 0262	4748	445 2287	0
/	73°	72°	71°	70°	69°	68°	67°	66°	/

	24°	25°	26°	27°	28°	29°	30°	31°	/
0	445 2287	466 3077	487 7326	509 5254	531 7091	554 3091	577 3503	600 8006	60
1	5773	66.8	488 0927	8919	532 0826	6894	7382	601 2566	59
2	9260	467 0161	4530	510 2385	4559	555 0638	578 1207	6527	58
3	146 2747	3705	8133	6252	8293	4534	5144	602 0190	57
4	6236	7200	489 1737	9919	533 2029	8311	9027	4454	56
5	9726	468 0796	5343	511 3588	5765	556 2119	579 2912	8419	55
6	147 3216	4342	8919	7259	9503	5929	6797	603 2386	54
7	0708	7690	490 2557	512 0930	534 3242	9733	580 0684	6354	53
8	148 0200	469 1439	6166	4602	6981	557 3551	4573	604 0323	52
9	3693	4988	9775	8275	535 0723	7364	8462	4294	51
10	7187	8539	491 3386	513 1950	4465	558 1179	581 2353	8266	50
11	449 0682	470 2090	6997	5625	8208	4994	6245	605 2240	49
12	4178	5643	492 0610	9302	536 1953	8811	582 0139	6215	48
13	7675	9196	4224	514 2980	5699	559 2629	4034	606 0192	47
14	450 1173	471 2751	7838	6658	9446	6449	7930	4170	46
15	4672	6306	493 1454	515 0338	537 3194	560 0209	583 1828	8149	45
16	8171	9863	5071	4019	6943	4091	5726	607 2130	44
17	451 1672	472 3420	8689	7702	538 0694	7914	9027	6112	43
18	5173	6978	494 2308	516 1385	4445	561 1738	584 3528	608 0095	42
19	8676	473 0538	5928	5069	8198	5564	7431	4080	41
20	452 2179	4098	9549	8755	539 1952	9391	585 1335	8067	40
21	5683	7659	495 3171	517 2441	5707	562 3219	5241	609 2054	39
22	9188	474 1222	6794	6129	9464	7048	9148	6043	38
23	453 2694	4753	496 0418	9818	540 3221	563 0879	586 3056	610 0034	37
24	6201	8349	4043	518 3508	6380	4710	6965	4026	36
25	9709	475 1914	7669	7199	541 0740	8543	587 0876	8019	35
26	454 3218	5451	497 1297	519 0891	4501	564 2378	4788	611 2014	34
27	6728	9048	4925	4584	8263	6213	8702	6011	33
28	455 0238	476 2618	8554	8278	542 2027	565 0050	588 2616	612 0008	32
29	3750	6185	498 2185	520 1974	5791	3888	6533	4007	31
30	7263	9755	5816	5671	9557	7728	589 0450	8008	30
31	456 0776	477 3326	9449	9368	543 3324	566 1568	4369	613 2010	29
32	4290	6899	499 3082	521 3067	7092	5410	8289	6013	28
33	7806	478 0472	6717	6767	544 0862	9254	590 2211	614 0018	27
34	457 1322	4046	500 0352	522 0468	4632	567 3098	6134	4024	26
35	4839	7621	3989	4170	8404	6944	591 0058	8032	25
36	8357	479 1197	7627	7874	545 2177	568 0791	3384	615 2041	24
37	458 1877	4774	501 1266	523 1578	5951	4639	7910	6052	23
38	5397	8352	4906	5284	9727	8488	592 1839	616 0064	22
39	8918	480 1932	8547	8930	546 3503	569 2339	5768	4077	21
40	459 2489	5512	502 2189	524 2698	7281	6191	9639	8092	20
41	5962	9093	5832	6407	547 1060	570 0045	593 3632	617 2108	19
42	9486	481 2675	9476	525 0117	4840	3909	7565	6126	18
43	460 3011	6258	503 3121	3829	8621	7755	594 1501	618 0145	17
44	6337	9842	6768	7541	548 2404	571 1612	5437	4166	16
45	461 0063	482 3427	504 0415	526 1255	6188	5471	9375	8188	15
46	3591	7014	4063	4969	9973	9331	595 3314	619 2211	14
47	7119	483 0601	7713	8685	549 3759	572 3192	7255	6236	13
48	462 0649	4189	505 1363	527 2402	7547	7054	596 1196	620 0263	12
49	4179	7778	5015	6120	550 1335	573 0918	5140	4291	11
50	7710	484 1368	8668	9839	5125	4783	9084	8320	10
51	463 1243	4959	506 2322	528 3560	8916	8649	597 3030	621 2351	9
52	4776	8552	5977	7281	551 2708	574 2516	6978	6383	8
53	8310	485 2145	9633	529 1004	6502	6385	598 0926	622 0417	7
54	464 1845	5739	507 3290	4727	552 0297	575 0255	4877	4452	6
55	5382	9334	6948	8452	4093	4126	8828	8485	5
56	8919	486 2931	508 0607	530 2178	7890	7999	599 2781	623 2527	4
57	465 2457	6528	4267	5906	553 1688	576 1873	6735	6569	3
58	5996	487 0126	7929	9634	5488	5748	600 0691	624 0607	2
59	9536	3723	509 1591	531 3364	9288	9025	4648	4650	1
60	466 3077	7326	5254	7394	554 3091	577 3503	8606	8694	0
/	65°	64°	63°	62°	61°	60°	59°	58°	/

	32°	33°	34°	35°	36°	37°	38°	39°	
0	624 8694	649 4076	674 5085	700 2075	726 5425	753 5541	781 2856	809 7840	60
1	625 2739	8212	9318	6411	9871	754 0102	7542	810 2658	59
2	6786	660 2350	675 3553	701 0749	727 4311	4866	782 2220	7478	58
3	626 0834	6490	7790	5089	8705	9232	6919	811 2100	57
4	4884	651 0631	676 2028	9430	728 3211	755 3739	783 1611	7124	56
5	8935	4774	6268	702 3773	7671	8569	6305	812 1951	55
6	627 2988	8918	677 0509	8111	729 2125	756 2911	784 1001	6780	54
7	7042	652 3064	4752	703 2464	6522	7514	5700	813 1611	53
8	628 1098	7211	8997	6811	730 1041	757 2090	785 0400	6441	52
9	5155	653 1360	678 3243	704 1160	5501	6668	5105	814 1280	51
10	9214	5511	7492	5515	9963	758 1248	9805	C118	50
11	629 3274	9663	679 1741	9861	731 4428	5829	786 4511	815 0958	49
12	7336	654 3817	5993	705 4224	8894	759 0413	9224	5801	48
13	630 1399	7972	680 0246	8581	732 3362	4999	787 3935	816 0641	47
14	5464	655 2129	4501	706 2940	7832	9587	8649	5493	46
15	9530	6287	8758	7301	733 2903	760 4177	788 3364	817 0343	45
16	631 3598	656 0447	681 3016	707 1664	6777	8769	8082	5195	44
17	7667	4609	7276	6025	734 1253	761 3363	789 2802	818 0049	43
18	632 1738	8772	682 1537	708 0391	5736	7959	7524	4905	42
19	5810	657 2937	5801	4762	735 0210	762 2557	790 2248	9764	41
20	9883	7103	683 0066	9133	4691	7157	6975	819 4625	40
21	633 3959	658 1271	4333	709 3504	9174	763 1759	791 1703	9488	39
22	8035	5441	8001	7875	736 3666	6363	6434	820 4354	38
23	634 2113	9612	684 2871	710 2255	8147	764 0969	792 1167	9222	37
24	6193	659 3785	7143	6630	737 2636	5577	5902	821 4093	36
25	635 0274	7900	685 1416	711 1009	7127	765 0188	793 0640	8905	35
26	4357	660 2136	5632	5396	738 1620	4800	5379	822 3849	34
27	8441	6313	9969	9772	6115	9414	794 0121	8718	33
28	636 2527	661 0492	686 4247	712 4157	739 0611	766 4031	4865	823 3597	32
29	9614	4673	8528	8542	5116	8649	9611	8479	31
30	637 0703	8856	687 2810	713 2931	9611	767 3270	795 4359	824 3364	30
31	4793	662 3040	7093	7320	40 4111	7893	9110	8251	29
32	8885	7225	688 1379	714 1712	8615	768 2517	796 3862	825 3140	28
33	638 2978	663 1413	5668	6106	741 3124	7144	8617	8031	27
34	7073	5601	9255	715 0501	7633	769 1773	797 3374	826 2925	26
35	639 1169	9792	689 4246	4895	742 2142	6404	8134	7821	25
36	5267	664 3984	8538	9297	6655	770 1037	798 2895	827 2719	24
37	9366	8178	690 2832	716 3698	743 1170	5672	7659	7620	23
38	640 3467	665 2373	7125	8100	5686	771 0309	799 2425	828 2523	22
39	7569	6570	691 1425	717 2501	744 0204	4948	7193	7429	21
40	641 1673	666 0769	5725	6911	4724	9589	800 1963	829 2337	20
41	5779	4969	692 0026	718 1319	9241	772 4233	6736	7247	19
42	9886	9171	4328	5729	746 3770	8878	801 1511	830 2160	18
43	642 3994	667 3374	8633	719 0141	8296	773 3526	6288	7075	17
44	8105	7580	693 2939	4551	746 2824	8176	802 1067	831 1992	16
45	643 2216	668 1786	7247	8976	7354	774 2827	5849	6912	15
46	6329	5995	694 1557	720 3387	747 1886	7481	803 0632	832 1834	14
47	644 0444	669 0205	5868	7806	6420	775 2137	5418	6759	13
48	4560	4117	695 0181	721 2227	748 0956	6795	804 0207	833 1686	12
49	8678	8630	4496	6656	5194	776 1455	4997	6615	11
50	645 2797	670 2845	8813	722 1075	749 0033	6118	9790	834 1547	10
51	6918	7061	696 3131	5502	4575	777 0782	805 4584	6481	9
52	646 1041	671 1280	7461	9930	9119	5448	9382	835 1418	8
53	5165	5500	697 1773	723 4361	750 3665	778 0117	806 4181	6357	7
54	9290	9721	6097	8791	8212	4788	8982	836 1298	6
55	647 3417	672 3944	698 0422	724 3227	751 2762	9490	807 3787	6242	5
56	7546	8169	4749	7663	7314	779 4135	8591	837 1188	4
57	648 1676	673 2396	9078	725 2101	752 1867	8812	808 3401	6136	3
58	5808	6624	699 3409	6546	6423	780 3492	8211	838 1087	2
59	9041	674 0854	7741	726 0982	753 0981	8173	809 3025	6041	1
60	649 4076	5085	700 2075	5425	5541	781 2856	7840	839 0996	0
	57°	56°	55°	54°	53°	52°	51°	50°	

	40°	41°	42°	43°	44°	45°	46°	47°
0	839 0996	869 2867	900 4040	932 5151	965 6888	1-00 00000	1-03 55303	1-07 23687
1	5955	7976	9305	933 (59)	966 2511	05819	61333	29943 59
2	840 0915	870 3087	901 4586	934 1479	967 3767	11642	67367	36203 58
3	5878	8200	9554	934 1479	967 3767	17469	73404	42467 57
4	841 0844	871 3311	902 5131	935 2380	968 5035	23298	79415	48734 56
5	5812	8435	903 0411	935 2380	968 5035	29131	85489	55006 55
6	842 0752	872 3554	904 0974	936 3202	969 0674	34968	91538	61282 54
7	5755	8080	904 0974	936 3202	969 0674	40807	97589	67561 53
8	843 0730	873 3806	905 1557	937 4216	970 1962	4651	1-04 03645	73845 52
9	5708	8935	905 1557	937 4216	970 1962	52497	09704	80132 51
10	844 0688	874 4067	906 2147	938 5153	971 3262	58248	15767	86423 50
11	5670	9201	906 2147	938 5153	971 3262	64201	21833	92718 49
12	845 0655	875 4338	907 2748	939 0625	972 4575	70058	27904	99018 48
13	5643	9478	907 2748	939 0625	972 4575	75918	33977	1-08 05321
14	846 0633	876 4620	908 3360	940 1579	973 0236	81782	40055	11628 47
15	5625	9765	908 3360	940 1579	973 0236	87649	46136	17939 45
16	847 0620	877 4912	909 3994	941 2545	974 1509	93520	52221	24254 44
17	5617	978 0062	909 3994	941 2545	974 1509	99394	58310	30573 43
18	848 0617	879 0370	910 4619	942 3523	975 2914	105272	64402	36896 42
19	5619	979 0370	910 4619	942 3523	975 2914	11153	70498	43223 41
20	849 0624	880 0488	911 5265	943 4513	976 4272	17038	76598	49554 40
21	5631	912 0592	911 5265	943 4513	976 4272	22925	82702	55880 39
22	850 0640	882 0107	912 0592	944 0013	977 5643	28817	88809	62228 38
23	5653	918 1255	912 0592	944 0013	977 5643	34712	94920	68571 37
24	851 0607	883 1707	913 1255	945 1021	978 1333	40610	1-05 01034	74916 36
25	5684	9522	913 1255	945 1021	978 1333	46512	07153	81209 35
26	852 0704	884 2068	914 1929	946 2042	979 2724	52418	13275	8724 34
27	5726	9591	914 1929	946 2042	979 2724	58326	19401	95984 33
28	853 0750	885 2522	915 2615	947 3074	980 4127	64239	25531	1-06 03077
29	5777	9631	915 2615	947 3074	980 4127	70155	31664	06714 31
30	854 0807	886 2822	916 3312	948 4119	981 5543	76074	37801	13085 30
31	5839	9682	916 3312	948 4119	981 5543	81997	43942	19460 29
32	855 0873	887 3215	917 4020	949 5176	982 1256	87923	50087	25840 28
33	5910	9709	917 4020	949 5176	982 1256	93853	56235	32223 27
34	856 0950	888 3619	918 4740	950 0709	983 2692	99786	62378	38610 26
35	5992	9737	918 4740	950 0709	983 2692	105723	68744	45002 25
36	857 1037	889 4033	919 0104	951 1784	984 4141	11664	74704	51397 24
37	6084	9759	919 0104	951 1784	984 4141	17608	80367	57797 23
38	858 1133	889 4338	920 0841	952 2871	985 5603	23555	87735	64201 22
39	6185	9782	920 0841	952 2871	985 5603	29506	95206	70609 21
40	859 1240	890 4658	921 1590	953 3971	986 1339	35461	99381	77020 20
41	6297	9804	921 1590	953 3971	986 1339	41419	1-06 05560	83436 19
42	860 1357	891 4894	922 2350	954 5083	987 2821	47381	11742	89687 18
43	6419	9825	922 2350	954 5083	987 2821	53346	17929	96281 17
44	861 1484	892 0116	923 3122	955 1774	988 4316	59315	24119	1-10 02709
45	6551	9832	923 3122	955 1774	988 4316	65287	30313	09141 15
46	862 1621	893 0509	924 3905	956 2917	989 0069	71263	36511	15578 14
47	6691	9841	924 3905	956 2917	989 0069	77243	42713	22019 13
48	863 1768	894 1032	925 4700	957 4141	990 1584	83226	48918	28463 12
49	6846	9851	925 4700	957 4141	990 1584	89212	55128	34912 11
50	864 1926	895 1500	926 5506	958 5241	991 1991	95203	61341	41365 10
51	7009	9864	926 5506	958 5241	991 1991	101196	67558	47823 9
52	865 2094	896 1991	927 0914	960 0829	992 4654	07194	73779	54284 8
53	7181	9878	927 0914	960 0829	992 4654	13195	80004	60750 7
54	866 2272	897 2487	928 1754	961 2016	993 5666	19199	86233	67219 6
55	7365	9889	928 1754	961 2016	993 5666	25208	92466	73693 5
56	867 2460	898 2994	929 2573	962 3215	994 1991	31220	98702	80171 4
57	7538	9894	929 2573	962 3215	994 1991	37255	1-07 04943	86653 3
58	868 2659	899 3512	930 3421	963 4427	995 3566	43254	11187	93146 2
59	7762	9904	930 3421	963 4427	995 3566	49277	17435	99690 1
60	869 2867	900 4040	931 4280	964 5651	996 5154	55303	23687	1-11 06125
	49°	48°	47°	46°	45°	44°	43°	42°

	48°	49°	50°	51°	52°	53°	54°	
0	1-11 06725	1-15 03684	1-19 17536	1-23 43972	1-27 93418	1-32 70448	1-37 63819	60
1	15824	10445	24579	56319	1-28 07094	78483	72242	59
2	19127	17210	31626	63672	14776	86524	80672	58
3	25635	23979	38579	71030	22465	94571	89108	57
4	32146	30754	45736	78393	30160	1-33 02624	97551	56
5	38662	37532	52799	85762	37800	10684	1-38 06001	55
6	45182	44316	59866	93136	45566	18750	14458	54
7	51706	51104	66938	1-24 00515	53277	26822	22922	53
8	58235	57893	74015	07900	60995	34900	31392	52
9	64768	64693	81097	15290	68718	42984	39689	51
10	71305	71495	88184	22685	76447	51075	48353	50
11	77846	78301	95276	30086	84182	59172	56844	49
12	84391	85112	1-20 02373	37492	91922	67276	65342	48
13	90941	91927	09475	44903	99609	75386	73847	47
14	97495	98747	16581	52320	1-29 07421	83502	82358	46
15	1-12 04053	1-16 05571	23093	59742	15179	91024	90876	45
16	10616	12400	30810	67169	22943	99753	99401	44
17	17183	19294	37932	74602	30713	1-34 07888	1-39 07934	43
18	23754	26073	45058	82040	38488	16029	16473	42
19	30329	32916	52190	89484	46270	24177	25019	41
20	36909	39763	59327	96933	64507	32351	33571	40
21	43493	46615	60468	1-25 04388	61850	40492	42131	39
22	50081	53472	73615	11848	69649	48658	50698	38
23	56674	60334	80767	19313	77454	56832	59272	37
24	63271	67200	87924	26784	85265	65011	67852	36
25	69872	74071	95085	34200	93081	73198	76440	35
26	76478	80947	1-21 02252	41742	1-30 00904	81390	85034	34
27	83088	87827	09424	49229	08733	89539	93636	33
28	89702	94712	16601	56721	16567	97994	1-40 02245	32
29	96321	1-17 01601	23783	64219	24407	1-35 06006	10860	31
30	1-12 02944	08496	30970	71723	32254	14224	19483	30
31	99571	15395	38162	79232	40106	22449	28113	29
32	16203	22298	45359	86747	47964	30680	36749	28
33	22839	29207	52562	94267	55828	38918	45393	27
34	29479	36120	59769	1-26 01792	63699	47162	54044	26
35	36124	43038	66982	09323	71576	55413	62702	25
36	42773	49960	74199	16860	79457	63677	71367	24
37	49427	56888	81422	24402	87345	71934	80039	23
38	56085	63820	88650	31950	95239	80204	88718	22
39	62747	70756	95883	39503	1-31 03140	88481	97405	21
40	69414	77696	1-22 03121	47062	11046	96764	1-41 06098	20
41	76086	84644	10364	54826	18958	1-36 05054	14799	19
42	82761	91595	17613	62196	23876	13350	23506	18
43	89441	98551	24966	69772	34801	21653	32221	17
44	96126	1-18 05512	32125	77353	42731	29963	40943	16
45	1-14 02815	12477	39389	84940	50668	38279	48673	15
46	09508	19447	46658	92532	58610	46602	58400	14
47	16206	26422	53932	1-27 00130	66559	54931	67153	13
48	22908	33402	61211	07733	74513	63297	75904	12
49	29615	40337	68496	15342	82474	71610	84662	11
50	36326	47376	75786	22957	90441	79959	93427	10
51	43041	54370	83081	30578	98414	88315	1-42 02200	9
52	49762	61369	90381	38204	1-32 06393	96678	10979	8
53	56486	68373	97687	45835	14379	1-37 05047	19766	7
54	63215	75382	1-23 04997	53473	22370	13423	28561	6
55	69949	82395	12313	61116	39368	21806	37362	5
56	76687	89414	19634	68765	38371	30195	46171	4
57	83429	96437	26961	76419	46381	38591	54988	3
58	90176	1-19 03465	34292	84079	54397	46994	63811	2
59	96923	10498	41629	91745	62420	55403	72642	1
60	1-15 03684	17536	43972	93416	70448	63819	81480	0
	41°	40°	39°	38°	37°	36°	35°	

	55°	56°	57°	58°	59°	60°	61°	
0	1-42 81480	1-48 25610	1-53 98650	1-60 03345	1-66 42795	1-73 20508	1-80 40478	60
1	90320	34916	1-54 08160	13709	53766	32149	52860	59
2	99178	44231	18280	24082	64748	43803	66256	58
3	1-43 08030	53554	28108	34465	75741	55468	77664	57
4	16900	62884	37946	44858	80744	67144	90086	56
5	25781	72223	47792	55260	97758	78833	1-81 02521	55
6	34664	81570	57647	65672	1-67 08782	90533	14969	54
7	43554	90925	67510	76094	19818	1-74 02245	27430	53
8	52451	1-49 00288	77333	86523	30864	13969	39904	52
9	61350	09656	87264	96966	41921	25705	52391	51
10	70268	19039	97155	1-61 07417	52988	37453	64892	50
11	79187	28420	1-55 07054	17878	64067	49213	77405	49
12	88114	37822	16963	28349	75150	60984	89932	48
13	97049	47225	26880	38829	86256	72768	1-82 02473	47
14	1-44 05991	56637	36806	49320	97367	84564	15026	46
15	14940	66058	46741	59820	1-68 08489	96371	27593	45
16	23897	75480	56855	70330	19621	1-75 08191	40173	44
17	32862	84923	66639	80850	30765	20023	52767	43
18	41834	94367	76601	91380	41919	31866	66374	42
19	50814	1-50 03821	86572	1-62 01920	53085	43722	77994	41
20	59801	13282	96552	12469	64261	55590	90628	40
21	68796	22751	1-56 06542	23029	75449	67470	1-83 03275	39
22	77798	32229	16540	33599	86647	79362	15936	38
23	86808	41710	26548	44178	97856	91267	28610	37
24	95825	51210	36564	54768	1-69 09077	1-76 03183	41297	36
25	1-45 04850	60713	46590	65368	20308	15112	53999	35
26	13883	70224	56625	75977	31550	27053	66713	34
27	22923	79743	66609	86597	42804	39007	79442	33
28	31971	89271	76722	97227	54069	50972	92184	32
29	41027	98807	86784	1-63 07867	65344	62950	1-84 04940	31
30	50090	1-51 08352	96856	18517	76631	74940	17709	30
31	59161	17905	1-57 06936	29177	87929	86943	30492	29
32	68240	27466	17026	39847	99238	98958	43289	28
33	77326	37036	27126	50528	1-70 10559	1-77 10985	56099	27
34	86420	46614	37234	61218	21890	23024	68023	26
35	95522	56201	47352	71919	33233	35076	81761	25
36	1-46 04632	65796	57479	82630	44587	47141	94613	24
37	13744	75400	67615	93351	55953	59218	1-85 07479	23
38	22874	85012	77760	1-64 04082	67329	71307	20358	22
39	32007	94632	87915	14824	78717	83409	33252	21
40	41147	1-52 04261	98079	25576	90116	95524	46159	20
41	50296	13899	1-58 08253	36338	1-71 01527	1-78 07651	59080	19
42	59452	23545	18436	47111	12949	19790	72015	18
43	68616	33200	28628	57893	24382	31943	84965	17
44	77788	42863	38830	68687	35827	44107	97928	16
45	86967	52535	49041	79490	47283	56285	1-86 10905	15
46	96155	62215	59261	90304	58751	68475	23896	14
47	1-47 03350	71904	69491	1-65 01128	70230	80678	36902	13
48	14553	81602	79731	11963	81720	92893	49921	12
49	23764	91308	89979	22808	93222	1-79 05121	62955	11
50	32983	1-63 01023	1-59 00238	33663	1-72 04736	17362	76003	10
51	42210	10748	10505	44529	16261	29616	89065	9
52	51445	20479	20783	55405	27797	41883	1-87 02141	8
53	60648	30219	31070	66292	39346	54162	15231	7
54	69938	39369	41366	77159	50905	66451	28336	6
55	79197	49727	51672	88097	62477	78759	41555	5
56	88433	59494	61987	99016	74060	91077	54588	4
57	97738	69270	72312	1-66 09345	85654	1-80 03408	67736	3
58	1-48 07021	79054	82647	20884	97260	15751	80898	2
59	16311	88848	92031	31834	1-73 08878	23198	94074	1
60	26610	98650	1-60 03345	42795	20508	40478	1-88 07265	0
/	34°	33°	32°	31°	30°	29°	28°	/

	62°	63°	64°	65°	66°	67°	68°	
0	1-88 07265	1-96 26105	2-05 03038	2-14 45069	2-24 60368	2-35 68524	2-47 50869	60
1	20470	40227	18185	61366	77962	77590	71612	59
2	33690	54364	33349	77683	95580	96683	92386	58
3	46924	68518	48531	94021	2-25 13221	2-36 15801	2-48 13190	57
4	60172	82688	68732	2-15 10378	30885	34946	34023	56
5	73436	96874	78950	26757	48672	54118	54687	55
6	86713	1-97 11077	94187	43166	66283	73316	75781	54
7	1-89 00006	25296	2-06 09442	59575	84016	92540	96706	53
8	13313	39531	24716	76015	2-26 01773	2-37 11791	2-49 17660	52
9	26635	53782	40008	92476	19554	31068	38645	51
10	39971	68050	55318	2-16 08958	37357	50372	59661	50
11	53322	82334	70646	25400	55184	69703	80707	49
12	66688	96635	85994	41983	73035	90960	2-50 01784	48
13	80068	1-98 10952	2-07 01359	58527	90909	2-38 08444	22891	47
14	93464	25286	16743	75091	2-27 08807	27855	44029	46
15	1-90 06874	39636	32146	91677	2-27 06729	47293	65198	45
16	20299	54003	47567	2-17 08283	44674	66758	86398	44
17	33738	68387	63007	24911	62643	86250	2-51 07629	43
18	47193	82787	78465	41559	80636	2-39 05769	28890	42
19	60663	97204	93942	58229	98653	25316	50183	41
20	74147	1-99 11637	2-08 09438	74920	2-28 16693	44889	71507	40
21	87647	26087	24953	91631	34758	64490	92863	39
22	1-91 01162	40554	40487	2-18 08364	52846	84118	2-52 14249	38
23	14691	55038	56039	25119	70959	2-40 03774	35667	37
24	28236	69539	71610	41894	89096	23457	57117	36
25	41795	84056	87200	58691	2-29 07257	43168	78598	35
26	55370	98590	2-09 02809	75510	25442	62906	2-53 00111	34
27	68900	2-00 13142	18437	92349	43651	82672	21655	33
28	82565	27710	34085	2-19 09210	61885	2-41 02465	43231	32
29	96186	42295	49751	26093	80143	22286	64839	31
30	1-92 09821	56897	65436	42997	98425	42136	86479	30
31	23472	71516	81140	59923	2-30 16732	62013	2-54 08151	29
32	37138	86153	96864	76871	35064	81918	29855	28
33	50819	2-01 00806	2-10 12607	93840	53420	2-42 01851	51591	27
34	64516	15477	28369	2-20 10831	71801	21812	73359	26
35	78228	30164	44150	27843	90206	41801	95160	25
36	91956	44869	59951	44878	2-31 08637	61819	2-55 16992	24
37	1-93 05699	59592	75771	61934	27092	81864	38858	23
38	19457	74331	91611	79012	45571	2-43 01938	60756	22
39	33231	89088	2-11 07470	96112	64076	22041	82686	21
40	47020	2-02 05862	23348	2-21 13234	82606	42172	2-56 04649	20
41	60825	18654	39246	30379	2-32 01160	62331	26645	19
42	74645	33462	55164	47545	19740	82519	48674	18
43	88481	48289	71101	64733	38345	2-44 02736	70735	17
44	1-94 02333	63133	87057	81944	56975	22982	92830	16
45	16200	77994	2-12 03034	99177	75630	43256	2-57 14957	15
46	30083	92873	19030	2-22 16432	94311	63559	37118	14
47	43981	2-03 07769	35046	33709	2-33 13017	83891	59312	13
48	57896	22683	51082	51009	31748	2-45 04252	81539	12
49	71826	37615	67137	68331	50505	24642	2-58 03800	11
50	85772	52565	83213	85676	69287	45061	26094	10
51	99733	67532	99308	2-23 03043	88095	65510	48421	9
52	1-95 13711	82517	2-13 15423	20433	2-34 06928	85987	70782	8
53	27704	97519	31559	37845	25787	2-46 06494	99177	7
54	41713	2-04 12540	47714	55280	44672	27030	2-59 16606	6
55	55739	27578	68890	72738	62582	47590	38068	5
56	69780	42634	80085	90218	82519	68191	60564	4
57	88837	57708	96301	2-24 07721	2-35 01481	88816	83095	3
58	97910	72800	2-14 12537	25247	20469	2-47 09470	2-60 05659	2
59	1-96 12000	87910	28793	42796	39483	30155	28258	1
60	26105	2-05 03038	45669	60368	58524	50869	50891	0
/	27°	26°	25°	24°	23°	22°	21°	/

/	69°	70°	71°	72°	73°	74°	75°	/
0	2-60 50891	2-74 74774	2-90 42109	3-07 76835	3-27 08526	3-48 74144	3-73 20508	60
1	73558	99661	69576	3-08 07325	42588	3-49 12470	43360	59
2	92529	2-75 24588	97089	37869	76715	50874	3-74 07540	58
3	2-61 18995	43554	2-91 24649	68468	3-28 13007	89356	51207	57
4	41766	74561	52256	99122	45164	3-50 27916	94963	56
5	64571	99008	79099	3-09 29831	70487	66555	3-75 38815	55
6	87411	2-76 24695	2-92 07610	60596	3-29 15576	3-51 05273	82703	54
7	2-62 10286	49822	35358	91416	45330	44070	3-76 26807	53
8	33190	74990	63152	3-10 22291	82851	82946	70947	52
9	56141	2-77 00199	90995	53223	3-30 17438	3-52 21902	3-77 15185	51
10	79121	25448	2-93 18885	84210	52091	60938	59519	50
11	2-63 02136	50738	46822	3-11 15254	86811	3-53 00054	3-78 03951	49
12	25186	76069	74807	46353	3-31 21598	39251	48481	48
13	48271	2-78 01440	2-94 02840	77509	56452	78528	93109	47
14	71322	26853	30921	3-12 08722	91373	3-54 17886	3-79 37835	46
15	94549	52307	59050	33991	3-32 26362	57325	82061	45
16	2-64 17741	77802	87227	71317	61419	96846	3-80 27585	44
17	40969	2-79 03339	2-95 15453	3-13 02701	96543	3-55 36449	72609	43
18	64232	28917	43727	34141	3-33 31736	76133	3-81 17733	42
19	87531	54537	72050	65639	66997	3-56 15900	62957	41
20	2-65 10867	80198	2-96 00422	97194	3-34 02326	55749	3-82 08281	40
21	34238	2-80 05901	28842	3-14 28807	37724	95681	53707	39
22	57645	31646	57312	60478	73191	3-57 35696	99233	38
23	81089	57433	85831	92207	3-35 08728	75794	3-83 44861	37
24	2-66 04569	83263	2-97 14399	3-15 23994	44333	3-58 15975	90591	36
25	28085	2-81 09134	43016	55840	80008	56241	3-84 36424	35
26	51638	35048	71683	87744	3-36 15753	96500	82358	34
27	75227	61004	2-98 00400	3-16 19706	51568	3-59 37024	3-85 28396	33
28	98853	87003	29167	51728	87453	77543	74537	32
29	2-67 22516	2-82 13045	57983	83808	3-37 23408	3-60 18146	3-86 20782	31
30	46215	39129	86850	3-17 15948	59434	58835	67131	30
31	69951	65250	2-99 15766	48147	95531	99609	3-87 13584	29
32	93723	91426	44734	80406	3-38 31699	3-61 40469	60142	28
33	2-68 17535	2-83 17639	73751	3-18 12724	67938	81415	3-88 06805	27
34	41393	43896	3-00 02820	45102	3-39 04249	3-62 22447	53574	26
35	65267	70196	51939	77540	40631	63566	3-89 00448	25
36	89190	96539	61109	3-19 10039	77085	3-63 04771	47429	24
37	2-69 13149	2-84 22926	90330	42598	3-40 13612	46064	94516	23
38	37147	49356	3-01 19603	75217	50210	87444	3-90 41710	22
39	61181	75831	48926	3-20 07897	86882	3-64 28911	89011	21
40	85254	2-85 02349	78301	40638	3-41 23626	70467	3-91 36420	20
41	2-70 09364	28911	3-02 07728	73440	60443	3-65 12111	83937	19
42	33513	55517	37207	3-21 06304	97333	53844	3-92 31563	18
43	57699	82168	66737	39228	3-42 34297	95665	79297	17
44	81923	2-86 08863	96320	72215	71334	3-66 37575	3-93 27141	16
45	2-71 06186	35602	3-03 25954	3-22 05263	3-43 08446	79575	75094	15
46	30487	62386	55941	38373	45631	3-67 21665	3-94 23157	14
47	54826	89215	85381	71546	82891	63845	71331	13
48	79204	2-87 16088	3-04 15173	3-23 04780	3-44 20226	3-68 06115	3-95 19615	12
49	2-72 03620	43007	45018	38078	57635	48475	68011	11
50	28976	69970	74915	71438	95120	90927	3-96 16518	10
51	52569	96979	3-05 04866	3-24 04860	3-45 32679	3-69 33409	65137	9
52	77102	2-88 24033	34870	33346	70315	76104	3-97 13868	8
53	2-73 01674	51132	64928	71896	3-46 08026	3-70 18830	62712	7
54	26254	78277	95038	3-25 05508	45813	61648	3-98 11669	6
55	50934	2-89 05467	3-06 25203	39184	83676	3-71 04558	60739	5
56	75623	32704	55421	72924	3-47 21616	47561	3-99 09924	4
57	2-74 00352	53986	85694	3-26 06728	59632	90658	59223	3
58	25120	87814	3-07 19020	40506	97726	3-72 33647	4-00 08636	2
59	40927	2-90 14688	46400	74520	3-48 35396	77131	58165	1
60	74774	42109	76835	3-27 08526	74144	3-73 20508	4-01 07809	0
/	20°	19°	18°	17°	16°	15°	14°	/

	76°	77°	78°	79°	80°	81°	82°	
0	4-01 07809	4-33 14759	4-70 46301	5-1 445540	5-6 712818	6-3 137515	7-1 153697	60
1	57570	72316	4-71 13686	525557	809446	256601	304190	59
2	4-02 07446	4-34 30018	81250	605813	906394	376126	455308	58
3	57440	87866	4-72 49012	686311	5-7 003663	496092	607056	57
4	4-03 07550	4-35 45861	4-73 16354	767051	101256	616502	759437	56
5	57779	4-36 04003	85083	848035	199173	737359	912456	55
6	4-04 08125	62293	4-74 53401	929264	297416	858665	7-2 066116	54
7	585.0	4-37 20731	4-75 21907	5-2 010738	395988	980422	220422	53
8	4-05 09174	79317	96603	092459	494889	6-4 102633	375578	52
9	59877	4-38 38054	4-76 59490	174428	594122	225301	530987	51
10	4-06 10700	9 940	4-77 28568	256647	093688	348428	687255	50
11	61643	4-39 56977	97837	339116	793588	472017	844184	49
12	4-07 12707	4-40 15164	4-78 67300	421836	893235	596070	7-3 001780	48
13	63892	74504	4-79 36367	504809	994400	729591	160047	47
14	4-08 15199	4-41 33996	4-80 06808	588035	5-8 095315	845581	318989	46
15	60627	93641	76854	671517	196572	971043	478610	45
16	4-09 18178	4-42 53439	4-81 47096	755255	298172	6-5 096981	638916	44
17	69852	4-43 13392	4-82 17336	839251	490117	223396	799909	43
18	4-10 21649	73500	88174	923505	562410	350293	961595	42
19	73569	4-44 33762	4-83 59010	5-3 008018	605051	477672	7-4 123978	41
20	4-11 25614	94181	4-84 30045	092793	708042	605538	287064	40
21	77784	4-45 64756	4-85 01282	177830	811386	733892	450855	39
22	4-12 30079	4-46 15489	72719	263131	915084	862739	615357	38
23	82499	76379	4-86 44359	348696	5-9 019138	992800	780576	37
24	4-13 35046	4-47 37428	4-87 16201	434527	123550	6-6 121919	946514	36
25	87719	98636	88248	520626	228322	252258	7-5 113178	35
26	4-14 40519	4-48 60004	4-88 60499	606993	333455	383100	280571	34
27	93146	4-49 21532	4-89 32956	693630	438952	514449	448699	33
28	4-15 46501	83221	4-90 05620	780538	544815	646307	617567	32
29	99385	4-50 45072	78491	867718	651045	778677	787179	31
30	4-16 52998	4-51 07085	4-91 51570	955172	757644	911562	957541	30
31	4-17 06440	69261	4-92 24859	5-4 042901	864614	6-7 044966	7-6 128657	29
32	60011	4-52 31601	98358	130306	971957	178891	300533	28
33	4-18 13713	94105	4-93 72068	219188	6-0 079676	313341	473174	27
34	67546	4-53 56773	4-94 45990	307750	187772	448318	646584	26
35	4-19 21510	4-54 19608	4-95 20125	396592	296247	583826	820769	25
36	75606	82608	94474	485715	455103	719867	995735	24
37	4-20 29835	4-55 46776	4-96 69037	575121	514343	856446	7-7 171486	23
38	84196	4-56 09111	4-97 43817	664812	623967	993565	348028	22
39	4-21 38690	72615	4-98 18813	754788	733979	6-8 131227	755566	21
40	93318	4-57 36287	94027	845052	814381	269437	703506	20
41	4-22 48080	4-58 00129	4-99 69459	935604	955174	408196	882453	19
42	4-23 02977	64141	5-00 45111	5-5 026446	6-1 066360	547508	7-8 062212	18
43	69009	4-59 28325	5-01 20984	117579	177943	687378	242790	17
44	4-24 13177	92680	97078	209005	289923	827807	424191	16
45	68482	4-60 57207	5-02 73395	300724	402303	968799	606423	15
46	4-25 23923	4-61 21908	5-03 49935	392740	515085	6-9 110359	789489	14
47	79501	86783	5-04 26700	485052	628272	252489	973396	13
48	4-26 35218	4-62 51832	5-05 03690	577663	741865	395192	7-9 158151	12
49	91072	4-63 17056	80907	670574	855867	538473	343758	11
50	4-27 47066	82457	5-06 58352	763786	970279	682335	530224	10
51	4-28 03199	4-64 48031	5-07 36025	857302	6-2 085106	825781	717555	9
52	59472	4-65 13738	5-08 13928	951121	200347	971806	905756	8
53	4-29 15885	79721	92061	5-6 045247	316007	7-0 117441	8-0 094835	7
54	72440	4-66 45832	5-09 70426	139680	432086	263662	284796	6
55	4-30 29136	4-67 12124	5-10 49024	224421	548588	410482	475647	5
56	85974	78595	5-11 27855	329474	665515	557905	667394	4
57	4-31 42355	4-68 45248	5-12 06921	424838	782868	705934	860042	3
58	4-32 00079	4-69 12083	86224	520516	900651	854573	8-1 053599	2
59	57347	79100	5-13 65763	616509	6-3 018866	7-1 003826	218071	1
60	4-33 14759	4-70 46301	5-14 45540	712818	137515	153697	443464	0
/	18°	12°	11°	10°	9°	8°	7°	/

	83°	84°	85°	86°	87°	88°	89°	
0	81 443464	95 143645	114 30052	14 00666	19 081137	25 636253	57 289962	60
1	639786	410613	468474	300696	187930	877089	58 261174	59
2	837041	679068	507154	421230	205922	29 122006	59 265872	58
3	8 2 035239	949022	546093	48 2273	405133	37 11106	60 305820	57
4	234384	9 6 220486	585 291	543 33	515584	(24499	61 382905	56
5	434485	493475	624761	605916	627296	882299	(2 499154	55
6	635547	768000	664495	668529	740291	30 144 19	63 656741	54
7	837579	9 7 044075	704500	731079	854591	411580	64 858008	53
8	8 3 040586	321713	744779	795372	970219	683307	66 165473	52
9	244577	600927	785333	859616	20 087199	959028	67 401854	51
10	449558	381732	826167	924417	206553	31 241577	68 750087	50
11	655536	9 8 164140	867282	989784	325308	528392	70 153346	49
12	802519	448168	908682	15 055723	444486	820516	71 615070	48
13	8 4 070515	733823	950370	122242	569115	32 118699	73 138991	47
14	270531	9 9 021125	992349	189349	693220	421295	74 729165	46
15	489573	310088	12 034622	257052	818828	730265	76 390609	45
16	700651	600724	077192	325358	945966	33 045173	78 126342	44
17	912772	893050	120062	394276	21 074064	366194	79 943430	43
18	8 5 125943	10 018708	163236	463814	204949	693509	81 847041	42
19	340172	048283	206716	533981	336851	34 027303	83 843567	41
20	555468	078031	250506	604784	470401	307771	85 939791	40
21	771838	107954	294609	676233	605630	715116	88 143572	39
22	989290	138054	339028	748337	742569	35 069546	90 463336	38
23	8 6 207833	168332	383768	821105	883251	421282	92 908487	37
24	427 475	198789	428831	894545	22 021710	800553	95 489475	36
25	648223	229428	474221	968667	163980	36 177596	98 217943	35
26	870088	260249	519942	16 043482	308097	562669	101 160991	34
27	8 7 093077	291255	565997	118998	454096	956001	104 17094	33
28	317198	322447	612390	195225	602015	37 357892	107 42048	32
29	542461	353827	659125	272174	751892	786813	110 89205	31
30	768874	385397	706205	349855	903766	38 188459	114 58865	30
31	996446	417158	753634	428279	23 057677	617738	118 54018	29
32	8 8 225186	449112	801417	507456	213666	39 056771	122 77396	28
33	455103	481261	849557	587396	371777	505895	127 32134	27
34	686206	513607	898058	668112	532052	965400	132 21861	26
35	918505	546151	946924	749614	694537	40 436837	137 50745	25
36	8 9 152009	578895	996100	831915	859277	917412	143 23712	24
37	386720	611841	13 045769	915025	24 026320	41 410588	149 46502	23
38	622608	644992	095577	998057	195714	915790	156 25908	22
39	859843	678348	146127	17 083724	367509	42 433464	163 70019	21
40	9 0 098261	711913	196883	169337	541758	964077	171 88540	20
41	337933	745687	248031	255809	718512	43 508122	180 93220	19
42	578867	779673	295574	343155	897826	44 066113	190 98419	18
43	821074	813872	351518	431385	25 079757	638596	202 21875	17
44	9 1 064564	848288	403867	520516	264361	45 226141	214 86762	16
45	309348	882921	456625	610559	451700	828351	229 18166	15
46	555436	917775	509799	701529	641832	46 448862	246 55198	14
47	802838	952850	563391	793442	834823	47 085343	264 44080	13
48	9 2 051564	988150	617409	886310	26 030736	739501	286 47773	12
49	301627	11 023676	671856	980150	229698	48 412084	312 52137	11
50	559035	059431	726738	18 074977	431600	49 103881	343 77371	10
51	805802	095416	782060	170807	636690	815720	381 97099	9
52	9 3 059336	131635	837827	267654	844984	50 548506	429 71757	8
53	315450	168089	894045	365537	27 066557	51 303157	491 10000	7
54	572355	204780	950719	464471	271486	52 080673	572 95721	6
55	830663	241712	14 007856	564473	489853	882109	687 54827	5
56	9 4 090384	278855	665459	665562	711740	53 708587	859 45630	4
57	351531	316304	123536	767754	937233	54 561300	1145 9153	3
58	614116	353970	182092	871068	28 166422	55 441517	1718 8732	2
59	878149	391885	241134	975523	399397	56 305090	3437 7467	1
60	9 5 143645	430052	300666	19 081137	636253	57 289962	Infinita.	0
	6°	5°	4°	3°	2°	1°	0°	

116 COMPARISON OF FRENCH AND ENGLISH BAROMETERS.

Milli-metres.	English inches.	Milli-metres.	English inches.	Milli-metres.	English inches.	Milli-metres.	English inches.	Milli-metres.	English inches.	Milli-metres.	English inches.
501	19.725	551	21.693	601	23.662	651	25.630	701	27.599	751	29.567
502	.764	552	.733	602	.701	652	.670	702	.638	752	.606
503	.803	553	.772	603	.741	653	.709	703	.677	753	.646
504	.843	554	.811	604	.780	654	.748	704	.717	754	.685
505	.882	555	.851	605	.819	655	.788	705	.756	755	.725
506	.921	556	.890	606	.859	656	.827	706	.795	756	.764
507	19.961	557	.930	607	.898	657	.867	707	.835	757	.803
508	20.000	558	21.909	608	.937	658	.906	708	.874	758	.843
509	.040	559	22.009	609	23.977	659	.945	709	.914	759	.882
510	.079	560	.048	610	24.016	660	25.985	710	.953	760	.921
511	.118	561	.087	611	.056	661	26.024	711	27.992	761	29.961
512	.158	562	.126	612	.095	662	.063	712	28.032	762	30.000
513	.197	563	.166	613	.134	663	.103	713	.071	763	.040
514	.236	564	.205	614	.174	664	.142	714	.110	764	.079
515	.276	565	.244	615	.213	665	.181	715	.150	765	.118
516	.315	566	.284	616	.252	666	.221	716	.189	766	.158
517	.354	567	.323	617	.292	667	.260	717	.229	767	.197
518	.394	568	.363	618	.331	668	.300	718	.268	768	.236
519	.433	569	.402	619	.371	669	.339	719	.307	769	.276
520	.473	570	.441	620	.410	670	.378	720	.347	770	.315
521	.512	571	.481	621	.449	671	.418	721	.386	771	.355
522	.551	572	.520	622	.489	672	.457	722	.425	772	.394
523	.591	573	.559	623	.528	673	.496	723	.465	773	.433
524	.630	574	.599	624	.567	674	.536	724	.504	774	.473
525	.670	575	.638	625	.607	675	.575	725	.543	775	.512
526	.709	576	.678	626	.646	676	.615	726	.583	776	.551
527	.748	577	.717	627	.685	677	.654	727	.622	777	.591
528	.788	578	.756	628	.725	678	.693	728	.662	778	.630
529	.827	579	.796	629	.764	679	.733	729	.701	779	.670
530	.867	580	.835	630	.804	680	.772	730	.740	780	.709
531	.906	581	.875	631	.843	681	.811	731	.780	781	.748
532	.945	582	.914	632	.882	682	.851	732	.819	782	.788
533	20.985	583	.953	633	.922	683	.890	733	.858	783	.827
534	21.024	584	22.993	634	.961	684	.930	734	.898	784	.866
535	.063	585	23.032	635	25.000	685	26.969	735	.937	785	.906
536	.103	586	.071	636	.040	686	27.008	736	28.977	786	.945
537	.142	587	.111	637	.079	687	.048	737	29.016	787	30.984
538	.181	588	.150	638	.118	688	.087	738	.055	788	31.024
539	.221	589	.189	639	.158	689	.126	739	.095	789	.063
540	.266	590	.229	640	.197	690	.166	740	.134	790	.103
541	.300	591	.268	641	.237	691	.205	741	.173	PROP'L PARTS.	
542	.339	592	.308	642	.276	692	.245	742	.213	0.1	0.0039
543	.378	593	.347	643	.315	693	.284	743	.252	.2	.0379
544	.417	594	.386	644	.355	694	.323	744	.292	.3	.0118
545	.457	595	.426	645	.394	695	.363	745	.331	.4	.0157
546	.496	596	.465	646	.433	696	.402	746	.370	.5	.0197
547	.536	597	.504	647	.473	697	.441	747	.410	.6	.0233
548	.575	598	.544	648	.512	698	.481	748	.449	.7	.0276
549	.614	599	.583	649	.552	699	.520	749	.488	.8	.0315
550	.654	600	.622	650	.591	700	.559	750	.528	.9	.0354

1 Metre — 39.3707 English inches — 443.296 Paris lines.

1 English foot — 0.304794 metre — 135.114 Paris lines.

1 French foot — 1.0668 English feet — 0.32434 metre.

D. M.	Chords.	D. M.	Chords.	D. M.	Chords.	D. M.	Chords.	D. M.	Chords.
5	·0015	9	·1569	18	·3129	27	·4669	36	·6180
10	·0029	10	·1598	19	·3157	10	·4697	10	·6208
20	·0058	20	·1627	20	·3186	20	·4725	20	·6236
30	·0087	30	·1656	30	·3215	30	·4754	30	·6263
40	·0116	40	·1685	40	·3244	40	·4782	40	·6291
50	·0145	50	·1714	50	·3272	50	·4810	50	·6318
1	·0175	10	·1743	19	·3301	28	·4838	37	·6346
10	·0204	10	·1772	10	·3330	10	·4867	10	·6374
20	·0233	20	·1801	20	·3358	20	·4895	20	·6401
30	·0262	30	·1830	30	·3387	30	·4923	30	·6429
40	·0291	40	·1859	40	·3416	40	·4951	40	·6456
50	·0320	50	·1888	50	·3444	50	·4979	50	·6484
2	·0349	11	·1917	20	·3473	29	·5008	38	·6511
10	·0378	10	·1946	10	·3502	10	·5036	10	·6539
20	·0407	20	·1975	20	·3530	20	·5064	20	·6566
30	·0436	30	·2004	30	·3559	30	·5092	30	·6594
40	·0465	40	·2033	40	·3587	40	·5120	40	·6621
50	·0494	50	·2062	50	·3616	50	·5148	50	·6649
3	·0523	12	·2091	21	·3645	30	·5176	39	·6676
10	·0553	10	·2119	10	·3673	10	·5204	10	·6703
20	·0582	20	·2148	20	·3702	20	·5233	20	·6731
30	·0611	30	·2177	30	·3730	30	·5261	30	·6758
40	·0640	40	·2206	40	·3759	40	·5289	40	·6786
50	·0669	50	·2235	50	·3788	50	·5317	50	·6813
4	·0698	13	·2264	22	·3816	31	·5345	40	·6840
10	·0727	10	·2293	10	·3845	10	·5373	10	·6866
20	·0756	20	·2322	20	·3873	20	·5401	20	·6895
30	·0785	30	·2351	30	·3902	30	·5429	30	·6922
40	·0814	40	·2380	40	·3930	40	·5457	40	·6950
50	·0843	50	·2409	50	·3959	50	·5485	50	·6977
5	·0872	14	·2437	23	·3987	32	·5513	41	·7004
10	·0901	10	·2466	10	·4016	10	·5541	10	·7031
20	·0931	20	·2495	20	·4044	20	·5569	20	·7059
30	·0960	30	·2524	30	·4073	30	·5597	30	·7086
40	·0989	40	·2553	40	·4101	40	·5625	40	·7113
50	·1018	50	·2582	50	·4130	50	·5652	50	·7140
6	·1047	15	·2611	24	·4158	33	·5680	42	·7167
10	·1076	10	·2639	10	·4187	10	·5708	10	·7194
20	·1105	20	·2668	20	·4215	20	·5736	20	·7222
30	·1134	30	·2697	30	·4244	30	·5764	30	·7249
40	·1163	40	·2726	40	·4272	40	·5792	40	·7276
50	·1192	50	·2755	50	·4300	50	·5820	50	·7303
7	·1221	16	·2783	25	·4329	34	·5847	43	·7330
10	·1250	10	·2812	10	·4357	10	·5875	10	·7357
20	·1279	20	·2841	20	·4386	20	·5903	20	·7384
30	·1308	30	·2870	30	·4414	30	·5931	30	·7411
40	·1337	40	·2899	40	·4442	40	·5959	40	·7438
50	·1366	50	·2927	50	·4471	50	·5986	50	·7465
8	·1395	17	·2956	26	·4499	35	·6014	44	·7492
10	·1424	10	·2985	10	·4527	10	·6042	10	·7519
20	·1453	20	·3014	20	·4557	20	·6070	20	·7546
30	·1482	30	·3042	30	·4584	30	·6097	30	·7573
40	·1511	40	·3071	40	·4612	40	·6125	40	·7600
50	·1540	50	·3100	50	·4641	50	·6153	50	·7627

D. M.	Chords	D. M.	Chords.	D. M.	Chords	D. M.	Chords.	D. M.	Chords.
45	.7654	54	.9080	63	1.0450	72	1.1756	81	1.2989
10	.7681	10	.9106	10	1.0475	10	1.1779	10	1.3011
20	.7707	20	.9132	20	1.0500	20	1.1803	20	1.3033
30	.7734	30	.9157	30	1.0524	30	1.1826	30	1.3055
40	.7761	40	.9183	40	1.0549	40	1.1850	40	1.3077
50	.7788	50	.9209	50	1.0574	50	1.1873	50	1.3099
46	.7815	55	.9235	64	1.0598	73	1.1896	82	1.3121
10	.7841	10	.9261	10	1.0623	10	1.1920	10	1.3143
20	.7868	20	.9287	20	1.0648	20	1.1943	20	1.3165
30	.7895	30	.9312	30	1.0672	30	1.1966	30	1.3187
40	.7922	40	.9338	40	1.0697	40	1.1990	40	1.3209
50	.7948	50	.9364	50	1.0721	50	1.2013	50	1.3231
47	.7975	56	.9389	65	1.0746	74	1.2036	83	1.3252
10	.8002	10	.9415	10	1.0771	10	1.2060	10	1.3274
20	.8028	20	.9441	20	1.0795	20	1.2083	20	1.3296
30	.8055	30	.9466	30	1.0819	30	1.2106	30	1.3318
40	.8082	40	.9492	40	1.0844	40	1.2129	40	1.3339
50	.8108	50	.9518	50	1.0868	50	1.2152	50	1.3361
48	.8135	57	.9543	66	1.0893	75	1.2175	84	1.3383
10	.8161	10	.9569	10	1.0917	10	1.2198	10	1.3404
20	.8188	20	.9594	20	1.0942	20	1.2221	20	1.3426
30	.8214	30	.9620	30	1.0966	30	1.2244	30	1.3447
40	.8241	40	.9645	40	1.0990	40	1.2267	40	1.3469
50	.8267	50	.9671	50	1.1014	50	1.2290	50	1.3490
49	.8294	58	.9696	67	1.1039	76	1.2313	85	1.3512
10	.8320	10	.9722	10	1.1063	10	1.2336	10	1.3533
20	.8347	20	.9747	20	1.1087	20	1.2359	20	1.3555
30	.8373	30	.9772	30	1.1111	30	1.2382	30	1.3576
40	.8400	40	.9798	40	1.1136	40	1.2405	40	1.3597
50	.8426	50	.9823	50	1.1160	50	1.2428	50	1.3619
50	.8452	59	.9848	68	1.1184	77	1.2450	86	1.3640
10	.8479	10	.9874	10	1.1208	10	1.2473	10	1.3661
20	.8505	20	.9899	20	1.1232	20	1.2496	20	1.3682
30	.8531	30	.9924	30	1.1256	30	1.2518	30	1.3704
40	.8558	40	.9950	40	1.1280	40	1.2541	40	1.3725
50	.8584	50	.9975	50	1.1304	50	1.2564	50	1.3746
51	.8610	60	1.0000	69	1.1328	78	1.2586	87	1.3767
10	.8636	10	1.0025	10	1.1352	10	1.2609	10	1.3788
20	.8663	20	1.0050	20	1.1376	20	1.2632	20	1.3809
30	.8689	30	1.0075	30	1.1400	30	1.2654	30	1.3830
40	.8715	40	1.0101	40	1.1424	40	1.2677	40	1.3851
50	.8741	50	1.0126	50	1.1448	50	1.2699	50	1.3872
52	.8767	61	1.0151	70	1.1472	79	1.2722	88	1.3893
10	.8794	10	1.0176	10	1.1496	10	1.2744	10	1.3914
20	.8820	20	1.0201	20	1.1519	20	1.2766	20	1.3935
30	.8846	30	1.0226	30	1.1543	30	1.2789	30	1.3956
40	.8872	40	1.0251	40	1.1567	40	1.2811	40	1.3977
50	.8898	50	1.0276	50	1.1590	50	1.2833	50	1.3997
53	.8924	62	1.0301	71	1.1614	80	1.2856	89	1.4018
10	.8950	10	1.0326	10	1.1638	10	1.2878	10	1.4039
20	.8976	20	1.0351	20	1.1661	20	1.2900	20	1.4060
30	.9002	30	1.0375	30	1.1685	30	1.2922	30	1.4080
40	.9028	40	1.0400	40	1.1709	40	1.2945	40	1.4101
50	.9054	50	1.0425	50	1.1732	50	1.2967	50	1.4122

Chord of 90 Degrees = 1.4142.

**** Any book in this Catalogue sent free by mail on receipt of price.**

**VALUABLE
SCIENTIFIC BOOKS,**

PUBLISHED BY

D. VAN NOSTRAND,

23 MURRAY STREET AND 27 WARREN STREET,
NEW YORK.

- FRANCIS.** Lowell Hydraulic Experiments, being a selection from Experiments on Hydraulic Motors, on the Flow of Water over Weirs, in Open Canals of Uniform Rectangular Section, and through submerged Orifices and diverging Tubes. Made at Lowell, Massachusetts. By James B. Francis, C. E. 2d edition, revised and enlarged, with many new experiments, and illustrated with twenty-three copperplate engravings. 1 vol. 4to, cloth.....\$15 00
- ROEBLING (J. A.)** Long and Short Span Railway Bridges. By John A. Roebling, C. E. Illustrated with large copperplate engravings of plans and views. Imperial folio, cloth..... 25 00
- CLARKE (T. C.)** Description of the Iron Railway Bridge over the Mississippi River, at Quincy, Illinois. Thomas Curtis Clarke, Chief Engineer. Illustrated with 21 lithographed plans. 1 vol. 4to, cloth 7 50
- TUNNER (P.)** A Treatise on Roll-Turning for the Manufacture of Iron. By Peter Tunner. Translated and adapted by John B. Pearse, of the Penn-

D. VAN NOSTRAND'S PUBLICATIONS.

sylvania Steel Works, with numerous engravings wood cuts and folio atlas of plates.....	\$10 00
ISHERWOOD (B. F.) Engineering Precedents for Steam Machinery. Arranged in the most practical and useful manner for Engineers. By B. F. Isher- wood, Civil Engineer, U. S. Navy. With Illustra- tions. Two volumes in one. 8vo, cloth.....	\$2 50
BAUERMAN. Treatise on the Metallurgy of Iron, containing outlines of the History of Iron Manufact- ure, methods of Assay, and analysis of Iron Ores, processes of manufacture of Iron and Steel, etc., etc. By H. Bauerman. First American edition. Revised and enlarged, with an Appendix on the Martin Pro- cess for making Steel, from the report of Abram S. Hewitt. Illustrated with numerous wood engravings. 12mo, cloth.....	2 00
CAMPIN on the Construction of Iron Roofs. By Francis Campin. 8vo, with plates, cloth.....	3 00
COLLINS. The Private Book of Useful Alloys and Memoranda for Goldsmiths, Jewellers, &c. By James E. Collins. 18mo, cloth.....	75
CIPHER AND SECRET LETTER AND TELE- GRAPHIC CODE, with Hogg's Improvements. The most perfect secret code ever invented or dis- covered. Impossible to read without the key. By C. S. Larrabee. 18mo, cloth.....	1 00
COLBURN. The Gas Works of London. By Zerah Colburn, C. E. 1 vol 12mo, boards.....	60
CRAIG (B. F.) Weights and Measures. An account of the Decimal System, with Tables of Conversion for Commercial and Scientific Uses. By B. F. Craig, M.D. 1 vol. square 32mo, limp cloth....	50
NUGENT. Treatise on Optics; or, Light and Sight, theoretically and practically treated; with the appli- cation to Fine Art and Industrial Pursuits. By E. Nugent. With one hundred and three illustrations. 12 no, cloth.....	2 00
GLYNN (J.) Treatise on the Power of Water, as ap- plied to drive Flour Mills, and to give motion to Turbines and other Hydrostatic Engines. By Joseph	

D. VAN NOSTRAND'S PUBLICATIONS.

Glynn. Third edition, revised and enlarged, with numerous illustrations. 12mo, cloth.	\$1 00
HUMBER. A Handy Book for the Calculation of Strains in Girders and similar Structures, and their Strength, consisting of Formulæ and corresponding Diagrams, with numerous details for practical application. By William Humber. 12mo, fully illustrated, cloth.	2 50
GRUNER. The Manufacture of Steel. By M. L. Gruner. Translated from the French, by Lenox Smith, with an appendix on the Bessamer process in the United States, by the translator. Illustrated by lithographed drawings and wood cuts. 8vo, cloth. .	3 50
AUCHINCLOSS. Link and Valve Motions Simplified. Illustrated with 37 wood-cuts, and 21 lithographic plates, together with a Travel Scale, and numerous useful Tables. By W. S. Auchincloss. 8vo, cloth. .	3 00
VAN BUREN. Investigations of Formulas, for the strength of the Iron parts of Steam Machinery. By J. D. Van Buren, Jr., C. E. Illustrated, 8vo, cloth.	2 00
JOYNSON. Designing and Construction of Machine Gearing. Illustrated, 8vo, cloth.	2 00
GILLMORE. Coignet Beton and other Artificial Stone. By Q. A. Gillmore, Major U. S. Corps Engineers. 9 plates, views, &c. 8vo, cloth.	2 50
SAELTZER. Treatise on Acoustics in connection with Ventilation. By Alexander Saeltzer, Architect. 12mo, cloth.	2 00
THE EARTH'S CRUST. A handy Outline of Geology. By David Page. Illustrated, 18mo, cloth. . . .	75
DICTIONARY of Manufactures, Mining, Machinery, and the Industrial Arts. By George Dodd. 12mo, cloth.	2 00
FRANCIS. On the Strength of Cast-Iron Pillars, with Tables for the use of Engineers, Architects, and Builders. By James B. Francis, Civil Engineer. 1 vol. 8vo, cloth.	2 00

D. VAN NOSTRAND'S PUBLICATIONS.

- GILLMORE** (Gen. Q. A.) Treatise on Limes, Hydraulic Cements, and Mortars. Papers on Practical Engineering, U. S. Engineer Department, No. 9, containing Reports of numerous Experiments conducted in New York City, during the years 1858 to 1861, inclusive. By Q. A. Gillmore, Bvt. Maj.-Gen., U. S. A., Major, Corps of Engineers. With numerous illustrations. 1 vol, 8vo, cloth..... \$4 00
- HARRISON.** The Mechanic's Tool Book, with Practical Rules and Suggestions for Use of Machinists, Iron Workers, and others. By W. B. Harrison, associate editor of the "American Artisan." Illustrated with 44 engravings. 12mo, cloth..... 1 50
- HENRICI** (Olaus). Skeleton Structures, especially in their application to the Building of Steel and Iron Bridges. By Olaus Henrici. With folding plates and diagrams. 1 vol. 8vo, cloth..... 3 00
- HEWSON** (Wm.) Principles and Practice of Embanking Lands from River Floods, as applied to the Levees of the Mississippi. By William Hewson, Civil Engineer. 1 vol. 8vo, cloth..... 2 00
- HOLLEY** (A. L.) Railway Practice. American and European Railway Practice, in the economical Generation of Steam, including the Materials and Construction of Coal-burning Boilers, Combustion, the Variable Blast, Vaporization, Circulation, Superheating, Supplying and Heating Feed-water, etc., and the Adaptation of Wood and Coke-burning Engines to Coal-burning; and in Permanent Way, including Road-bed, Sleepers, Rails, Joint-fastenings, Street Railways, etc., etc. By Alexander L. Holley, B. P. With 77 lithographed plates. 1 vol. folio, cloth.... 12 00
- KING** (W. H.) Lessons and Practical Notes on Steam, the Steam Engine, Propellers, etc., etc., for Young Marine Engineers, Students, and others. By the late W. H. King, U. S. Navy. Revised by Chief Engineer J. W. King, U. S. Navy. Twelfth edition, enlarged. 8vo, cloth. 2 00
- MINIFIE** (Wm.) Mechanical Drawing. A Text-Book of Geometrical Drawing for the use of Mechanics

L. VAN NOSTRAND'S PUBLICATIONS.

and Schools, in which the Definitions and Rules of Geometry are familiarly explained; the Practical Problems are arranged, from the most simple to the more complex, and in their description technicalities are avoided as much as possible. With illustrations for Drawing Plans, Sections, and Elevations of Railways and Machinery; an Introduction to Isometrical Drawing, and an Essay on Linear Perspective and Shadows. Illustrated with over 200 diagrams engraved on steel. By Wm. Minifie, Architect. Seventh edition. With an Appendix on the Theory and Application of Colors. 1 vol. 8vo, cloth..... \$4 00

"It is the best work on Drawing that we have ever seen, and is especially a text-book of Geometrical Drawing for the use of Mechanics and Schools. No young Mechanic, such as a Machinist, Engineer, Cabinet-maker, Millwright, or Carpenter, should be without it."—*Scientific American*.

- Geometrical Drawing. Abridged from the octavo edition, for the use of Schools. Illustrated with 48 steel plates. Fifth edition. 1 vol. 12mo, cloth.... 2 00
- STILLMAN (Paul.) Steam Engine Indicator, and the Improved Manometer Steam and Vacuum Gauges—their Utility and Application. By Paul Stillman. New edition. 1 vol. 12mo, flexible cloth..... 1 00
- SWEET (S. H.) Special Report on Coal; showing its Distribution, Classification, and cost delivered over different routes to various points in the State of New York, and the principal cities on the Atlantic Coast. By S. H. Sweet. With maps, 1 vol. 8vo, cloth..... 3 00
- WALKER (W. H.) Screw Propulsion. Notes on Screw Propulsion; its Rise and History. By Capt. W. H. Walker, U. S. Navy. 1 vol. 8vo, cloth..... 75
- WARD (J. H.) Steam for the Million. A popular Treatise on Steam and its Application to the Useful Arts, especially to Navigation. By J. H. Ward, Commander U. S. Navy. New and revised edition. 1 vol. 8vo, cloth..... 1 00
- WEISBACH (Julius). Principles of the Mechanics of Machinery and Engineering. By Dr. Julius Weisbach, of Freiburg. Translated from the last German edition. Vol. I., 8vo, cloth..... 10 00

D. VAN NOSTRAND'S PUBLICATIONS.

- DIEDRICH.** The Theory of Strains, a Compendium for the calculation and construction of Bridges, Roofs, and Cranes, with the application of Trigonometrical Notes, containing the most comprehensive information in regard to the Resulting strains for a permanent Load, as also for a combined (Permanent and Rolling) Load. In two sections, adapted to the requirements of the present time. By John Diedrich, C. E. Illustrated by numerous plates and diagrams. 8vo, cloth..... 5 00
- WILLIAMSON (R. S.)** On the use of the Barometer on Surveys and Reconnoissances. Part I. Meteorology in its Connection with Hypsometry. Part II. Barometric Hypsometry. By R. S. Williamson, Bvt. Lieut.-Col. U. S. A., Major Corps of Engineers. With Illustrative Tables and Engravings. Paper No. 15, Professional Papers, Corps of Engineers. 1 vol. 4to, cloth.... 15 00
- POOK (S. M.)** Method of Comparing the Lines and Draughting Vessels Propelled by Sail or Steam. Including a chapter on Laying off on the Mould-Loft Floor. By Samuel M. Pook, Naval Constructor. 1 vol. 8vo, with illustrations, cloth..... 5 00
- ALEXANDER (J. H.)** Universal Dictionary of Weights and Measures, Ancient and Modern, reduced to the standards of the United States of America. By J. H. Alexander. New edition, enlarged. 1 vol. 8vo, cloth 3 50
- BROOKLYN WATER WORKS.** Containing a Descriptive Account of the Construction of the Works, and also Reports on the Brooklyn, Hartford, Belleville and Cambridge Pumping Engines. With illustrations. 1 vol. folio, cloth.....
- RICHARDS' INDICATOR.** A Treatise on the Richards Steam Engine Indicator, with an Appendix by F. W. Bacon, M. E. 18mo, flexible, cloth..... 1 00

D. VAN NOSTRAND'S PUBLICATIONS.

- POPE** Modern Practice of the Electric Telegraph. A Hand Book for Electricians and operators. By Frank L. Pope Eighth edition, revised and enlarged, and fully illustrated. 8vo, cloth..... \$2.00
- "There is no other work of this kind in the English language that contains in so small a compass so much practical information in the application of galvanic electricity to telegraphy. It should be in the hands of every one interested in telegraphy, or the use of Batteries for other purposes."
- MORSE** Examination of the Telegraphic Apparatus and the Processes in Telegraphy. By Samuel F. Morse, L.L.D., U. S. Commissioner Paris Universal Exposition, 1867. Illustrated, 8vo, cloth..... \$2.00
- SABINE** History and Progress of the Electric Telegraph, with descriptions of some of the apparatus. By Robert Sabine, C. E. Second edition, with additions, 12mo, cloth..... 1.25
- CULLEY** A Hand-Book of Practical Telegraphy. By R. S. Culley, Engineer to the Electric and International Telegraph Company. Fourth edition, revised and enlarged. Illustrated 8vo, cloth..... 5.00
- BENET** Electro-Ballistic Machines, and the Schultz Chronoscope. By Lieut.-Col. S. V. Benet, Captain of Ordnance, U. S. Army. Illustrated second edition, 4to, cloth..... 3.00
- MICHAELIS** The Le Poulenge Chronograph, with three Lithograph folding plates of illustrations. By Brevet Captain O. E. Michaelis, First Lieutenant Ordnance Corps, U. S. Army, 4to, cloth..... 3.00
- ENGINEERING FACTS AND FIGURES** An Annual Register of Progress in Mechanical Engineering and Construction for the years 1863, 64, 65, 66, 67, 68. Fully illustrated, 6 vols. 18mo. cloth, \$2.50 per vol., each volume sold separately.....
- HAMILTON** Useful Information for Railway Men. Compiled by W. G. Hamilton, Engineer. Fifth edition, revised and enlarged, 562 pages Pocket form. Morocco, gilt..... 2.00

D. VAN NOSTRAND'S PUBLICATIONS.

- STUART.** The Civil and Military Engineers of America. By Gen. C. B. Stuart. With 9 finely executed portraits of eminent engineers, and illustrated by engravings of some of the most important works constructed in America. 8vo, cloth..... \$5 00
- STONEV.** The Theory of Strains in Girders and similar structures, with observations on the application of Theory to Practice, and Tables of Strength and other properties of Materials. By Bindon B. Stoney. B. A. New and revised edition, enlarged, with numerous engravings on wood, by Oldham. Royal 8vo, 664 pages. Complete in one volume. 8vo, cloth. 15 00
- SHREVE.** A Treatise on the Strength of Bridges and Roofs. Comprising the determination of Algebraic formulas for strains in Horizontal, Inclined or Rafter, Triangular, Bowstring, Lenticular and other Trusses, from fixed and moving loads, with practical applications and examples, for the use of Students and Engineers. By Samuel H. Shreve, A. M., Civil Engineer. 87 wood cut illustrations. 8vo, cloth..... 5 00
- MERRILL.** Iron Truss Bridges for Railroads. The method of calculating strains in Trusses, with a careful comparison of the most prominent Trusses, in reference to economy in combination, etc., etc. By Brevet. Col. William E. Merrill, U. S. A., Major Corps of Engineers, with nine lithographed plates of Illustrations. 4to, cloth..... 5 00
- WHIPPLE.** An Elementary and Practical Treatise on Bridge Building. An enlarged and improved edition of the author's original work. By S. Whipple, C. E., inventor of the Whipple Bridges, &c. Illustrated 8vo, cloth..... 4 00
- THE KANSAS CITY BRIDGE.** With an account of the Regimen of the Missouri River, and a description of the methods used for Founding in that River. By O. Chanute, Chief Engineer, and George Morrison, Assistant Engineer. Illustrated with five lithographic views and twelve plates of plans. 4to, cloth, 6 00

D. VAN NOSTRAND'S PUBLICATIONS.

- MAC CORD.** A Practical Treatise on the Slide Valve by Eccentrics, examining by methods the action of the Eccentric upon the Slide Valve, and explaining the Practical processes of laying out the movements, adapting the valve for its various duties in the steam engine. For the use of Engineers, Draughtsmen, Machinists, and Students of Valve Motions in general. By C. W. Mac Cord, A. M., Professor of Mechanical Drawing, Stevens' Institute of Technology, Hoboken, N. J., Illustrated by 8 full page copper-plates. 4to. cloth..... \$4 00
- KIRKWOOD.** Report on the Filtration of River Waters, for the supply of cities, as practised in Europe, made to the Board of Water Commissioners of the City of St. Louis. By James P. Kirkwood. Illustrated by 30 double plate engravings. 4to. cloth. 15 00
- PLATTNER.** Manual of Qualitative and Quantitative Analysis with the Blow Pipe. From the last German edition, revised and enlarged. By Prof. Th. Richter, of the Royal Saxon Mining Academy. Translated by Prof. H. B. Cornwall, Assistant in the Columbia School of Mines, New York, assisted by John H. Caswell. Illustrated with 87 wood cuts, and one lithographic plate. Second edition, revised, 560 pages, 8vo. cloth..... 7 50
- PLYMPTON.** The Blow Pipe. A system of Instruction in its practical use being a graduated course of analysis for the use of students, and all those engaged in the examination of metallic combinations. Second edition, with an appendix and a copious index. By Prof. Geo. W. Plympton, of the Polytechnic Institute, Brooklyn, N. Y. 12mo. cloth..... 2 00
- PYNCHON.** Introduction to Chemical Physics, designed for the use of Academies, Colleges and High Schools. Illustrated with numerous engravings, and containing copious experiments with directions for preparing them. By Thomas Ruggles Lynchon, M. A., Professor of Chemistry and the Natural Sciences Trinity College, Hartford. New edition, revised and enlarged and illustrated by 269 illustrations on wood. Crown, 8vo. cloth..... 3 00

D. VAN NOSTRAND'S PUBLICATIONS.

ELIOT AND STORER. A compendious Manual of Qualitative Chemical Analysis. By Charles W. Eliot and Frank H. Storer. Revised with the Co-operation of the authors. By William K. Nichols. Professor of Chemistry in the Massachusetts Institute of Technology. Illustrated, 12mo, cloth.....	\$1 50
RAMMELSBERG. Guide to a course of Quantitative Chemical Analysis, especially of Minerals and Furnace Products. Illustrated by Examples. By C. F. Rammelsberg. Translated by J. Fowler, M. D. 8vo, cloth.....	2 25
EGLESTON. Lectures on Descriptive Mineralogy, delivered at the School of Mines, Columbia College. By Professor T. Egleston. Illustrated by 34 Lithographic Plates. 8vo, cloth.....	4 50
MITCHELL. A Manual of Practical Assaying. By John Mitchell. Third edition. Edited by William Crookes, F. R. S. 8vo, cloth.....	10 00
WATT'S Dictionary of Chemistry. New and Revised edition complete in 6 vols 8vo cloth, \$62 00 Supplementary volume sold separately. Price, cloth...	9 00
RANDALL. Quartz Operators Hand-Book. By P. M. Randall. New edition, revised and enlarged, fully illustrated. 12mo, cloth.....	2 00
SILVERSMITH. A Practical Hand-Book for Miners, Metallurgists, and Assayers, comprising the most recent improvements in the disintegration, amalgamation, smelting, and parting of the precious ores, with a comprehensive Digest of the Mining Laws. Greatly augmented, revised and corrected. By Julius Silver-smith. Fourth edition. Profusely illustrated. 12mo, cloth.....	3 00
THE USEFUL METALS AND THEIR ALLOYS, including Mining Ventilation, Mining Jurisprudence, and Metallurgic Chemistry employed in the conversion of Iron, Copper, Tin, Zinc, Antimony and Lead ores, with their applications to the Industrial Arts. By Scoffren, Truan, Clay, Oxland, Fairbairn, and others. Fifth edition, half calf.....	3 75

D. VAN NOSTRAND'S PUBLICATIONS.

- JOYNSON.** The Metals used in construction, Iron, Steel, Bessemer Metal, etc., etc. By F. H. Joynson. Illustrated, 12mo, cloth..... \$0 75
- VON COTTA.** Treatise on Ore Deposits. By Bernhard Von Cotta, Professor of Geology in the Royal School of Mines, Freidberg, Saxony. Translated from the second German edition, by Frederick Prime, Jr., Mining Engineer, and revised by the author, with numerous illustrations. 8vo, cloth..... 4 00
- URE.** Dictionary of Arts, Manufactures and Mines. By Andrew Ure, M.D. Sixth edition, edited by Robert Hunt, F. R. S., greatly enlarged and re-written. London, 1872. 3 vols 8vo, cloth, \$25.00. Half Russia..... 37 50
- BELL.** Chemical Phenomena of Iron Smelting. An experimental and practical examination of the circumstances which determine the capacity of the Blast Furnace, The Temperature of the air, and the proper condition of the Materials to be operated upon. By I. Lowthian Bell. 8vo, cloth..... 6 00
- ROGERS.** The Geology of Pennsylvania. A Government survey, with a general view of the Geology of the United States, Essays on the Coal Formation and its Fossils, and a description of the Coal Fields of North America and Great Britain. By Henry Darwin Rogers, late State Geologist of Pennsylvania, Splendidly illustrated with Plates and engravings in the text. 3 vols, 4to, cloth with Portfolio of Maps. 30 00
- BURGH.** Modern Marine Engineering, applied to Paddle and Screw Propulsion. Consisting of 36 colored plates, 250 Practical Woodcut Illustrations, and 403 pages of descriptive matter, the whole being an exposition of the present practice of James Watt & Co., J & G. Rennie, R. Napier & Sons, and other celebrated firms, by N. P. Burgh. Engineer, thick 4to, vol., cloth, \$25.00; half mor. 30 00
- BARTOL.** Treatise on the Marine Boilers of the United States. By B. H. Bartol. Illustrated, 8vo, cloth... 1 50

D. VAN NOSTRAND'S PUBLICATIONS.

- BOURNE.** Treatise on the Steam Engine in its various applications to Mines, Mills, Steam Navigation, Railways, and Agriculture, with the theoretical investigations respecting the Motive Power of Heat, and the proper proportions of steam engines. Elaborate tables of the right dimensions of every part, and Practical Instructions for the manufacture and management of every species of Engine in actual use. By John Bourne, being the ninth edition of "A Treatise on the Steam Engine," by the "Artizan Club." Illustrated by 38 plates and 546 wood cuts. 4to. cloth.....\$15 00
- STUART.** The Naval Dry Docks of the United States. By Charles B. Stuart late Engineer-in-Chief of the U. S. Navy. Illustrated with 24 engravings on steel. Fourth edition, cloth..... 6 00
- EADS.** System of Naval Defences. By James B. Eads, C. E., with 10 illustrations, 4to, cloth..... 5 00
- FOSTER.** Submarine Blasting in Boston Harbor, Massachusetts. Removal of Tower and Corwin Rocks. By J. G. Foster, Lieut.-Col. of Engineers, U. S. Army. Illustrated with seven plates, 4to, cloth..... 3 50
- BARNES** Submarine Warfare, offensive and defensive, including a discussion of the offensive Torpedo System, its effects upon Iron Clad Ship Systems and influence upon future naval wars. By Lieut.-Commander J. S. Barnes, U. S. N., with twenty lithographic plates and many wood cuts. 8vo, cloth... 5 00
- HOLLEY.** A Treatise on Ordnance and Armor, embracing descriptions, discussions, and professional opinions concerning the materials, fabrication, requirements, capabilities, and endurance of European and American Guns, for Naval, Sea Coast, and Iron Clad Warfare, and their Rifling, Projectiles, and Breech-Loading; also, results of experiments against armor, from official records, with an appendix referring to Gun Cotton, Hooped Guns, etc., etc. By Alexander L. Holley, B. P., 948 pages, 493 engravings, and 147 Tables of Results, etc., 8vo, half roan. 10 00

D. VAN NOSTRAND'S PUBLICATIONS.

- SIMMS.** A Treatise on the Principles and Practice of Levelling, showing its application to purposes of Railway Engineering and the Construction of Roads, &c. By Frederick W. Simms, C. E. From the 5th London edition, revised and corrected, with the addition of Mr. Laws's Practical Examples for setting out Railway Curves. Illustrated with three Lithographic plates and numerous wood cuts. 8vo, cloth. \$2 50
- BURT.** Key to the Solar Compass, and Surveyor's Companion; comprising all the rules necessary for use in the field; also description of the Linear Surveys and Public Land System of the United States, Notes on the Barometer, suggestions for an outfit for a survey of four months, etc. By W. A. Hurt, U. S. Deputy Surveyor. Second edition. Pocket book form, tuck..... 2 50
- THE PLANE TABLE.** Its uses in Topographical Surveying, from the Papers of the U. S. Coast Survey. Illustrated, 8vo, cloth..... 2 00
- "This work gives a description of the Plane Table, employed at the U. S. Coast Survey office, and the manner of using it."
- JEFFER'S.** Nautical Surveying. By W. N. Jeffers, Captain U. S. Navy. Illustrated with 9 copperplates and 31 wood cut illustrations. 8vo, cloth..... 5 00
- CHAUVENET.** New method of correcting Lunar Distances, and improved method of Finding the error and rate of a chronometer, by equal altitudes. By W. Chauvenet, LL D. 8vo, cloth..... 2 00.
- BRUNNOW.** Spherical Astronomy. By F. Brunnow, Ph. Dr. Translated by the author from the second German edition. 8vo, cloth..... 6 50
- PEIRCE.** System of Analytic Mechanics. By Benjamin Peirce. 4to, cloth..... 10 00
- COFFIN.** Navigation and Nautical Astronomy. Prepared for the use of the U. S. Naval Academy. By Prof. J. H. C. Coffin. Fifth edition. 52 wood cut illustrations. 12mo, cloth..... 3 50

D. VAN NOSTRAND'S PUBLICATIONS.

CLARK. Theoretical Navigation and Nautical Astronomy. By Lieut. Lewis Clark, U. S. N. Illustrated with 41 wood cuts. 8vo, cloth.....	\$3 00
HASKINS. The Galvanometer and its Uses. A Manual for Electricians and Students. By C. H. Haskins. 12mo, pocket form, morocco. (In press).....	
GOUGE. New System of Ventilation, which has been thoroughly tested, under the patronage of many distinguished persons. By Henry A. Gouge. With many illustrations. 8vo, cloth.....	2 00
BECKWITH. Observations on the Materials and Manufacture of Terra-Cotta, Stone Ware, Fire Brick, Porcelain and Encaustic Tiles, with remarks on the products exhibited at the London International Exhibition, 1871. By Arthur Beckwith, C. E. 8vo, paper.....	60
MORFIT. A Practical Treatise on Pure Fertilizers, and the chemical conversion of Rock Guano, Marlstones, Coprolites. and the Crude Phosphates of Lime and Alumina generally, into various valuable products. By Campbell Morfit, M.D., with 28 illustrative plates, 8vo, cloth.....	20 00
BARNARD. The Metric System of Weights and Measures. An address delivered before the convocation of the University of the State of New York, at Albany, August, 1871. By F. A. P. Barnard, LL.D., President of Columbia College, New York. Second edition from the revised edition, printed for the Trustees of Columbia College. Tinted paper, 8vo, cloth	3 00
— Report on Machinery and Processes on the Industrial Arts and Apparatus of the Exact Sciences. By F. A. P. Barnard, LL.D. Paris Universal Exposition, 1867. Illustrated, 8vo, cloth.....	5 50
BARLOW. Tables of Squares, Cubes, Square Roots, Cube Roots, Reciprocals of all integer numbers up to 10,000. New edition, 12mo, cloth.....	2 50

D. VAN NOSTRAND'S PUBLICATIONS.

MYER. Manual of Signals, for the use of Signal officers in the Field, and for Military and Naval Students, Military Schools, etc. A new edition enlarged and illustrated By Brig. General Albert J. Myer, Chief Signal Officer of the army, Colonel of the Signal Corps during the War of the Rebellion. 12mo, 48 plates, full Roan.....	\$5 00
WILLIAMSON. Practical Tables in Meteorology and Hypsometry, in connection with the use of the Barometer. By Col. R. S. Williamson, U. S. A. 4to, cloth.....	2 50
THE YOUNG MECHANIC. Containing directions for the use of all kinds of tools, and for the construction of Steam Engines and Mechanical Models, including the Art of Turning in Wood and Metal. By the author "The Lathe and its Uses," etc. From the English edition with corrections. Illustrated, 12mo, cloth.....	1 75
PICKERT AND METCALF. The Art of Graining. How Acquired and How Produced, with description of colors, and their application. By Charles Pickert and Abraham Metcalf. Beautifully illustrated with 42 tinted plates of the various woods used in interior finishing. Tinted paper, 4to, cloth.....	10 00
HUNT. Designs for the Gateways of the Southern Entrances to the Central Park. By Richard M. Hunt. With a description of the designs. 4to. cloth.....	5 00
LAZELLE. One Law in Nature. By Capt. H. M. Lazelle, U. S. A. A new Corpuscular Theory, comprehending Unity of Force, Identity of Matter, and its Multiple Atom Constitution, applied to the Physical Affections or Modes of Energy. 12mo, cloth...	1 50
PETERS Notes on the Origin, Nature, Prevention, and Treatment of Asiatic Cholera. By John C. Peters, M. D. Second edition, with an Appendix. 12mo, cloth.....	1 50

D. VAN NOSTRAND'S PUBLICATIONS.

- BOYNTON.** History of West Point, its Military Importance during the American Revolution, and the Origin and History of the U. S. Military Academy. By Bvt. Major C. E. Boynton, A.M., Adjutant of the Military Academy. Second edition, 416 pp. 8vo, printed on tinted paper, beautifully illustrated with 36 maps and fine engravings, chiefly from photographs taken on the spot by the author. Extra cloth..... \$3 50
- WOOD.** West Point Scrap Book, being a collection of Legends, Stories, Songs, etc. of the U. S. Military Academy. By Lieut. O. E. Wood, U. S. A. Illustrated by 69 engravings and a copperplate map. Beautifully printed on tinted paper. 8vo, cloth..... 5 00
- WEST POINT LIFE.** A Poem read before the Dialectic Society of the United States Military Academy. Illustrated with Pen-and-Ink Sketches. By a Cadet. To which is added the song, "Benny Havens, oh!" oblong 8vo, 21 full page illustrations, cloth..... 2 50
- GUIDE TO WEST POINT** and the U. S. Military Academy, with maps and engravings, 18mo, blue cloth, flexible..... 1 00
- HENRY.** Military Record of Civilian Appointments in the United States Army. By Guy V. Henry, Brevet Colonel and Captain First United States Artillery, Late Colonel and Brevet Brigadier General, United States Volunteers Vol. 1 now ready. Vol. 2 in press. 8vo, per volume, cloth..... 5 00
- HAMERSLY.** Records of Living Officers of the U. S. Navy and Marine Corps. Compiled from official sources. By Lewis B. Hamersly, late Lieutenant U. S. Marine Corps. Revised edition, 8vo, cloth... 5 00
- MOORE.** Portrait Gallery of the War. Civil, Military and Naval. A Biographical record, edited by Frank Moore. 60 fine portraits on steel. Royal 8vo, cloth..... 6 00

Princeton University Library



32101 049490160

